



Ochsner Health Plan Freedom (HMO POS) H9763-002
Ochsner Health Plan Premier (HMO) H9763-003-001
Ochsner Health Plan Premier (HMO) H9763-003-002

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

*This formulary was updated on 05/01/2023. For more recent information or other questions, please contact Ochsner Health Plan's Pharmacy Help Desk at 1-800-910-1837 (TTY users should call 711). Hours of Operation are 24 hours a day, 7 days a week or visit www.ochsnerhealthplan.com. **Important Message About What You Pay for Vaccines** - Our plan covers most Part D vaccines at no cost to you. Call Member Services for more information. **Important Message About What You Pay for Insulin** - You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on.*

List of Covered Drugs

Ochsner Health Plan Freedom (HMO POS) H9763-002

Ochsner Health Plan Premier (HMO) H9763-003-001

Ochsner Health Plan Premier (HMO) H9763-003-002

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Ochsner Health Plan. When it refers to “plan” or “our plan,” it means Ochsner Health Plan Premier (HMO) or Ochsner Health Plan Freedom (HMO POS). This document includes a list of the drugs (formulary) for our plan which is current as of 05/01/2023. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1st of each year and from time to time during the year.

What is the Ochsner Health Plan Formulary?

A formulary is a list of covered drugs selected by us in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. We will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at an Ochsner Health Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.

- If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled "How do I request an exception to the Ochsner Health Plan Formulary?"

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand-name drug currently on the formulary, or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

- If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the Ochsner Health Plan Formulary?"

Changes that will not affect you if you are currently taking the drug.

Generally, if you are taking a drug on our 2023 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2023 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 05/01/2023. To get updated information about the drugs covered by Ochsner Health Plan please contact us. Our contact information appears on the front and back cover pages. If there are negative changes made to the printed drug list within the covered year, you may be notified by mail identifying the changes. Drug lists located on our website are reviewed and updated monthly.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Ochsner Health Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Ochsner Health Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, Ochsner Health Plan limits the amount of the drug that Ochsner Health Plan will cover. For example, Ochsner Health Plan provides 56 per 28 days per prescription for AFINITOR ORAL TABLET 10 MG. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Ochsner Health Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Ochsner Health Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Ochsner Health Plan's formulary?" on page 4 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Ochsner Health Plan does not cover your drug, you have two options:

- You can ask the Pharmacy Help Desk for a list of similar drugs that are covered by Ochsner Health Plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by us.
- You can ask us to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Ochsner Health Plan Formulary?

You can ask Ochsner Health Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Ochsner Health Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Ochsner Health Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

- An Emergency Supply is defined by CMS as a one-time fill of a non-formulary drug that is necessary with respect to current members in the long term care setting. Current members that are in need of a one-time Emergency Fill or that are prescribed a non-formulary drug as a result of a level of care change can be placed in transition via a pharmacy submission clarification code.

For more information

For more detailed information about your Ochsner Health Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Ochsner Health Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Ochsner Health Plan Formulary

The formulary below provides coverage information about some of the drugs covered by Ochsner Health Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML) and generic drugs are listed in lower-case italics (e.g., *metformin oral tablet 500 mg*).

The information in the Requirements/Limits column tells you if Ochsner Health Plan has any special requirements for coverage of your drug.



You can find information on what the symbols and abbreviations on this table here:

COVERAGE NOTES ABBREVIATIONS

| ABBREVIATION | DESCRIPTION |
|-----------------------------------|------------------------------------|
| PA | Prior Authorization Applies |
| PA NSO | PA for New Starts Only |
| PA BvD | Part D vs. Part B Only |
| PA-HRM | PA for High Risk Meds |
| QL | Quantity Limit Applies |
| ST | Step Therapy Applies |
| ST NSO | ST for New Starts Only |
| CB | Capped Benefit |
| GM | Male Only |
| GF | Female Only |
| AGE (Max x Years) | Prior Authorization Age Edit |
| AGE (Min x Years) | Prior Authorization Age Edit |
| AGE (Min x Years and Max y Years) | Prior Authorization Age Edit |
| AGE (Min x Years and Max y Years) | Prior Authorization Age Edit |
| EX | Excluded Drug |
| FF | First Fill (Generic Use Incentive) |
| LA | Limited Access Drug |
| GC | Gap Coverage |
| NDS | Non-Extended Days' Supply |
| NM | Non-Mail Order Drug |
| HI | Home Infusion Drug |
| SI | Select Insulin |
| * | ADD Drug |

GC: We provide additional coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage



Table of Contents

| | |
|---|-----|
| Analgesics..... | 3 |
| Anesthetics..... | 8 |
| Anti-Addiction/Substance Abuse Treatment Agents..... | 9 |
| Antianxiety Agents..... | 10 |
| Antibacterials..... | 11 |
| Anticancer Agents..... | 19 |
| Anticonvulsants..... | 34 |
| Antidementia Agents..... | 39 |
| Antidepressants..... | 40 |
| Antidiabetic Agents..... | 43 |
| Antifungals..... | 48 |
| Antigout Agents..... | 50 |
| Antihistamines..... | 51 |
| Anti-Infectives (Skin And Mucous Membrane)..... | 51 |
| Antimigraine Agents..... | 52 |
| Antimycobacterials..... | 53 |
| Antinausea Agents..... | 54 |
| Antiparasite Agents..... | 56 |
| Antiparkinsonian Agents..... | 57 |
| Antipsychotic Agents..... | 59 |
| Antivirals (Systemic)..... | 64 |
| Blood Products/Modifiers/Volume Expanders..... | 72 |
| Caloric Agents..... | 76 |
| Cardiovascular Agents..... | 78 |
| Central Nervous System Agents..... | 90 |
| Contraceptives..... | 95 |
| Dental And Oral Agents..... | 104 |
| Dermatological Agents..... | 105 |
| Devices..... | 111 |
| Enzyme Replacement/Modifiers..... | 153 |
| Eye, Ear, Nose, Throat Agents..... | 155 |
| Gastrointestinal Agents..... | 159 |
| Genitourinary Agents..... | 163 |
| Heavy Metal Antagonists..... | 164 |
| Hormonal Agents, Stimulant/Replacement/Modifying..... | 165 |
| Immunological Agents..... | 171 |

| | |
|--|-----|
| Inflammatory Bowel Disease Agents..... | 182 |
| Metabolic Bone Disease Agents..... | 183 |
| Miscellaneous Therapeutic Agents..... | 185 |
| Ophthalmic Agents..... | 187 |
| Replacement Preparations..... | 188 |
| Respiratory Tract Agents..... | 190 |
| Skeletal Muscle Relaxants..... | 195 |
| Sleep Disorder Agents..... | 195 |
| Vasodilating Agents..... | 196 |
| Vitamins And Minerals..... | 197 |

| Drug Name | Drug Tier | Requirements/Limits | |
|---|-----------------------------------|---------------------------------------|--|
| Analgesics | | | |
| Analgesics, Miscellaneous | | | |
| <i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml | 2 | NM; GC; NDS; QL (4500 per 30 days) | |
| <i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg | 2 | NM; GC; NDS; QL (360 per 30 days) | |
| <i>acetaminophen-codeine oral tablet</i> 300-60 mg | 2 | NM; GC; NDS; QL (180 per 30 days) | |
| <i>ascomp with codeine oral capsule</i> 30-50-325-40 mg | (codeine-butalbital- asa-caff) | 2 | PA-HRM; NM; GC; NDS; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>buprenorphine hcl injection solution</i> 0.3 mg/ml | (Buprenex) | 2 | GC |
| <i>buprenorphine hcl injection syringe</i> 0.3 mg/ml | | 2 | GC |
| <i>butalbital-acetaminophen-caff oral</i> <i>tablet 50-325-40 mg</i> | (Esgic) | 2 | PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>butalbital-aspirin-caffeine oral</i> <i>capsule 50-325-40 mg</i> | | 2 | PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>butalbital-aspirin-caffeine oral</i> <i>tablet 50-325-40 mg</i> | | 2 | PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>codeine sulfate oral tablet 30 mg, 60</i> <i>mg</i> | | 2 | NM; GC; NDS; QL (180 per 30 days) |
| <i>codeine-butalbital-asa-caff oral</i> <i>capsule 30-50-325-40 mg</i> | (Ascomp with Codeine) | 2 | PA-HRM; NM; GC; NDS; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>endocet oral tablet 10-325 mg</i> | (oxycodone- acetaminophen) | 2 | NM; GC; NDS; QL (180 per 30 days) |
| <i>endocet oral tablet 2.5-325 mg, 5-</i> <i>325 mg</i> | (oxycodone- acetaminophen) | 2 | NM; GC; NDS; QL (360 per 30 days) |
| <i>endocet oral tablet 7.5-325 mg</i> | (oxycodone- acetaminophen) | 2 | NM; GC; NDS; QL (240 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------------|
| <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq) | 5 | PA; NM; NDS; QL (120 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i> (Actiq) | 2 | PA; NM; GC; NDS; QL (120 per 30 days) |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 2 | NM; GC; NDS; QL (10 per 30 days) |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> | 2 | NM; GC; NDS; QL (2700 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i> | 2 | NM; GC; NDS; QL (180 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i> | 2 | NM; GC; NDS; QL (240 per 30 days) |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i> | 2 | NM; GC; NDS; QL (150 per 30 days) |
| <i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i> | 2 | GC |
| <i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid) | 2 | NM; GC; NDS; QL (1200 per 30 days) |
| <i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid) | 2 | NM; GC; NDS; QL (180 per 30 days) |
| <i>methadone injection solution 10 mg/ml</i> | 2 | GC; QL (120 per 30 days) |
| <i>methadone oral solution 10 mg/5 ml</i> | 2 | NM; GC; NDS; QL (600 per 30 days) |
| <i>methadone oral solution 5 mg/5 ml</i> | 2 | NM; GC; NDS; QL (1200 per 30 days) |
| <i>methadone oral tablet 10 mg</i> | 2 | NM; GC; NDS; QL (120 per 30 days) |
| <i>methadone oral tablet 5 mg</i> | 2 | NM; GC; NDS; QL (180 per 30 days) |
| <i>methadose oral tablet, soluble 40 mg</i> (methadone) | 2 | NM; GC; NDS; QL (30 per 30 days) |
| <i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i> | 2 | PA; NM; GC; NDS; QL (180 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| <i>morphine oral solution 10 mg/5 ml</i> | 2 | NM; GC; NDS; QL (700 per 30 days) |
| <i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i> | 2 | NM; GC; NDS; QL (300 per 30 days) |
| MORPHINE ORAL TABLET 15 MG | 4 | NM; NDS; QL (180 per 30 days) |
| MORPHINE ORAL TABLET 30 MG | 4 | NM; NDS; QL (120 per 30 days) |
| <i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin) | 2 | NM; GC; NDS; QL (60 per 30 days) |
| <i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin) | 2 | NM; GC; NDS; QL (90 per 30 days) |
| <i>oxycodone oral capsule 5 mg</i> | 2 | NM; GC; NDS; QL (180 per 30 days) |
| <i>oxycodone oral solution 5 mg/5 ml</i> | 2 | NM; GC; NDS; QL (1300 per 30 days) |
| <i>oxycodone oral tablet 10 mg, 5 mg</i> | 2 | NM; GC; NDS; QL (180 per 30 days) |
| <i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone) | 2 | NM; GC; NDS; QL (120 per 30 days) |
| <i>oxycodone oral tablet 20 mg</i> | 2 | NM; GC; NDS; QL (120 per 30 days) |
| <i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin) | 3 | NM; NDS; QL (60 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet) | 2 | NM; GC; NDS; QL (180 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet) | 2 | NM; GC; NDS; QL (360 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet) | 2 | NM; GC; NDS; QL (240 per 30 days) |
| OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone) | 3 | NM; NDS; QL (60 per 30 days) |
| <i>oxymorphone oral tablet 10 mg</i> | 2 | NM; GC; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>oxymorphone oral tablet 5 mg</i> | 2 | NM; GC; NDS; QL (180 per 30 days) |
| <i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i> | 2 | NM; GC; NDS; QL (60 per 30 days) |
| <i>tramadol oral tablet 50 mg</i> | 1 | NM; GC; NDS; QL (240 per 30 days) |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> | 2 | NM; GC; NDS; QL (300 per 30 days) |
| XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG | 3 | NM; NDS; QL (60 per 30 days) |
| XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG | 3 | NM; NDS; QL (120 per 30 days) |
| XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG | 3 | NM; NDS; QL (240 per 30 days) |
| Nonsteroidal Anti-Inflammatory Agents | | |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex) | 2 | GC; QL (60 per 30 days) |
| <i>diclofenac potassium oral tablet 50 mg</i> | 2 | GC; QL (120 per 30 days) |
| <i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> | 2 | GC; QL (60 per 30 days) |
| <i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg</i> | 2 | GC; QL (150 per 30 days) |
| <i>diclofenac sodium oral tablet, delayed release (drlec) 50 mg</i> | 2 | GC; QL (120 per 30 days) |
| <i>diclofenac sodium oral tablet, delayed release (drlec) 75 mg</i> | 2 | GC; QL (60 per 30 days) |
| <i>diclofenac sodium topical drops 1.5 %</i> | 2 | GC; QL (300 per 30 days) |
| <i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac)) | 2 | GC; QL (1000 per 30 days) |
| <i>diclofenac sodium topical gel 3 %</i> | 2 | PA; GC; QL (100 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| <i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram lactuation(2%)</i> (Pennsaid) | 5 | PA; NM; NDS; QL (224 per 28 days) |
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50) | 2 | GC |
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75) | 2 | GC |
| <i>ec-naproxen dr 500 mg tablet</i> (naproxen) | 2 | GC |
| <i>etodolac oral capsule 200 mg, 300 mg</i> | 2 | GC |
| <i>etodolac oral tablet 400 mg</i> (Lodine) | 2 | GC |
| <i>etodolac oral tablet 500 mg</i> | 2 | GC |
| <i>flurbiprofen oral tablet 100 mg</i> | 2 | GC |
| <i>ibu oral tablet 400 mg, 600 mg, 800 mg</i> (ibuprofen) | 1 | GC |
| <i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil) | 2 | GC |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU) | 1 | GC |
| <i>ibuprofen-famotidine oral tablet 800-26.6 mg</i> (Duexis) | 2 | PA; GC; QL (90 per 30 days) |
| <i>indomethacin oral capsule 25 mg</i> | 1 | PA-HRM; GC; QL (240 per 30 days); AGE (Max 64 Years) |
| <i>indomethacin oral capsule 50 mg</i> | 1 | PA-HRM; GC; QL (120 per 30 days); AGE (Max 64 Years) |
| <i>indomethacin oral capsule, extended release 75 mg</i> | 2 | PA-HRM; GC; QL (60 per 30 days); AGE (Max 64 Years) |
| <i>ketorolac oral tablet 10 mg</i> | 2 | PA-HRM; GC; QL (20 per 30 days); AGE (Max 64 Years) |
| <i>mefenamic acid oral capsule 250 mg</i> | 2 | GC |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i> | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>nabumetone oral tablet 500 mg, 750 mg</i> | 2 | GC |
| <i>naproxen oral tablet 250 mg, 375 mg</i> | 1 | GC |
| <i>naproxen oral tablet 500 mg</i> (Naprosyn) | 1 | GC |
| <i>naproxen oral tablet, delayed release (drlec) 375 mg</i> (EC-Naprosyn) | 2 | GC |
| <i>naproxen oral tablet, delayed release (drlec) 500 mg</i> (EC-Naproxen) | 2 | GC |
| <i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene) | 2 | GC |
| <i>sulindac oral tablet 150 mg, 200 mg</i> | 2 | GC |
| Anesthetics | | |
| Local Anesthetics | | |
| <i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl) | 2 | GC; QL (30 per 30 days) |
| <i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF) | 1 | GC |
| <i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i> | 1 | GC |
| <i>lidocaine hcl 1% 50 mg/5 ml vial sdv, plf 10 mg/ml (1 %)</i> (Xylocaine-MPF) | 2 | GC |
| <i>lidocaine hcl 2% ampul outer, plf, sdv 20 mg/ml (2 %)</i> (Xylocaine-MPF) | 2 | GC |
| <i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %)</i> (Xylocaine) | 2 | GC |
| <i>lidocaine hcl injection solution 5 mg/ml (0.5 %)</i> (Xylocaine) | 1 | GC |
| <i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo) | 2 | GC; QL (30 per 30 days) |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> | 2 | PA; GC |
| <i>lidocaine topical adhesive patch, medicated 5 %</i> (Lidoderm) | 2 | PA; GC; QL (90 per 30 days) |
| <i>lidocaine topical ointment 5 %</i> | 2 | PA; GC; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl) | 2 | GC |
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i> | 2 | PA; GC; QL (30 per 30 days) |
| ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 % | 3 | PA; QL (90 per 30 days) |
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| <i>acamprosate oral tablet,delayed release (drlec) 333 mg</i> | 2 | GC |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i> | 2 | GC; QL (90 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone) | 2 | GC; QL (60 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone) | 2 | GC; QL (90 per 30 days) |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i> | 2 | GC; QL (90 per 30 days) |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i> | 2 | GC |
| <i>disulfiram oral tablet 250 mg, 500 mg</i> | 2 | GC |
| KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION | 3 | QL (4 per 30 days) |
| <i>naloxone injection solution 0.4 mg/ml</i> | 1 | GC |
| <i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i> | 2 | GC |
| <i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan) | 2 | GC; QL (4 per 30 days) |
| <i>naltrexone oral tablet 50 mg</i> | 2 | GC |
| NICOTROL INHALATION CARTRIDGE 10 MG | 4 | QL (2688 per 365 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------------|
| <i>varenicline oral tablet 0.5 mg</i> | 2 | GC; QL (336 per 365 days) |
| <i>varenicline oral tablet 1 mg</i> (Chantix) | 2 | GC; QL (336 per 365 days) |
| <i>varenicline oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box) | 2 | GC |
| Antianxiety Agents | | |
| Benzodiazepines | | |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax) | 1 | NM; GC; NDS; QL (120 per 30 days) |
| <i>alprazolam oral tablet 2 mg</i> (Xanax) | 1 | NM; GC; NDS; QL (150 per 30 days) |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i> | 1 | NM; GC; NDS; QL (120 per 30 days) |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin) | 1 | GC; QL (90 per 30 days) |
| <i>clonazepam oral tablet 2 mg</i> (Klonopin) | 1 | GC; QL (300 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 2 | GC; QL (90 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 2 mg</i> | 2 | GC; QL (300 per 30 days) |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i> | 2 | GC; QL (180 per 30 days) |
| <i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab) | 2 | GC; QL (180 per 30 days) |
| <i>diazepam injection solution 5 mg/ml</i> | 2 | GC; QL (10 per 28 days) |
| <i>diazepam injection syringe 5 mg/ml</i> | 2 | GC |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam) | 2 | GC; QL (1200 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | 2 | GC; QL (1200 per 30 days) |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium) | 1 | GC; QL (120 per 30 days) |
| <i>lorazepam 4 mg/ml vial inner</i> (Ativan) | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------------|
| <i>lorazepam injection solution 2 mg/ml</i> (Ativan) | 2 | GC; QL (2 per 30 days) |
| <i>lorazepam injection solution 4 mg/ml</i> (Ativan) | 4 | QL (2 per 30 days) |
| <i>lorazepam injection syringe 2 mg/ml</i> | 1 | GC; QL (2 per 30 days) |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan) | 1 | NM; GC; NDS; QL (90 per 30 days) |
| <i>lorazepam oral tablet 2 mg</i> (Ativan) | 1 | NM; GC; NDS; QL (150 per 30 days) |
| <i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i> | 2 | NM; GC; NDS; QL (120 per 30 days) |
| <i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril) | 1 | NM; GC; NDS; QL (30 per 30 days) |
| Antibacterials | | |
| Aminoglycosides | | |
| <i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i> | 2 | GC |
| <i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i> | 2 | GC |
| <i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i> | 2 | GC |
| <i>neomycin oral tablet 500 mg</i> | 2 | GC |
| <i>streptomycin intramuscular recon soln 1 gram</i> | 5 | NM; NDS |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi) | 5 | PA BvD; NM; NDS |
| <i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis) | 5 | PA BvD; NM; NDS |
| <i>tobramycin sulfate injection solution 40 mg/ml</i> | 2 | GC |
| Antibacterials, Miscellaneous | | |
| <i>chloramphenicol sod succinate intravenous recon soln 1 gram</i> | 2 | GC |
| <i>clindamycin 600 mg/4 ml addvan sdv,outer</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl) | 1 | GC |
| <i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i> | 2 | GC |
| <i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> (clindamycin palmitate hcl) | 2 | GC |
| <i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i> | 2 | GC |
| <i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin) | 2 | GC |
| <i>clindamycin phosphate intravenous solution 300 mg/2 ml, 900 mg/6 ml</i> | 2 | GC |
| <i>clindamycin phosphate intravenous solution 600 mg/4 ml</i> | 2 | GC |
| <i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral) | 5 | NM; NDS |
| <i>daptomycin intravenous recon soln 500 mg</i> (Cubicin RF) | 5 | NM; NDS |
| FIRVANQ ORAL RECON SOLN 25 MG/ML | 4 | |
| <i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox) | 2 | GC |
| <i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox) | 5 | NM; NDS |
| <i>linezolid oral tablet 600 mg</i> (Zyvox) | 2 | GC |
| <i>methenamine hippurate oral tablet 1 gram</i> (Hiprex) | 2 | GC |
| <i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.) | 2 | GC |
| <i>metronidazole oral tablet 250 mg, 500 mg</i> | 1 | GC |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin) | 2 | GC; QL (120 per 30 days) |
| <i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i> (Macrobid) | 2 | GC; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| <i>polymyxin b sulfate injection recon soln 500,000 unit</i> | 2 | GC |
| <i>trimethoprim oral tablet 100 mg</i> | 1 | GC |
| <i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i> | 2 | GC |
| <i>vancomycin oral capsule 125 mg</i> (Vancocin) | 2 | GC; QL (56 per 14 days) |
| <i>vancomycin oral capsule 250 mg</i> (Vancocin) | 2 | GC; QL (112 per 14 days) |
| XIFAXAN ORAL TABLET 200 MG | 5 | PA; NM; NDS; QL (9 per 30 days) |
| XIFAXAN ORAL TABLET 550 MG | 5 | PA; NM; NDS; QL (90 per 30 days) |
| Cephalosporins | | |
| <i>cefaclor oral capsule 250 mg, 500 mg</i> | 2 | GC |
| <i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i> | 2 | GC |
| <i>cefadroxil oral capsule 500 mg</i> | 2 | GC |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 2 | GC |
| <i>cefadroxil oral tablet 1 gram</i> | 2 | GC |
| <i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i> | 2 | GC |
| <i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i> | 2 | GC |
| <i>cefdinir oral capsule 300 mg</i> | 2 | GC |
| <i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | GC |
| <i>cefepime injection recon soln 1 gram, 2 gram</i> | 2 | GC |
| <i>cefixime oral capsule 400 mg</i> (Suprax) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>cefotaxime injection recon soln 1 gram</i> | 2 | GC |
| <i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i> | 2 | GC |
| <i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i> | 2 | GC |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i> | 2 | GC |
| <i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | GC |
| <i>cefprozil oral tablet 250 mg, 500 mg</i> | 2 | GC |
| <i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef) | 2 | GC |
| <i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i> | 2 | GC |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i> | 2 | GC |
| <i>cefuroxime sodium injection recon soln 750 mg</i> | 2 | GC |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i> | 2 | GC |
| <i>cephalexin oral capsule 250 mg, 500 mg</i> | 1 | GC |
| <i>cephalexin oral capsule 750 mg</i> | 2 | GC |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | GC |
| TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG | 5 | NM; NDS |
| Macrolides | | |
| <i>azithromycin intravenous recon soln 500 mg</i> (Zithromax) | 2 | GC |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i> | 1 | GC |
| <i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax) | 1 | GC |
| <i>azithromycin oral tablet 600 mg</i> | 2 | GC |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | GC |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i> | 2 | GC |
| DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML | 5 | NM; NDS; QL (136 per 10 days) |
| DIFICID ORAL TABLET 200 MG | 5 | NM; NDS; QL (20 per 10 days) |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules) | 2 | GC |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400) | 2 | GC |
| <i>erythromycin oral tablet 250 mg, 500 mg</i> | 2 | GC |
| Miscellaneous B-Lactam Antibiotics | | |
| <i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam) | 2 | GC |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML | 5 | PA; NM; LA; NDS |
| <i>ertapenem injection recon soln 1 gram</i> (Invanz) | 2 | GC |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i> | 2 | GC |
| <i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV) | 2 | GC |
| <i>meropenem intravenous recon soln 1 gram, 500 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| Penicillins | | |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i> | 1 | GC |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i> | 1 | GC |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i> | 1 | GC |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> | 2 | GC |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i> | 2 | GC |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin) | 2 | GC |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600) | 2 | GC |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i> | 2 | GC |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin) | 1 | GC |
| <i>amoxicillin-pot clavulanate oral tablet 875-125 mg</i> | 1 | GC |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i> | 2 | GC |
| <i>ampicillin oral capsule 500 mg</i> | 2 | GC |
| <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i> | 2 | GC |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn) | 2 | GC |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i> | 2 | GC |
| <i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i> | 2 | GC |
| <i>nafcillin injection recon soln 1 gram</i> | 2 | GC |
| <i>nafcillin injection recon soln 10 gram</i> | 5 | NM; NDS |
| <i>nafcillin injection recon soln 2 gram</i> | 2 | GC |
| <i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i> | 2 | GC |
| <i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i> | 2 | GC |
| <i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i> | 2 | GC |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i> | 1 | GC |
| <i>pfizerpen-g injection recon soln 20 million unit (penicillin g potassium)</i> | 2 | GC |
| <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i> | 2 | GC |
| Quinolones | | |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg (Cipro)</i> | 1 | GC |
| <i>ciprofloxacin hcl oral tablet 750 mg</i> | 1 | GC |
| <i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i> | 2 | GC |
| <i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml (Cipro)</i> | 2 | GC |
| <i>ciprofloxacin oral suspension, microcapsule recon 500 mg/5 ml (Cipro)</i> | 2 | GC |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>levofloxacin intravenous solution 25 mg/ml</i> | 2 | GC |
| <i>levofloxacin oral solution 250 mg/10 ml</i> | 2 | GC |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i> | 1 | GC |
| <i>moxifloxacin oral tablet 400 mg</i> | 2 | GC |
| Sulfonamides | | |
| <i>sulfadiazine oral tablet 500 mg</i> | 2 | GC |
| <i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i> | 2 | GC |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim) | 2 | GC |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim) | 1 | GC |
| <i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS) | 1 | GC |
| Tetracyclines | | |
| <i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate) | 2 | GC |
| <i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100) | 2 | GC |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox) | 2 | GC |
| <i>doxycycline hyclate oral tablet 100 mg</i> (LymePak) | 2 | GC |
| <i>doxycycline hyclate oral tablet 20 mg</i> | 2 | GC |
| <i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL) | 2 | GC |
| <i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox) | 2 | GC |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin (mono)) | 2 | GC |
| <i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------------------|
| <i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i> | 2 | GC |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i> | 2 | GC |
| <i>mondoxylene nl oral capsule 100 mg</i> (doxycycline monohydrate) | 2 | GC |
| <i>tetracycline oral capsule 250 mg, 500 mg</i> | 2 | GC |
| <i>tigecycline intravenous recon soln 50 mg</i> (Tygacil) | 5 | NM; NDS |
| Anticancer Agents | | |
| Anticancer Agents | | |
| <i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga) | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG (paclitaxel protein-bound) | 5 | PA BvD; NM; NDS |
| <i>adrucil intravenous solution 2.5 gram/50 ml, 5 gram/100 ml</i> (fluorouracil) | 2 | PA BvD; GC |
| ALECENSA ORAL CAPSULE 150 MG | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG (pemetrexed disodium) | 5 | NM; NDS |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| ALUNBRIG ORAL TABLET 30 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23) | 5 | PA NSO; NM; NDS |
| <i>anastrozole oral tablet 1 mg</i> (Arimidex) | 1 | GC |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>azacitidine injection recon soln 100 mg</i> (Vidaza) | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| BALVERSA ORAL TABLET 3 MG | 5 | PA NSO; NM; NDS; QL (84 per 28 days) |
| BALVERSA ORAL TABLET 4 MG | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| BALVERSA ORAL TABLET 5 MG | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| <i>bendamustine intravenous recon soln</i> (Treanda) 100 mg, 25 mg | 5 | PA NSO; NM; NDS |
| BENDAMUSTINE (Bendeka) INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS |
| BENDEKA INTRAVENOUS (bendamustine) SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS |
| <i>bexarotene oral capsule 75 mg</i> (Targretin) | 5 | PA NSO; NM; NDS |
| <i>bexarotene topical gel 1%</i> (Targretin) | 5 | PA NSO; NM; NDS |
| <i>bicalutamide oral tablet 50 mg</i> (Casodex) | 2 | GC |
| <i>bleomycin injection recon soln 15 unit, 30 unit</i> | 2 | GC |
| <i>bortezomib injection recon soln 1 mg</i> | 4 | PA NSO |
| <i>bortezomib injection recon soln 2.5 mg</i> | 5 | PA NSO; NM; NDS |
| BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG | 5 | PA NSO; NM; NDS |
| BOSULIF ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| BOSULIF ORAL TABLET 400 MG, 500 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| BRAFTOVI ORAL CAPSULE 75 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| BRUKINSA ORAL CAPSULE 80 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| CABOMETYX ORAL TABLET 20 MG, 60 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| CABOMETYX ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| CALQUENCE ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 100 (vandetanib) MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 300 (vandetanib) MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY) | 5 | PA NSO; NM; NDS |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3) | 5 | PA NSO; NM; NDS; QL (112 per 28 days) |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| COTELLIC ORAL TABLET 20 MG | 5 | PA NSO; NM; LA; NDS; QL (63 per 28 days) |
| <i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i> | 5 | PA BvD; NM; NDS |
| <i>cyclophosphamide intravenous solution 200 mg/ml</i> | 5 | PA BvD; NM; NDS |
| CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG | 4 | PA BvD; ST |
| <i>cyclophosphamide oral capsule 50 mg</i> | 4 | PA BvD; ST |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i> | 3 | PA BvD; ST |
| CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA NSO; NM; NDS |
| DANYELZA INTRAVENOUS SOLUTION 4 MG/ML | 5 | PA NSO; NM; NDS; QL (120 per 28 days) |
| DAURISMO ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| DAURISMO ORAL TABLET 25 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| <i>decitabine intravenous recon soln 50 mg</i> (Dacogen) | 5 | NM; NDS |
| <i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> | 2 | PA BvD; GC |
| <i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil) | 5 | PA BvD; NM; NDS |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG | 4 | PA NSO |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG | 4 | PA NSO |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG | 4 | PA NSO |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH) | 4 | PA NSO |
| EMCYT ORAL CAPSULE 140 MG | 5 | NM; NDS |
| ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML | 5 | PA NSO; NM; NDS |
| ERIVEDGE ORAL CAPSULE 150 MG | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| ERLEADA ORAL TABLET 240 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| ERLEADA ORAL TABLET 60 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva) | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| <i>erlotinib oral tablet 150 mg</i> (Tarceva) | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| <i>etoposide intravenous solution 20 mg/ml</i> (Toposar) | 2 | GC |
| <i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor) | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| <i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor) | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz) | 5 | PA NSO; NM; NDS; QL (112 per 28 days) |
| <i>exemestane oral tablet 25 mg</i> (Aromasin) | 2 | GC |
| EXKIVITY ORAL CAPSULE 40 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG | 5 | PA NSO; NM; NDS |
| <i>floxuridine injection recon soln 0.5 gram</i> | 2 | PA BvD; GC |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i> | 2 | PA BvD; GC |
| <i>flutamide oral capsule 125 mg</i> (Eulexin) | 2 | GC |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| <i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex) | 5 | NM; NDS |
| FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG | 5 | PA NSO; NM; NDS |
| GAVRETO ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG (lomustine) | 4 | |
| HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML | 5 | PA NSO; NM; NDS; QL (5 per 21 days) |
| HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| <i>hydroxyurea oral capsule 500 mg</i> (Hydrea) | 2 | GC |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| IDHIFA ORAL TABLET 100 MG, 50 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>ifosfamide intravenous recon soln 1 gram</i> (Ifex) | 2 | GC |
| <i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i> | 2 | GC |
| <i>imatinib oral tablet 100 mg</i> (Gleevec) | 2 | PA NSO; GC; QL (180 per 30 days) |
| <i>imatinib oral tablet 400 mg</i> (Gleevec) | 2 | PA NSO; GC; QL (60 per 30 days) |
| IMBRUVICA ORAL CAPSULE 140 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| IMBRUVICA ORAL CAPSULE 70 MG | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| IMJUDO INTRAVENOUS SOLUTION 20 MG/ML | 5 | PA NSO; NM; NDS |
| IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML | 4 | PA NSO; QL (4 per 365 days) |
| INLYTA ORAL TABLET 1 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| INQOVI ORAL TABLET 35-100 MG | 5 | PA NSO; NM; NDS; QL (5 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------------|
| INREBIC ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| IRESSA ORAL TABLET 250 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| JAYPIRCA ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| JAYPIRCA ORAL TABLET 50 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML | 5 | PA NSO; NM; NDS |
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS; QL (8 per 21 days) |
| KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML | 5 | PA NSO; NM; NDS; QL (2 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG | 5 | PA NSO; NM; NDS; QL (49 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG | 5 | PA NSO; NM; NDS; QL (70 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG | 5 | PA NSO; NM; NDS; QL (91 per 28 days) |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1) | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2) | 5 | PA NSO; NM; NDS; QL (42 per 28 days) |
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3) | 5 | PA NSO; NM; NDS; QL (63 per 28 days) |
| KOSELUGO ORAL CAPSULE 10 MG | 5 | PA NSO; NM; NDS; QL (300 per 30 days) |
| KOSELUGO ORAL CAPSULE 25 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| KRAZATI ORAL TABLET 200 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>lapatinib oral tablet 250 mg</i> (Tykerb) | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid) | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) | 5 | PA NSO; NM; NDS |
| <i>letrozole oral tablet 2.5 mg</i> (Femara) | 1 | GC |
| LEUKERAN ORAL TABLET 2 MG | 5 | NM; NDS |
| <i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i> | 4 | PA NSO |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i> | 5 | PA NSO; NM; NDS |
| LONSURF ORAL TABLET 15-6.14 MG | 5 | PA NSO; NM; NDS; QL (100 per 28 days) |
| LONSURF ORAL TABLET 20-8.19 MG | 5 | PA NSO; NM; NDS; QL (80 per 28 days) |
| LORBRENA ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| LORBRENA ORAL TABLET 25 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| LUMAKRAS ORAL TABLET 120 MG | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| LUMAKRAS ORAL TABLET 320 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML | 5 | PA NSO; NM; NDS |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG | 5 | PA NSO; NM; NDS |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG | 5 | PA NSO; NM; NDS |
| LYNPARZA ORAL TABLET 100 MG, 150 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| LYSODREN ORAL TABLET 500 MG | 5 | NM; NDS |
| LYTGOBI ORAL TABLET 4 MG, 4 MG (4X 4 MG TB), 4 MG (5X 4 MG TB) | 5 | PA NSO; NM; NDS; QL (140 per 28 days) |
| MARGENZA INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS |
| MATULANE ORAL CAPSULE 50 MG | 5 | NM; NDS |
| <i>megestrol oral tablet 20 mg, 40 mg</i> | 2 | PA NSO-HRM; GC; AGE (Max 64 Years) |
| MEKINIST ORAL TABLET 0.5 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| MEKINIST ORAL TABLET 2 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| MEKTOVI ORAL TABLET 15 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>mercaptopurine oral tablet 50 mg</i> | 2 | GC |
| <i>methotrexate sodium (pf) injection recon soln 1 gram</i> | 2 | GC |
| <i>methotrexate sodium (pf) injection solution 25 mg/ml</i> | 2 | GC |
| <i>methotrexate sodium injection solution 25 mg/ml</i> | 2 | GC |
| <i>methotrexate sodium oral tablet 2.5 mg</i> | 2 | PA BvD; ST; GC |
| <i>mitoxantrone intravenous concentrate 2 mg/ml</i> | 2 | GC |
| MVASI INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS |
| NERLYNX ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| <i>nilutamide oral tablet 150 mg</i> (Nilandron) | 5 | NM; NDS |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG | 5 | PA NSO; NM; NDS; QL (3 per 28 days) |
| NUBEQA ORAL TABLET 300 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| ODOMZO ORAL CAPSULE 200 MG | 5 | PA NSO; NM; LA; NDS |
| OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | PA NSO; NM; NDS |
| ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | PA NSO; NM; NDS |
| ONUREG ORAL TABLET 200 MG, 300 MG | 5 | PA NSO; NM; NDS; QL (14 per 28 days) |
| OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML | 5 | PA NSO; NM; NDS |
| OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML | 5 | PA NSO; NM; NDS |
| ORSERDU ORAL TABLET 345 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| ORSERDU ORAL TABLET 86 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| <i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane) | 5 | PA BvD; NM; NDS |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>pemetrexed disodium intravenous recon soln 750 mg</i> | 5 | NM; NDS |
| <i>pemetrexed disodium intravenous solution 25 mg/ml</i> | 5 | NM; NDS |
| <i>pemetrexed intravenous recon soln 1 gram, 100 mg, 500 mg</i> | 5 | NM; NDS |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1) | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------------------|
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| PURIXAN ORAL SUSPENSION 20 MG/ML | 5 | NM; NDS |
| QINLOCK ORAL TABLET 50 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| RETEVMO ORAL CAPSULE 40 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| RETEVMO ORAL CAPSULE 80 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| REZLIDHIA ORAL CAPSULE 150 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| RIABNI INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA NSO; NM; NDS |
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML) | 5 | PA NSO; NM; NDS |
| ROZLYTREK ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| ROZLYTREK ORAL CAPSULE 200 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA NSO; NM; NDS |
| RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML | 5 | PA NSO; NM; NDS |
| RYDAPT ORAL CAPSULE 25 MG | 5 | PA NSO; NM; NDS; QL (224 per 28 days) |
| SCEMBLIX ORAL TABLET 20 MG, 40 MG | 5 | PA NSO; NM; NDS |
| SOLTAMOX ORAL SOLUTION 20 MG/10 ML | 5 | NM; NDS |
| <i>sorafenib oral tablet 200 mg</i> (Nexavar) | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| SPRYCEL ORAL TABLET 20 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| STIVARGA ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (84 per 28 days) |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent) | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG | 5 | PA NSO; NM; NDS |
| TABLOID ORAL TABLET 40 MG (thioguanine) | 4 | |
| TABRECTA ORAL TABLET 150 MG, 200 MG | 5 | PA NSO; NM; NDS; QL (112 per 28 days) |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| TAGRISSO ORAL TABLET 40 MG, 80 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| TALZENNA ORAL CAPSULE 0.25 MG, 0.5 MG, 0.75 MG, 1 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i> | 2 | GC |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG | 5 | PA NSO; NM; NDS; QL (112 per 28 days) |
| TASIGNA ORAL CAPSULE 50 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| TAZVERIK ORAL TABLET 200 MG | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML | 5 | PA NSO; NM; NDS |
| TEPMETKO ORAL TABLET 225 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| TIBSOVO ORAL TABLET 250 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG | 4 | |
| TIVDAK INTRAVENOUS RECON SOLN 40 MG | 5 | PA NSO; NM; NDS; QL (5 per 21 days) |
| <i>toposar intravenous solution 20 mg/ml</i> (etoposide) | 2 | GC |
| <i>toremifene oral tablet 60 mg</i> (Fareston) | 5 | NM; NDS |
| TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | PA NSO; NM; NDS |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG | 5 | PA NSO; NM; NDS |
| <i>tretinoin (antineoplastic) oral capsule 10 mg</i> | 5 | NM; NDS |
| TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3) | 5 | PA NSO; NM; NDS |
| TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA NSO; NM; NDS |
| TUKYSA ORAL TABLET 150 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| TUKYSA ORAL TABLET 50 MG | 5 | PA NSO; NM; NDS; QL (300 per 30 days) |
| TURALIO ORAL CAPSULE 125 MG, 200 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS |
| VELCADE INJECTION RECON SOLN 3.5 MG (bortezomib) | 5 | PA NSO; NM; NDS |
| VENCLEXTA ORAL TABLET 10 MG | 3 | PA NSO; LA; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| VENCLEXTA ORAL TABLET 100 MG | 5 | PA NSO; NM; LA; NDS; QL (180 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG | 5 | PA NSO; NM; LA; NDS |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| <i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine) | 2 | GC |
| VITRAKVI ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| VITRAKVI ORAL CAPSULE 25 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| VITRAKVI ORAL SOLUTION 20 MG/ML | 5 | PA NSO; NM; NDS; QL (300 per 30 days) |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| VONJO ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| VOTRIENT ORAL TABLET 200 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| WELIREG ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| XALKORI ORAL CAPSULE 200 MG, 250 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| XATMEP ORAL SOLUTION 2.5 MG/ML | 4 | PA BvD; ST |
| XOSPATA ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) | 5 | PA NSO; NM; NDS; QL (8 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) | 5 | PA NSO; NM; NDS; QL (4 per 28 days) |
| XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK) | 5 | PA NSO; NM; NDS; QL (24 per 28 days) |
| XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK) | 5 | PA NSO; NM; NDS; QL (32 per 28 days) |
| XTANDI ORAL CAPSULE 40 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) | 5 | PA NSO; NM; NDS |
| YONSA ORAL TABLET 125 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| ZEJULA ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| ZELBORAF ORAL TABLET 240 MG | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS |
| ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG | 4 | PA NSO |
| ZOLINZA ORAL CAPSULE 100 MG | 5 | NM; NDS |
| ZYDELIG ORAL TABLET 100 MG, 150 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| ZYKADIA ORAL TABLET 150 MG | 5 | PA NSO; NM; NDS; QL (84 per 28 days) |
| ZYNLONTA INTRAVENOUS RECON SOLN 10 MG | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------------------|
| Anticonvulsants | | |
| Anticonvulsants | | |
| APTIOM ORAL TABLET 200 MG, 400 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| APTIOM ORAL TABLET 600 MG, 800 MG | 5 | ST; NM; NDS; QL (60 per 30 days) |
| BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML | 3 | QL (80 per 30 days) |
| BRIVIACT ORAL SOLUTION 10 MG/ML | 3 | QL (600 per 30 days) |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG | 3 | QL (60 per 30 days) |
| <i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol) | 2 | GC |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol) | 2 | GC |
| <i>carbamazepine oral tablet 200 mg</i> (Eptitol) | 2 | GC |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR) | 2 | GC |
| <i>carbamazepine oral tablet, chewable 100 mg</i> | 2 | GC |
| CELONTIN ORAL CAPSULE 300 MG | 4 | |
| <i>clobazam oral suspension 2.5 mg/ml</i> (Onfi) | 2 | GC; QL (480 per 30 days) |
| <i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi) | 2 | GC; QL (60 per 30 days) |
| DIACOMIT ORAL CAPSULE 250 MG | 5 | PA NSO; NM; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL CAPSULE 500 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 250 MG | 5 | PA NSO; NM; NDS; QL (360 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------------------|
| DIACOMIT ORAL POWDER IN PACKET 500 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial) | 4 | |
| <i>diazepam rectal kit 2.5 mg</i> (Diastat) | 4 | |
| <i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles) | 2 | GC |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER) | 2 | GC |
| <i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote) | 2 | GC |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML | 5 | PA NSO; NM; NDS |
| <i>epitol oral tablet 200 mg</i> (carbamazepine) | 2 | GC |
| EPRONTIA ORAL SOLUTION 25 MG/ML | 4 | ST; QL (480 per 30 days) |
| <i>ethosuximide oral capsule 250 mg</i> (Zarontin) | 2 | GC |
| <i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin) | 2 | GC |
| <i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol) | 5 | NM; NDS |
| <i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol) | 2 | GC |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML | 5 | PA NSO; NM; NDS |
| <i>fosphenytoin injection solution 100 mg per 2 ml, 500 mg per 10 ml</i> (Cerebyx) | 2 | GC |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML | 5 | ST; NM; NDS; QL (720 per 30 days) |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| FYCOMPA ORAL TABLET 2 MG | 4 | ST; QL (30 per 30 days) |
| FYCOMPA ORAL TABLET 4 MG, 6 MG | 5 | ST; NM; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin) | 1 | GC; QL (360 per 30 days) |
| <i>gabapentin oral capsule 400 mg</i> (Neurontin) | 1 | GC; QL (270 per 30 days) |
| <i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin) | 2 | GC; QL (2160 per 30 days) |
| <i>gabapentin oral tablet 600 mg</i> (Neurontin) | 2 | GC; QL (180 per 30 days) |
| <i>gabapentin oral tablet 800 mg</i> (Neurontin) | 2 | GC; QL (120 per 30 days) |
| <i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat) | 2 | GC; QL (200 per 5 days) |
| <i>lacosamide oral solution 10 mg/ml</i> (Vimpat) | 2 | GC; QL (1200 per 30 days) |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat) | 2 | GC; QL (60 per 30 days) |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite) | 1 | GC |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal) | 2 | GC |
| <i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT) | 2 | GC |
| <i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra) | 2 | GC |
| <i>levetiracetam oral solution 100 mg/ml</i> (Keppra) | 2 | GC |
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra) | 2 | GC |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR) | 2 | GC |
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML) | 4 | QL (10 per 30 days) |
| <i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal) | 2 | GC |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i> | 2 | PA NSO-HRM; GC; AGE (Max 64 Years) |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 2 | PA NSO-HRM; GC; AGE (Max 64 Years) |
| <i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125) | 2 | GC |
| <i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs) | 2 | GC |
| <i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended) | 2 | GC |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek) | 2 | GC |
| <i>phenytoin sodium intravenous solution 50 mg/ml</i> | 2 | GC |
| <i>phenytoin sodium intravenous syringe 50 mg/ml</i> | 2 | GC |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica) | 2 | GC; QL (90 per 30 days) |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica) | 2 | GC; QL (60 per 30 days) |
| <i>pregabalin oral solution 20 mg/ml</i> (Lyrica) | 2 | GC; QL (900 per 30 days) |
| <i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline) | 2 | GC |
| <i>rufinamide oral suspension 40 mg/ml</i> (Banzel) | 5 | ST; NM; NDS |
| <i>rufinamide oral tablet 200 mg</i> (Banzel) | 2 | ST; GC |
| <i>rufinamide oral tablet 400 mg</i> (Banzel) | 5 | ST; NM; NDS |
| SEZABY INTRAVENOUS RECON SOLN 100 MG | 5 | PA BvD; NM; NDS |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG | 4 | ST; QL (60 per 30 days) |
| SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG | 4 | ST; QL (120 per 30 days) |
| <i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine) | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| SYMPAZAN ORAL FILM 10 MG, 20 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| SYMPAZAN ORAL FILM 5 MG | 4 | PA NSO; QL (60 per 30 days) |
| <i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril) | 2 | GC |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax) | 2 | GC |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax) | 1 | GC |
| <i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i> | 2 | GC |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> | 2 | GC |
| <i>valproic acid oral capsule 250 mg</i> | 2 | GC |
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML) | 4 | |
| VALTOCO NASAL SPRAY, NON-AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2) | 5 | NM; NDS |
| <i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone) | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigabatrin oral tablet 500 mg</i> (Sabril) | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigadrone oral powder in packet 500 mg</i> (vigabatrin) | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML (lacosamide) | 3 | QL (200 per 5 days) |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) | 4 | ST; QL (56 per 28 days) |
| XCOPRI ORAL TABLET 100 MG, 50 MG | 4 | ST; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--|
| XCOPRI ORAL TABLET 150 MG, 200 MG | 4 | ST; QL (60 per 30 days) |
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | 4 | ST |
| ZONISADE ORAL SUSPENSION 100 MG/5 ML | 4 | |
| <i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran) | 2 | GC |
| <i>zonisamide oral capsule 50 mg</i> | 2 | GC |
| ZTALMY ORAL SUSPENSION 50 MG/ML | 5 | PA NSO; NM; NDS; QL (1080 per 30 days) |
| Antidementia Agents | | |
| Antidementia Agents | | |
| <i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept) | 1 | GC; QL (30 per 30 days) |
| <i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i> | 2 | GC; QL (30 per 30 days) |
| <i>ergoloid oral tablet 1 mg</i> | 2 | GC |
| <i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER) | 2 | GC; QL (30 per 30 days) |
| <i>galantamine oral solution 4 mg/ml</i> | 2 | GC; QL (200 per 30 days) |
| <i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> | 2 | GC; QL (60 per 30 days) |
| <i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR) | 2 | ST; GC; QL (30 per 30 days) |
| <i>memantine oral solution 2 mg/ml</i> | 2 | GC; QL (300 per 30 days) |
| <i>memantine oral tablet 10 mg, 5 mg</i> (Namenda) | 2 | GC; QL (60 per 30 days) |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i> | 2 | GC; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------|
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch) | 2 | GC; QL (30 per 30 days) |
| Antidepressants | | |
| Antidepressants | | |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 2 | GC |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i> | 2 | GC |
| AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG | 5 | ST; NM; NDS |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i> | 2 | GC |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL) | 2 | GC |
| <i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR) | 2 | GC |
| <i>citalopram oral solution 10 mg/5 ml</i> | 2 | GC; QL (600 per 30 days) |
| <i>citalopram oral tablet 10 mg</i> (Celexa) | 1 | GC; QL (120 per 30 days) |
| <i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa) | 1 | GC; QL (30 per 30 days) |
| <i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil) | 2 | GC |
| <i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin) | 2 | GC |
| <i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i> | 2 | GC |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq) | 2 | GC; QL (30 per 30 days) |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 2 | GC |
| <i>doxepin oral concentrate 10 mg/ml</i> | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG | 4 | ST; QL (60 per 30 days) |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG | 4 | ST; QL (30 per 30 days) |
| <i>duloxetine oral capsule, delayed release (drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta) | 2 | GC; QL (60 per 30 days) |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR | 5 | ST; NM; NDS; QL (30 per 30 days) |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i> | 2 | GC |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro) | 1 | GC |
| FETZIMA ORAL CAPSULE, EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26) | 4 | ST |
| FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG | 4 | ST; QL (30 per 30 days) |
| <i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac) | 1 | GC |
| <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i> | 2 | GC |
| <i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i> | 2 | GC |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | 2 | GC |
| <i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i> | 2 | GC |
| MARPLAN ORAL TABLET 10 MG | 4 | |
| <i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| <i>mirtazapine oral tablet 45 mg, 7.5 mg</i> | 2 | GC |
| <i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab) | 2 | GC |
| <i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i> | 2 | GC |
| <i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor) | 1 | GC |
| <i>nortriptyline oral solution 10 mg/5 ml</i> | 2 | GC |
| <i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil) | 2 | PA NSO-HRM; GC; AGE (Max 64 Years) |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil) | 1 | PA NSO-HRM; GC; AGE (Max 64 Years) |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i> | 2 | GC |
| <i>phenelzine oral tablet 15 mg</i> (Nardil) | 2 | GC |
| <i>protriptyline oral tablet 10 mg, 5 mg</i> | 2 | GC |
| <i>sertraline oral concentrate 20 mg/ml</i> (Zoloft) | 2 | GC |
| <i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft) | 1 | GC |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG | 4 | PA NSO |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3) | 5 | PA NSO; NM; NDS |
| <i>tranylcypromine oral tablet 10 mg</i> (Parnate) | 2 | GC |
| <i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i> | 1 | GC |
| <i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> | 2 | GC |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG | 3 | QL (30 per 30 days) |
| <i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i> | 4 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>venlafaxine oral capsule,extended release 24hr 150 mg</i> (Effexor XR) | 2 | GC; QL (30 per 30 days) |
| <i>venlafaxine oral capsule,extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR) | 2 | GC; QL (90 per 30 days) |
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> | 2 | GC |
| VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23) | 3 | |
| <i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd) | 2 | GC; QL (30 per 30 days) |
| Antidiabetic Agents | | |
| Antidiabetic Agents, Miscellaneous | | |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose) | 2 | GC; QL (90 per 30 days) |
| FARXIGA ORAL TABLET 10 MG, 5 MG | 3 | QL (30 per 30 days) |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG | 3 | QL (30 per 30 days) |
| JARDIANCE ORAL TABLET 10 MG, 25 MG | 3 | QL (30 per 30 days) |
| JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG | 3 | QL (60 per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG | 3 | QL (60 per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG | 3 | QL (30 per 30 days) |
| KORLYM ORAL TABLET 300 MG | 5 | PA; NM; NDS; QL (112 per 28 days) |
| <i>metformin oral tablet 1,000 mg</i> | 1 | GC; QL (75 per 30 days) |
| <i>metformin oral tablet 500 mg</i> | 1 | GC; QL (150 per 30 days) |
| <i>metformin oral tablet 850 mg</i> | 1 | GC; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| <i>metformin oral tablet extended release 24 hr 500 mg</i> | 1 | GC; QL (120 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 750 mg</i> | 1 | GC; QL (60 per 30 days) |
| MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML | 3 | QL (2 per 28 days) |
| <i>nateglinide oral tablet 120 mg, 60 mg</i> | 2 | GC; QL (90 per 30 days) |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) | 3 | QL (3 per 28 days) |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML) | 3 | QL (1.5 per 28 days) |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos) | 1 | GC; QL (30 per 30 days) |
| <i>pioglitazone-metformin oral tablet 15-500 mg</i> | 2 | GC; QL (90 per 30 days) |
| <i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET) | 2 | GC; QL (90 per 30 days) |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i> | 2 | GC; QL (120 per 30 days) |
| <i>repaglinide oral tablet 2 mg</i> | 2 | GC; QL (240 per 30 days) |
| RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG | 3 | QL (30 per 30 days) |
| SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML | 5 | PA; NM; NDS; QL (10.8 per 28 days) |
| SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML | 5 | PA; NM; NDS; QL (10.8 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5- 1,000 MG, 5-500 MG | 3 | QL (60 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG | 3 | QL (30 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG | 3 | QL (60 per 30 days) |
| TRADJENTA ORAL TABLET 5 MG | 3 | QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5- 1,000 MG, 25-5-1,000 MG | 3 | QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5- 2.5-1,000 MG, 5-2.5-1,000 MG | 3 | QL (60 per 30 days) |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML | 3 | QL (2 per 28 days) |
| VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML) | 3 | QL (9 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10- 1,000 MG, 10-500 MG | 3 | QL (30 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5- 1,000 MG, 5-1,000 MG, 5-500 MG | 3 | QL (60 per 30 days) |
| Insulins | | |
| FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | SI; QL (30 per 28 days) |
| FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML) | 3 | SI; QL (30 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 3 | SI; QL (40 per 28 days) |
| HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML | 3 | SI; QL (40 per 28 days) |
| HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML) | 3 | SI; QL (24 per 28 days) |
| NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30) | 3 | SI; QL (40 per 28 days) |
| NOVOLIN 70-30 FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | 3 | SI; QL (30 per 28 days) |
| NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | SI; QL (30 per 28 days) |
| NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML | 3 | SI; QL (40 per 28 days) |
| NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | SI; QL (30 per 28 days) |
| NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML | 3 | SI; QL (40 per 28 days) |
| NOVOLOG FLEXPEN U-100 (insulin aspart u-100) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 2 | GC; SI; QL (30 per 28 days) |
| NOVOLOG MIX 70-30 U-100 (insulin asp prt-insulin aspart) INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70- 30) | 2 | GC; SI; QL (40 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|-----------------------------|
| NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | (insulin asp prt-insulin aspart) | 2 | GC; SI; QL (30 per 28 days) |
| NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML | (insulin aspart u-100) | 2 | GC; SI; QL (30 per 28 days) |
| NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML | (insulin aspart u-100) | 2 | GC; SI; QL (40 per 28 days) |
| SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML | (insulin glargine-yfgn) | 3 | SI; QL (40 per 28 days) |
| SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | (insulin glargine-yfgn) | 3 | SI; QL (30 per 28 days) |
| SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML | | 3 | QL (30 per 30 days) |
| TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) | | 3 | SI; QL (18 per 28 days) |
| TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) | | 3 | SI; QL (13.5 per 28 days) |
| XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML) | | 3 | QL (15 per 28 days) |
| Sulfonylureas | | | |
| <i>glimepiride oral tablet 1 mg, 2 mg</i> | (Amaryl) | 1 | GC; QL (30 per 30 days) |
| <i>glimepiride oral tablet 4 mg</i> | (Amaryl) | 1 | GC; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| <i>glipizide oral tablet 10 mg</i> | 1 | GC; QL (120 per 30 days) |
| <i>glipizide oral tablet 5 mg</i> | 1 | GC; QL (60 per 30 days) |
| <i>glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg</i> | 1 | GC; QL (60 per 30 days) |
| <i>glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg</i> | 1 | GC; QL (30 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i> | 2 | GC; QL (240 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> | 2 | GC; QL (120 per 30 days) |
| <i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg (Glynase)</i> | 1 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i> | 1 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i> | 1 | PA-HRM; GC; AGE (Max 64 Years) |
| Antifungals | | |
| Antifungals | | |
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML | 4 | PA BvD |
| AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG (amphotericin b liposome) | 5 | PA BvD; NM; NDS |
| <i>amphotericin b injection recon soln 50 mg</i> | 2 | PA BvD; GC |
| <i>amphotericin b liposome intravenous suspension for reconstitution 50 mg (AmBisome)</i> | 5 | PA BvD; NM; NDS |
| <i>caspofungin intravenous recon soln 50 mg, 70 mg (Cancidas)</i> | 2 | GC |
| <i>ciclopirox topical cream 0.77% (Ciclodan)</i> | 2 | GC; QL (180 per 30 days) |
| <i>ciclopirox topical solution 8% (Ciclodan)</i> | 2 | GC; QL (19.8 per 30 days) |
| <i>clotrimazole mucous membrane troche 10 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole)) | 2 | GC |
| <i>clotrimazole topical solution 1 %</i> | 2 | GC |
| <i>clotrimazole-betamethasone topical cream 1-0.05 %</i> | 2 | GC; QL (90 per 30 days) |
| <i>econazole topical cream 1 %</i> | 2 | GC; QL (170 per 30 days) |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i> | 2 | GC |
| <i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan) | 2 | GC |
| <i>fluconazole oral tablet 100 mg, 150 mg, 200 mg</i> (Diflucan) | 2 | GC |
| <i>fluconazole oral tablet 50 mg</i> | 2 | GC |
| <i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon) | 5 | NM; NDS |
| <i>griseofulvin microsize oral suspension 125 mg/5 ml</i> | 2 | GC |
| <i>griseofulvin microsize oral tablet 500 mg</i> | 2 | GC |
| <i>itraconazole oral capsule 100 mg</i> (Sporanox) | 2 | GC |
| <i>ketoconazole oral tablet 200 mg</i> | 2 | GC |
| <i>ketoconazole topical cream 2 %</i> | 2 | GC; QL (180 per 30 days) |
| <i>ketoconazole topical foam 2 %</i> (Extina) | 2 | ST; GC; QL (100 per 30 days) |
| <i>ketoconazole topical shampoo 2 %</i> | 2 | GC; QL (360 per 30 days) |
| <i>miconazole-3 vaginal suppository 200 mg</i> | 2 | GC |
| NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG | 5 | PA; NM; NDS |
| NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML) (posaconazole) | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>nyamyc topical powder 100,000 unit/gram</i> (nystatin) | 2 | GC; QL (60 per 30 days) |
| <i>nystatin oral suspension 100,000 unit/ml</i> | 2 | GC; QL (900 per 30 days) |
| <i>nystatin oral tablet 500,000 unit</i> | 2 | GC |
| <i>nystatin topical cream 100,000 unit/gram</i> | 2 | GC; QL (60 per 30 days) |
| <i>nystatin topical ointment 100,000 unit/gram</i> | 2 | GC; QL (60 per 30 days) |
| <i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc) | 2 | GC; QL (60 per 30 days) |
| <i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i> | 2 | GC |
| <i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i> | 2 | GC |
| <i>nystop topical powder 100,000 unit/gram</i> (nystatin) | 2 | GC; QL (60 per 30 days) |
| <i>posaconazole oral tablet, delayed release (drlec) 100 mg</i> (Noxafil) | 5 | PA; NM; NDS |
| <i>terbinafine hcl oral tablet 250 mg</i> | 1 | GC |
| <i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV) | 5 | PA BvD; NM; NDS |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend) | 5 | PA; NM; NDS |
| <i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend) | 2 | GC |
| Antigout Agents | | |
| Antigout Agents, Other | | |
| <i>allopurinol oral tablet 100 mg</i> (Zyloprim) | 1 | GC |
| <i>allopurinol oral tablet 300 mg</i> | 1 | GC |
| <i>colchicine oral tablet 0.6 mg</i> (Colcris) | 4 | PA; QL (120 per 30 days) |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric) | 2 | ST; GC; QL (30 per 30 days) |
| MITIGARE ORAL CAPSULE 0.6 MG (colchicine) | 2 | GC; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------------|
| <i>probenecid oral tablet 500 mg</i> | 2 | GC |
| <i>probenecid-colchicine oral tablet 500-0.5 mg</i> | 2 | GC |
| Antihistamines | | |
| Antihistamines | | |
| <i>cypheptadine oral syrup 2 mg/5 ml</i> | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i> | 2 | GC |
| <i>diphenhydramine hcl injection syringe 50 mg/ml</i> | 2 | GC |
| <i>diphenhydramine hcl oral elixir 12.5 mg/5 ml (Diphen)</i> | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i> | 2 | GC |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i> | 2 | GC |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | 1 | GC |
| <i>levocetirizine oral tablet 5 mg (24HR Allergy Relief)</i> | 1 | GC |
| <i>promethazine oral syrup 6.25 mg/5 ml</i> | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| Anti-Infectives (Skin And Mucous Membrane) | | |
| Anti-Infectives (Skin And Mucous Membrane) | | |
| <i>clindamycin phosphate vaginal cream 2 % (Cleocin)</i> | 2 | GC |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram) (Vandazole)</i> | 2 | GC |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i> | 2 | GC |
| <i>terconazole vaginal suppository 80 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| Antimigraine Agents | | |
| Antimigraine Agents | | |
| AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 225 MG/1.5 ML | 3 | PA; QL (1.5 per 30 days) |
| AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML | 3 | PA; QL (1.5 per 30 days) |
| <i>dihydroergotamine injection solution 1 mg/ml</i> | 2 | GC; QL (24 per 28 days) |
| <i>dihydroergotamine nasal spray,non- aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal) | 5 | NM; NDS; QL (8 per 28 days) |
| EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML | 3 | PA; QL (2 per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML | 3 | PA; QL (2 per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3) | 3 | PA; QL (3 per 30 days) |
| <i>naratriptan oral tablet 1 mg, 2.5 mg</i> | 2 | GC; QL (9 per 30 days) |
| NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG | 3 | PA; QL (18 per 30 days) |
| QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG | 3 | PA; QL (30 per 30 days) |
| <i>rizatriptan oral tablet 10 mg</i> (Maxalt) | 2 | GC; QL (12 per 30 days) |
| <i>rizatriptan oral tablet 5 mg</i> | 2 | GC; QL (12 per 30 days) |
| <i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT) | 2 | GC; QL (12 per 30 days) |
| <i>rizatriptan oral tablet,disintegrating 5 mg</i> | 2 | GC; QL (12 per 30 days) |
| <i>sumatriptan nasal spray,non-aerosol 20 mg/lactuation</i> (Imitrex) | 2 | GC; QL (12 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>sumatriptan nasal spray, non-aerosol</i> (Imitrex) 5 mg/lactuation | 2 | GC; QL (18 per 30 days) |
| <i>sumatriptan succinate oral tablet</i> (Imitrex) 100 mg | 2 | GC; QL (9 per 30 days) |
| <i>sumatriptan succinate oral tablet</i> 25 (Imitrex) mg, 50 mg | 2 | GC; QL (18 per 30 days) |
| <i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose <i>cartridge</i> 4 mg/0.5 ml, 6 mg/0.5 ml Refill) | 4 | QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose <i>pen injector</i> 4 mg/0.5 ml, 6 mg/0.5 ml Pen) | 2 | GC; QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous</i> (Imitrex) <i>solution</i> 6 mg/0.5 ml | 2 | GC; QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous</i> <i>syringe</i> 6 mg/0.5 ml | 2 | GC; QL (4 per 28 days) |
| <i>sumatriptan-naproxen oral tablet</i> (Treximet) 85-500 mg | 2 | GC; QL (9 per 27 days) |
| UBRELVY ORAL TABLET 100 MG, 50 MG | 3 | PA; QL (16 per 30 days) |
| <i>zolmitriptan oral tablet</i> 2.5 mg, 5 (Zomig) mg | 2 | GC; QL (6 per 30 days) |
| <i>zolmitriptan oral</i> <i>tablet, disintegrating</i> 2.5 mg, 5 mg | 2 | GC; QL (6 per 30 days) |
| Antimycobacterials | | |
| Antimycobacterials | | |
| <i>dapsone oral tablet</i> 100 mg, 25 mg | 2 | GC |
| <i>ethambutol oral tablet</i> 100 mg | 2 | GC |
| <i>ethambutol oral tablet</i> 400 mg (Myambutol) | 2 | GC |
| <i>isoniazid oral solution</i> 50 mg/5 ml | 2 | GC |
| <i>isoniazid oral tablet</i> 100 mg, 300 mg | 1 | GC |
| PRETOMANID ORAL TABLET 200 MG | 4 | QL (30 per 30 days) |
| PRIFTIN ORAL TABLET 150 MG | 4 | |
| <i>pyrazinamide oral tablet</i> 500 mg | 2 | GC |
| <i>rifabutin oral capsule</i> 150 mg (Mycobutin) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------------|
| <i>rifampin intravenous recon soln 600 mg</i> (Rifadin) | 2 | GC |
| <i>rifampin oral capsule 150 mg, 300 mg</i> | 2 | GC |
| SIRTURO ORAL TABLET 100 MG, 20 MG | 5 | PA; NM; NDS |
| TRECTOR ORAL TABLET 250 MG | 4 | |
| Antinausea Agents | | |
| Antinausea Agents | | |
| AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG | 4 | |
| AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML | 4 | |
| AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG | 4 | PA BvD |
| APONVIE INTRAVENOUS EMULSION 7.2 MG/ML | 4 | QL (4.4 per 28 days) |
| <i>aprepitant oral capsule 125 mg</i> | 2 | PA BvD; GC; QL (2 per 28 days) |
| <i>aprepitant oral capsule 40 mg</i> | 2 | PA BvD; GC; QL (1 per 28 days) |
| <i>aprepitant oral capsule 80 mg</i> (Emend) | 2 | PA BvD; GC; QL (4 per 28 days) |
| <i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend) | 2 | PA BvD; GC |
| <i>compro rectal suppository 25 mg</i> (prochlorperazine) | 2 | GC |
| <i>dimenhydrinate injection solution 50 mg/ml</i> | 2 | GC |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol) | 2 | PA; GC; QL (60 per 30 days) |
| <i>droperidol injection solution 2.5 mg/ml</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------------|
| EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.) | 4 | PA BvD; QL (6 per 28 days) |
| <i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant)) | 2 | GC; QL (2 per 28 days) |
| <i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i> | 2 | GC |
| <i>granisetron hcl intravenous solution 1 mg/ml</i> | 2 | GC |
| <i>granisetron hcl oral tablet 1 mg</i> | 2 | PA BvD; GC |
| <i>meclizine oral tablet 12.5 mg</i> | 2 | GC |
| <i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine)) | 2 | GC |
| <i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i> | 2 | GC |
| <i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i> | 1 | GC |
| <i>ondansetron hcl intravenous solution 2 mg/ml</i> | 2 | GC |
| <i>ondansetron hcl oral solution 4 mg/5 ml</i> | 2 | PA BvD; GC |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> | 2 | PA BvD; GC |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i> | 2 | PA BvD; GC |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | 2 | GC |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine) | 2 | GC |
| <i>prochlorperazine rectal suppository 25 mg</i> (Compro) | 2 | GC |
| <i>promethazine injection solution 25 mg/ml</i> (Phenergan) | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>promethazine injection solution 50 mg/ml</i> (Phenergan) | 2 | PA-HRM; GC; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| <i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i> (Promethegan) | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine) | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop) | 2 | PA-HRM; GC; QL (10 per 30 days); AGE (Max 64 Years) |
| Antiparasite Agents | | |
| Antiparasite Agents | | |
| <i>albendazole oral tablet 200 mg</i> | 5 | NM; NDS |
| <i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron) | 2 | GC |
| <i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone) | 2 | GC |
| <i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric) | 2 | GC |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i> | 2 | GC |
| COARTEM ORAL TABLET 20-120 MG | 4 | |
| <i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil) | 2 | GC; QL (90 per 30 days) |
| IMPAVIDO ORAL CAPSULE 50 MG | 5 | PA; NM; NDS; QL (84 per 28 days) |
| <i>ivermectin oral tablet 3 mg</i> (Stromectol) | 2 | GC |
| KRINTAFEL ORAL TABLET 150 MG | 4 | |
| <i>mefloquine oral tablet 250 mg</i> | 2 | GC |
| <i>nitazoxanide oral tablet 500 mg</i> (Alinia) | 5 | NM; NDS |
| <i>paromomycin oral capsule 250 mg</i> (Humatin) | 2 | GC |
| <i>pentamidine inhalation recon soln 300 mg</i> (Nebupent) | 2 | PA BvD; GC |
| <i>pentamidine injection recon soln 300 mg</i> (Pentam) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------------|
| PRIMAQUINE ORAL TABLET 26.3 MG | 4 | |
| <i>pyrimethamine oral tablet 25 mg</i> (Daraprim) | 5 | PA; NM; NDS |
| <i>quinine sulfate oral capsule 324 mg</i> (Qualaquin) | 2 | PA; GC; QL (42 per 7 days) |
| Antiparkinsonian Agents | | |
| Antiparkinsonian Agents | | |
| <i>amantadine hcl oral capsule 100 mg</i> | 2 | GC |
| <i>amantadine hcl oral solution 50 mg/5 ml</i> | 1 | GC |
| <i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN) | 5 | PA; NM; NDS; QL (60 per 30 days) |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i> | 2 | GC |
| <i>bromocriptine oral capsule 5 mg</i> (Parlodel) | 2 | GC |
| <i>bromocriptine oral tablet 2.5 mg</i> (Parlodel) | 2 | GC |
| <i>cabergoline oral tablet 0.5 mg</i> | 2 | GC |
| <i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet) | 2 | GC |
| <i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy) | 2 | GC |
| <i>carbidopa-levodopa oral tablet 25-250 mg</i> | 2 | GC |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> | 2 | GC |
| <i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i> | 2 | GC |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50) | 4 | |
| <i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75) | 4 | |
| <i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100) | 4 | |
| <i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150) | 4 | |
| <i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200) | 4 | |
| <i>entacapone oral tablet 200 mg</i> (Comtan) | 2 | GC |
| INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG | 5 | PA; NM; NDS; QL (300 per 30 days) |
| KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 5 | PA; NM; NDS; QL (150 per 30 days) |
| KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG | 5 | PA; NM; NDS |
| NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR | 3 | QL (30 per 30 days) |
| OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG | 4 | ST; QL (30 per 30 days) |
| OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1) | 4 | ST; QL (60 per 30 days) |
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex) | 1 | GC |
| <i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect) | 2 | GC |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> | 2 | GC |
| <i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i> | 2 | GC |
| <i>selegiline hcl oral capsule 5 mg</i> | 2 | GC |
| <i>selegiline hcl oral tablet 5 mg</i> | 2 | GC |
| <i>trihexyphenidyl oral elixir 0.4 mg/ml</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------------|
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i> | 1 | GC |
| Antipsychotic Agents | | |
| Antipsychotic Agents | | |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG | 5 | NM; NDS; QL (1 per 28 days) |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG | 5 | NM; NDS; QL (1 per 28 days) |
| <i>aripiprazole oral solution 1 mg/ml</i> | 2 | GC |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify) | 2 | GC |
| <i>aripiprazole oral tablet 2 mg</i> (Abilify) | 2 | GC; QL (60 per 30 days) |
| <i>aripiprazole oral tablet,disintegrating 10 mg</i> | 5 | ST; NM; NDS; QL (90 per 30 days) |
| <i>aripiprazole oral tablet,disintegrating 15 mg</i> | 5 | ST; NM; NDS; QL (60 per 30 days) |
| ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML | 5 | NM; NDS; QL (4.8 per 365 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML | 5 | NM; NDS; QL (3.9 per 56 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML | 5 | NM; NDS; QL (1.6 per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML | 5 | NM; NDS; QL (2.4 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML | 5 | NM; NDS; QL (3.2 per 28 days) |
| <i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg | 2 | GC; QL (60 per 30 days) |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| <i>chlorpromazine injection solution</i> 25 mg/ml | 2 | GC |
| <i>chlorpromazine oral concentrate</i> 100 mg/ml, 30 mg/ml | 2 | GC |
| <i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg | 2 | GC |
| <i>clozapine oral tablet</i> 100 mg, 200 mg, 25 mg, 50 mg (Clozaril) | 2 | GC |
| <i>clozapine oral tablet, disintegrating</i> 100 mg, 12.5 mg, 25 mg | 2 | ST; GC; QL (90 per 30 days) |
| <i>clozapine oral tablet, disintegrating</i> 150 mg | 2 | ST; GC; QL (180 per 30 days) |
| <i>clozapine oral tablet, disintegrating</i> 200 mg | 5 | ST; NM; NDS; QL (120 per 30 days) |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | 5 | ST; NM; NDS; QL (60 per 30 days) |
| FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2) | 4 | ST |
| <i>fluphenazine decanoate injection solution</i> 25 mg/ml | 2 | GC |
| <i>fluphenazine hcl injection solution</i> 2.5 mg/ml | 2 | GC |
| <i>fluphenazine hcl oral concentrate</i> 5 mg/ml | 2 | GC |
| <i>fluphenazine hcl oral elixir</i> 2.5 mg/5 ml | 2 | GC |
| <i>fluphenazine hcl oral tablet</i> 1 mg, 10 mg, 2.5 mg, 5 mg | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| <i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i> | 2 | GC |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> (Haldol Decanoate) | 2 | GC |
| <i>haloperidol lactate injection solution 5 mg/ml</i> | 2 | GC |
| <i>haloperidol lactate intramuscular syringe 5 mg/ml</i> | 2 | GC |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i> | 2 | GC |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i> | 2 | GC |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML | 5 | NM; NDS; QL (3.5 per 180 days) |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML | 5 | NM; NDS; QL (5 per 180 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | 5 | NM; NDS; QL (0.75 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML | 5 | NM; NDS; QL (1 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML | 5 | NM; NDS; QL (1.5 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | 3 | QL (0.25 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML | 5 | NM; NDS; QL (0.5 per 28 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML | 5 | NM; NDS; QL (0.88 per 84 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------------|
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML | 5 | NM; NDS; QL (1.32 per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML | 5 | NM; NDS; QL (1.75 per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML | 5 | NM; NDS; QL (2.63 per 84 days) |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i> | 2 | GC |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda) | 2 | GC; QL (30 per 30 days) |
| <i>lurasidone oral tablet 80 mg</i> (Latuda) | 2 | GC; QL (60 per 30 days) |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>molindone oral tablet 10 mg</i> | 2 | GC; QL (240 per 30 days) |
| <i>molindone oral tablet 25 mg</i> | 2 | GC; QL (270 per 30 days) |
| <i>molindone oral tablet 5 mg</i> | 2 | GC; QL (120 per 30 days) |
| NUPLAZID ORAL CAPSULE 34 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| NUPLAZID ORAL TABLET 10 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa) | 2 | GC; QL (30 per 30 days) |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa) | 2 | GC |
| <i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis) | 2 | GC |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega) | 2 | GC; QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega) | 2 | GC; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i> | 2 | GC |
| PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG | 5 | NM; NDS; QL (1 per 30 days) |
| <i>pimozide oral tablet 1 mg, 2 mg</i> | 2 | GC |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel) | 2 | GC |
| <i>quetiapine oral tablet 150 mg</i> | 2 | GC; QL (30 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR) | 2 | GC |
| REXULTI ORAL TABLET 0.25 MG | 5 | ST; NM; NDS; QL (120 per 30 days) |
| REXULTI ORAL TABLET 0.5 MG | 5 | ST; NM; NDS; QL (60 per 30 days) |
| REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML | 4 | QL (2 per 28 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML | 5 | NM; NDS; QL (2 per 28 days) |
| <i>risperidone oral solution 1 mg/ml</i> (Risperdal) | 2 | GC |
| <i>risperidone oral tablet 0.25 mg</i> | 2 | GC |
| <i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal) | 2 | GC |
| <i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------------|
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR | 5 | ST; NM; NDS; QL (30 per 30 days) |
| <i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 2 | GC |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 2 | GC |
| <i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i> | 2 | GC |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML | 5 | ST; NM; NDS; QL (540 per 30 days) |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6) | 4 | ST |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon) | 2 | GC |
| <i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon) | 2 | GC; QL (6 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG | 4 | QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG | 5 | NM; NDS; QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG | 5 | NM; NDS; QL (1 per 28 days) |
| Antivirals (Systemic) | | |
| Antiretrovirals | | |
| <i>abacavir oral solution 20 mg/ml</i> (Ziagen) | 2 | GC |
| <i>abacavir oral tablet 300 mg</i> (Ziagen) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| <i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom) | 2 | GC |
| <i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir) | 5 | NM; NDS |
| APRETUDE (cabotegravir) INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) | 5 | NM; NDS; QL (24 per 365 days) |
| APTIVUS ORAL CAPSULE 250 MG | 5 | NM; NDS |
| <i>atazanavir oral capsule 150 mg</i> | 2 | GC |
| <i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz) | 2 | GC |
| BIKTARVY ORAL TABLET 30- 120-15 MG, 50-200-25 MG | 5 | NM; NDS; QL (30 per 30 days) |
| CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML | 5 | NM; NDS |
| <i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i> | 5 | NM; NDS; QL (24 per 365 days) |
| <i>cabotegravir intramuscular suspension,extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude) | 5 | NM; NDS; QL (24 per 365 days) |
| CIMDUO ORAL TABLET 300- 300 MG | 5 | NM; NDS |
| COMPLERA ORAL TABLET 200-25-300 MG | 5 | NM; NDS |
| DELSTRIGO ORAL TABLET 100-300-300 MG | 5 | NM; NDS |
| DESCOVY ORAL TABLET 120- 15 MG, 200-25 MG | 5 | NM; NDS |
| <i>didanosine oral capsule,delayed release(drlec) 250 mg, 400 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| DOVATO ORAL TABLET 50-300 MG | 5 | NM; NDS |
| EDURANT ORAL TABLET 25 MG | 5 | NM; NDS |
| <i>efavirenz oral capsule 200 mg, 50 mg</i> (Sustiva) | 2 | GC |
| <i>efavirenz oral tablet 600 mg</i> | 2 | GC |
| <i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla) | 5 | NM; NDS |
| <i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo) | 5 | NM; NDS |
| <i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi) | 5 | NM; NDS |
| <i>emtricitabine oral capsule 200 mg</i> (Emtriva) | 2 | GC |
| <i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> (Truvada) | 5 | NM; NDS |
| EMTRIVA ORAL SOLUTION 10 MG/ML | 4 | |
| EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML) | 4 | |
| <i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence) | 5 | NM; NDS |
| EVOTAZ ORAL TABLET 300-150 MG | 5 | NM; NDS |
| <i>fosamprenavir oral tablet 700 mg</i> (Lexiva) | 5 | NM; NDS |
| FUZEON SUBCUTANEOUS RECON SOLN 90 MG | 5 | NM; NDS |
| GENVOYA ORAL TABLET 150-150-200-10 MG | 5 | NM; NDS |
| INTELENCE ORAL TABLET 25 MG | 4 | |
| INVIRASE ORAL TABLET 500 MG | 5 | NM; NDS |
| ISENTRESS HD ORAL TABLET 600 MG | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| ISENTRESS ORAL POWDER IN PACKET 100 MG | 4 | |
| ISENTRESS ORAL TABLET 400 MG | 5 | NM; NDS |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG | 5 | NM; NDS |
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG | 4 | |
| JULUCA ORAL TABLET 50-25 MG | 5 | NM; NDS |
| <i>lamivudine oral solution 10 mg/ml</i> (Epivir) | 2 | GC |
| <i>lamivudine oral tablet 100 mg</i> (Epivir HBV) | 2 | GC |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir) | 2 | GC |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir) | 2 | GC |
| LEXIVA ORAL SUSPENSION 50 MG/ML | 4 | |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra) | 2 | GC; QL (480 per 30 days) |
| <i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra) | 2 | GC; QL (300 per 30 days) |
| <i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra) | 5 | NM; NDS; QL (120 per 30 days) |
| <i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry) | 5 | NM; NDS |
| <i>nevirapine oral suspension 50 mg/5 ml</i> | 2 | GC |
| <i>nevirapine oral tablet 200 mg</i> | 2 | GC |
| <i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i> | 2 | GC |
| NORVIR ORAL POWDER IN PACKET 100 MG | 4 | |
| NORVIR ORAL SOLUTION 80 MG/ML | 4 | |
| ODEFSEY ORAL TABLET 200-25-25 MG | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PIFELTRO ORAL TABLET 100 MG | 5 | NM; NDS |
| PREZCOBIX ORAL TABLET 800-150 MG-MG | 5 | NM; NDS |
| PREZISTA ORAL SUSPENSION 100 MG/ML | 5 | NM; NDS |
| PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG | 5 | NM; NDS |
| PREZISTA ORAL TABLET 75 MG | 4 | |
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML | 4 | |
| REYATAZ ORAL POWDER IN PACKET 50 MG | 5 | NM; NDS |
| <i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i> | 5 | NM; NDS |
| <i>ritonavir oral tablet 100 mg</i> (Norvir) | 2 | GC |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG | 5 | NM; NDS |
| SELZENTRY ORAL SOLUTION 20 MG/ML | 5 | NM; NDS |
| SELZENTRY ORAL TABLET 25 MG | 3 | |
| SELZENTRY ORAL TABLET 75 MG | 5 | NM; NDS |
| <i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i> | 2 | GC |
| STRIBILD ORAL TABLET 150-150-200-300 MG | 5 | NM; NDS |
| SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK) | 5 | NM; NDS |
| SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML | 5 | PA BvD; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| SYMTUZA ORAL TABLET 800-150-200-10 MG | 5 | NM; NDS |
| TEMIXYS ORAL TABLET 300-300 MG | 5 | NM; NDS |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread) | 2 | GC |
| TIVICAY ORAL TABLET 10 MG | 4 | |
| TIVICAY ORAL TABLET 25 MG, 50 MG | 5 | NM; NDS |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG | 4 | |
| TRIUMEQ ORAL TABLET 600-50-300 MG | 5 | NM; NDS; QL (30 per 30 days) |
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG | 5 | NM; NDS |
| TRIZIVIR ORAL TABLET 300-150-300 MG (abacavir-lamivudine-zidovudine) | 5 | NM; NDS |
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML) | 5 | NM; NDS |
| VEMLIDY ORAL TABLET 25 MG | 5 | NM; NDS; QL (30 per 30 days) |
| VIRACEPT ORAL TABLET 250 MG, 625 MG | 5 | NM; NDS |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM) | 5 | NM; NDS |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 5 | NM; NDS |
| VOCABRIA ORAL TABLET 30 MG | 4 | |
| <i>zidovudine oral capsule 100 mg</i> (Retrovir) | 2 | GC |
| <i>zidovudine oral syrup 10 mg/ml</i> (Retrovir) | 2 | GC |
| <i>zidovudine oral tablet 300 mg</i> | 2 | GC |
| Antivirals, Miscellaneous | | |
| <i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir) | 2 | PA BvD; GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>oseltamivir oral capsule 30 mg</i> (Tamiflu) | 2 | GC; QL (84 per 180 days) |
| <i>oseltamivir oral capsule 45 mg</i> (Tamiflu) | 2 | GC; QL (48 per 180 days) |
| <i>oseltamivir oral capsule 75 mg</i> (Tamiflu) | 2 | GC; QL (42 per 180 days) |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu) | 2 | GC; QL (540 per 180 days) |
| PAXLOVID (EUA) ORAL TABLETS,DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG | 4 | QL (30 per 5 days) |
| PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML | 5 | PA; NM; NDS; QL (336 per 28 days) |
| PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML | 5 | PA; NM; NDS; QL (672 per 28 days) |
| PREVYMIS ORAL TABLET 240 MG, 480 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION | 4 | QL (60 per 180 days) |
| <i>rimantadine oral tablet 100 mg</i> (Flumadine) | 2 | GC |
| XOFLUZA 40 MG TAB (80 MG DOSE) | 4 | QL (4 per 180 days) |
| XOFLUZA ORAL TABLET 20 MG, 40 MG | 4 | QL (4 per 180 days) |
| XOFLUZA ORAL TABLET 80 MG | 4 | QL (2 per 180 days) |
| Hcv Antivirals | | |
| EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| EPCLUSA ORAL PELLETS IN PACKET 200-50 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| EPCLUSA ORAL TABLET 200-50 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir) | 5 | PA; NM; NDS; QL (28 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------------|
| HARVONI ORAL PELLETS IN PACKET 33.75-150 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| HARVONI ORAL PELLETS IN PACKET 45-200 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| HARVONI ORAL TABLET 45-200 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir) | 5 | PA; NM; NDS; QL (28 per 28 days) |
| VOSEVI ORAL TABLET 400-100-100 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| Interferons | | |
| INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML) | 5 | PA NSO; NM; NDS |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML | 5 | NM; NDS |
| PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML | 5 | NM; NDS |
| Nucleosides And Nucleotides | | |
| <i>acyclovir oral capsule 200 mg</i> | 2 | GC |
| <i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax) | 2 | GC |
| <i>acyclovir oral tablet 400 mg, 800 mg</i> | 2 | GC |
| <i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i> | 2 | PA BvD; GC |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i> | 2 | PA BvD; GC |
| <i>adefovir oral tablet 10 mg</i> (Hepsera) | 2 | GC |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude) | 2 | GC |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i> | 2 | GC |
| <i>lagevrio (eua) oral capsule 200 mg</i> | 4 | QL (40 per 5 days) |
| <i>ribavirin oral capsule 200 mg</i> | 2 | GC |
| <i>ribavirin oral tablet 200 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex) | 2 | GC |
| <i>valganciclovir oral tablet 450 mg</i> (Valcyte) | 2 | GC |
| Blood Products/Modifiers/Volume Expanders | | |
| Anticoagulants | | |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS) | 3 | |
| ELIQUIS ORAL TABLET 2.5 MG | 3 | QL (60 per 30 days) |
| ELIQUIS ORAL TABLET 5 MG | 3 | QL (74 per 30 days) |
| <i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox) | 2 | GC; QL (30 per 30 days) |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox) | 2 | GC; QL (60 per 30 days) |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox) | 2 | GC; QL (48 per 30 days) |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox) | 2 | GC; QL (18 per 30 days) |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox) | 2 | GC; QL (24 per 30 days) |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox) | 2 | GC; QL (36 per 30 days) |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra) | 5 | NM; NDS; QL (24 per 30 days) |
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra) | 2 | GC; QL (15 per 30 days) |
| <i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra) | 5 | NM; NDS; QL (12 per 30 days) |
| <i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra) | 5 | NM; NDS; QL (18 per 30 days) |
| <i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| <i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i> | 2 | GC |
| <i>heparin, porcine (pf) injection solution 1,000 unit/ml</i> | 2 | GC |
| <i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml, 5,000 unit/ml</i> | 2 | GC |
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin) | 1 | GC |
| <i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven) | 1 | GC |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9) | 3 | |
| XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML | 3 | QL (600 per 30 days) |
| XARELTO ORAL TABLET 10 MG, 20 MG | 3 | QL (30 per 30 days) |
| XARELTO ORAL TABLET 15 MG, 2.5 MG | 3 | QL (60 per 30 days) |
| Blood Formation Modifiers | | |
| CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML) | 5 | PA; NM; NDS |
| DOPTELET (10 TAB PACK) ORAL TABLET 20 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| DOPTELET (15 TAB PACK) ORAL TABLET 20 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| DOPTELET (30 TAB PACK) ORAL TABLET 20 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 5 | PA; NM; NDS |
| HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT | 5 | PA; NM; NDS; QL (30 per 30 days) |
| HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT | 5 | PA; NM; NDS; QL (20 per 30 days) |
| LEUKINE INJECTION RECON SOLN 250 MCG | 5 | NM; NDS |
| NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML | 5 | PA; NM; NDS |
| NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 5 | PA; NM; NDS |
| NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 5 | PA; NM; NDS |
| NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| PROMACTA ORAL POWDER IN PACKET 12.5 MG | 5 | PA; NM; NDS; QL (90 per 30 days) |
| PROMACTA ORAL POWDER IN PACKET 25 MG | 5 | PA; NM; NDS; QL (180 per 30 days) |
| PROMACTA ORAL TABLET 12.5 MG | 5 | PA; NM; NDS; QL (90 per 30 days) |
| PROMACTA ORAL TABLET 25 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| PROMACTA ORAL TABLET 50 MG, 75 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------------|
| RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 5 | PA; NM; NDS |
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3 | PA; QL (12 per 28 days) |
| RETACRIT INJECTION SOLUTION 40,000 UNIT/ML | 3 | PA; QL (4 per 28 days) |
| UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 5 | PA; NM; NDS |
| Hematologic Agents, Miscellaneous | | |
| <i>anagrelide oral capsule 0.5 mg</i> (Agrylin) | 2 | GC |
| <i>anagrelide oral capsule 1 mg</i> | 2 | GC |
| CABLIVI INJECTION KIT 11 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG | 4 | |
| <i>protamine intravenous solution 10 mg/ml</i> | 2 | GC |
| SIKLOS ORAL TABLET 100 MG | 4 | PA |
| <i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron) | 2 | GC |
| <i>tranexamic acid oral tablet 650 mg</i> (Lysteda) | 2 | GC |
| Platelet-Aggregation Inhibitors | | |
| <i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> | 2 | GC; QL (60 per 30 days) |
| BRILINTA ORAL TABLET 60 MG, 90 MG | 3 | |
| <i>cilostazol oral tablet 100 mg, 50 mg</i> | 2 | GC |
| <i>clopidogrel oral tablet 75 mg</i> (Plavix) | 1 | GC |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i> | 2 | PA-HRM; GC; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>pentoxifylline oral tablet extended release 400 mg</i> | 2 | GC |
| <i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient) | 2 | GC; QL (30 per 30 days) |
| Caloric Agents | | |
| Caloric Agents | | |
| AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 % | 4 | PA BvD |
| CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 % | 4 | PA BvD |
| CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 4 | PA BvD |
| CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 4 | PA BvD |
| CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 % | 4 | PA BvD |
| CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 % | 4 | PA BvD |
| CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 % | 4 | PA BvD |
| CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 % | 4 | PA BvD |
| CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 % | 4 | PA BvD |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 4 | PA BvD |
| CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 4 | PA BvD |
| CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 % | 4 | PA BvD |
| CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 % | 4 | PA BvD |
| CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 % | 4 | PA BvD |
| CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 % | 4 | PA BvD |
| <i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i> | 2 | PA BvD; GC |
| <i>dextrose 5 % in water (d5w) intravenous parenteral solution</i> | 4 | |
| <i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i> | 2 | GC |
| <i>dextrose 5%-water iv soln single use</i> | 2 | GC |
| INTRALIPID INTRAVENOUS EMULSION 20 %, 30 % | 4 | PA BvD |
| NUTRILIPID INTRAVENOUS EMULSION 20 % | 4 | PA BvD |
| PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 % | 4 | PA BvD |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION | 4 | PA BvD |
| TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | 4 | PA BvD |
| TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | 4 | PA BvD |
| Cardiovascular Agents | | |
| Alpha-Adrenergic Agents | | |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> | 1 | GC |
| <i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1) | 2 | GC; QL (4 per 28 days) |
| <i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2) | 2 | GC; QL (4 per 28 days) |
| <i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3) | 2 | GC; QL (8 per 28 days) |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura) | 2 | GC |
| <i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera) | 5 | PA; NM; NDS; QL (180 per 30 days) |
| <i>guanfacine oral tablet 1 mg, 2 mg</i> | 2 | GC |
| <i>methyldopa oral tablet 250 mg, 500 mg</i> | 2 | GC |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i> | 2 | GC |
| <i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep) | 2 | GC |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress) | 2 | GC |
| Angiotensin II Receptor Antagonists | | |
| <i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT) | 2 | GC |
| EDARBI ORAL TABLET 40 MG, 80 MG | 3 | |
| EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG | 3 | |
| ENTRESTO ORAL TABLET 24-26 MG | 3 | QL (180 per 30 days) |
| ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG | 3 | QL (60 per 30 days) |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro) | 2 | GC |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide) | 2 | GC |
| <i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar) | 1 | GC |
| <i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar) | 1 | GC |
| <i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar) | 2 | GC |
| <i>olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor) | 2 | GC |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT) | 2 | GC |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis) | 2 | GC |
| <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT) | 2 | GC |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT) | 2 | GC |
| Angiotensin-Converting Enzyme Inhibitors | | |
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin) | 1 | GC |
| <i>benazepril oral tablet 5 mg</i> | 1 | GC |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT) | 2 | GC |
| <i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i> | 2 | GC |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i> | 2 | GC |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec) | 1 | GC |
| <i>enalaprilat intravenous solution 1.25 mg/ml</i> | 2 | GC |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic) | 1 | GC |
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i> | 1 | GC |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | GC |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i> | 2 | GC |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril) | 1 | GC |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic) | 1 | GC |
| <i>moexipril oral tablet 15 mg, 7.5 mg</i> | 2 | GC |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i> | 2 | GC |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril) | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic) | 2 | GC |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace) | 1 | GC |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i> | 1 | GC |
| <i>trandolapril-verapamil oral tablet, ir-er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i> | 2 | GC |
| Antiarrhythmic Agents | | |
| <i>amiodarone oral tablet 100 mg, 400 mg</i> (Pacerone) | 2 | GC |
| <i>amiodarone oral tablet 200 mg</i> (Pacerone) | 1 | GC |
| <i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace) | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn) | 2 | GC |
| <i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i> | 2 | GC |
| <i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2%), 50 mg/5 ml (1%)</i> | 1 | GC |
| <i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i> | 2 | GC |
| MULTAQ ORAL TABLET 400 MG | 3 | |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone) | 2 | GC |
| <i>procainamide injection solution 100 mg/ml, 500 mg/ml</i> | 2 | GC |
| <i>procainamide intravenous syringe 100 mg/ml</i> | 2 | GC |
| <i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> (Rythmol SR) | 2 | GC |
| <i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>quinidine gluconate oral tablet extended release 324 mg</i> | 2 | GC |
| <i>quinidine sulfate oral tablet 200 mg</i> | 1 | GC |
| <i>quinidine sulfate oral tablet 300 mg</i> | 2 | GC |
| Beta-Adrenergic Blocking Agents | | |
| <i>acebutolol oral capsule 200 mg, 400 mg</i> | 2 | GC |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin) | 1 | GC |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100) | 2 | GC |
| <i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50) | 2 | GC |
| <i>betaxolol oral tablet 10 mg, 20 mg</i> | 2 | GC |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i> | 2 | GC |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac) | 2 | GC |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg) | 1 | GC |
| <i>labetalol intravenous solution 5 mg/ml</i> | 2 | GC |
| <i>labetalol intravenous syringe 10 mg/2 ml (5 mg/ml), 20 mg/4 ml (5 mg/ml)</i> | 2 | GC |
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i> | 2 | GC |
| <i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL) | 1 | GC |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i> | 2 | GC |
| <i>metoprolol tartrate intravenous solution 5 mg/5 ml</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor) | 1 | GC |
| <i>metoprolol tartrate oral tablet 25 mg</i> | 1 | GC |
| <i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic) | 2 | GC |
| <i>pindolol oral tablet 10 mg, 5 mg</i> | 2 | GC |
| <i>propranolol intravenous solution 1 mg/ml</i> | 2 | GC |
| <i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA) | 2 | GC |
| <i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i> | 2 | GC |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> | 2 | GC |
| <i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i> | 2 | GC |
| <i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol) | 2 | GC |
| <i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol) | 2 | GC |
| <i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine) | 2 | GC |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i> | 2 | GC |
| Calcium-Channel Blocking Agents | | |
| <i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl) | 2 | GC |
| <i>diltiazem hcl intravenous solution 5 mg/ml</i> | 2 | GC |
| <i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i> | 2 | GC |
| <i>diltiazem hcl oral capsule, extended release 24 hr 360 mg</i> (Taztia XT) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadyt ER) | 2 | GC |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT) | 2 | GC |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem) | 2 | GC |
| <i>diltiazem hcl oral tablet 90 mg</i> | 2 | GC |
| <i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl) | 2 | GC |
| <i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl) | 2 | GC |
| <i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl) | 2 | GC |
| <i>tiadyt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl) | 2 | GC |
| <i>verapamil intravenous syringe 2.5 mg/ml</i> | 2 | GC |
| <i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM) | 2 | GC |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> | 2 | GC |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i> | 4 | |
| <i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i> | 1 | GC |
| <i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR) | 2 | GC |
| Cardiovascular Agents, Miscellaneous | | |
| CORLANOR ORAL SOLUTION 5 MG/5 ML | 3 | QL (600 per 30 days) |
| CORLANOR ORAL TABLET 5 MG, 7.5 MG | 3 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin) | 2 | GC |
| <i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin) | 2 | GC |
| <i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i> | 2 | GC |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek) | 2 | GC |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr) | 2 | GC; QL (4 per 30 days) |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q) | 2 | GC; QL (4 per 30 days) |
| <i>epinephrine injection solution 1 mg/ml</i> (Adrenalin) | 1 | GC |
| <i>hydralazine injection solution 20 mg/ml</i> | 2 | GC |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 2 | GC |
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir) | 5 | PA; NM; NDS; QL (18 per 30 days) |
| <i>metyrosine oral capsule 250 mg</i> (Demser) | 5 | NM; NDS |
| <i>ranolazine oral tablet extended release 12 hr 1,000 mg</i> | 2 | GC; QL (60 per 30 days) |
| <i>ranolazine oral tablet extended release 12 hr 500 mg</i> | 2 | GC; QL (120 per 30 days) |
| <i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant) | 5 | PA; NM; NDS; QL (18 per 30 days) |
| Dihydropyridines | | |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc) | 1 | GC |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel) | 1 | GC |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i> | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>amlodipine-olmesartan oral tablet</i> (Azor) 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg | 2 | GC |
| <i>amlodipine-valsartan oral tablet</i> 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg (Exforge) | 2 | GC |
| <i>amlodipine-valsartan-hcthiazyd oral tablet</i> 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg (Exforge HCT) | 2 | GC |
| <i>isradipine oral capsule</i> 2.5 mg, 5 mg | 2 | GC |
| <i>nicardipine oral capsule</i> 20 mg, 30 mg | 2 | GC |
| <i>nifedipine oral capsule</i> 10 mg, 20 mg | 2 | GC |
| <i>nifedipine oral tablet extended release</i> 24hr 30 mg, 60 mg, 90 mg (Procardia XL) | 2 | GC |
| <i>nifedipine oral tablet extended release</i> 30 mg, 60 mg, 90 mg | 2 | GC |
| Diuretics | | |
| <i>amiloride oral tablet</i> 5 mg | 2 | GC |
| <i>amiloride-hydrochlorothiazide oral tablet</i> 5-50 mg | 2 | GC |
| <i>bumetanide injection solution</i> 0.25 mg/ml | 2 | GC |
| <i>bumetanide oral tablet</i> 0.5 mg, 1 mg, 2 mg | 2 | GC |
| <i>chlorothiazide sodium intravenous recon soln</i> 500 mg | 2 | GC |
| <i>chlorthalidone oral tablet</i> 25 mg, 50 mg | 2 | GC |
| <i>furosemide injection solution</i> 10 mg/ml | 2 | GC |
| <i>furosemide injection syringe</i> 10 mg/ml | 1 | GC |
| <i>furosemide oral solution</i> 10 mg/ml, 40 mg/5 ml (8 mg/ml) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix) | 1 | GC |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i> | 1 | GC |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | GC |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i> | 1 | GC |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i> | 2 | GC |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone) | 1 | GC |
| <i>toremide oral tablet 10 mg, 100 mg, 5 mg</i> | 2 | GC |
| <i>toremide oral tablet 20 mg</i> (Soaanz) | 2 | GC |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> | 1 | GC |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg) | 1 | GC |
| <i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide) | 1 | GC |
| Dyslipidemics | | |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet) | 2 | GC |
| <i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet) | 2 | GC; QL (30 per 30 days) |
| <i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i> | 2 | GC |
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor) | 1 | GC; QL (30 per 30 days) |
| <i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran) | 2 | GC |
| <i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame) | 2 | GC |
| <i>colesevelam oral powder in packet 3.75 gram</i> (WelChol) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>colesevelam oral tablet 625 mg</i> (WelChol) | 2 | GC |
| <i>colestipol oral packet 5 gram</i> (Colestid) | 2 | GC |
| <i>colestipol oral tablet 1 gram</i> (Colestid) | 2 | GC |
| <i>ezetimibe oral tablet 10 mg</i> (Zetia) | 2 | GC; QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10) | 2 | GC; QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20) | 2 | GC; QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40) | 2 | GC; QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80) | 2 | GC; QL (30 per 30 days) |
| <i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 67 mg</i> | 2 | GC |
| <i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor) | 2 | GC |
| <i>fenofibrate nanocrystallized oral tablet 160 mg</i> | 2 | GC |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i> | 2 | GC |
| <i>fenofibric acid (choline) oral capsule, delayed release (dr/ec) 135 mg, 45 mg</i> (Trilipix) | 2 | GC |
| <i>fluvastatin oral capsule 20 mg, 40 mg</i> | 2 | GC; QL (60 per 30 days) |
| <i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL) | 2 | GC |
| <i>gemfibrozil oral tablet 600 mg</i> (Lopid) | 1 | GC |
| JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| JUXTAPID ORAL CAPSULE 20 MG, 30 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG | 3 | QL (30 per 30 days) |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| NEXLETOL ORAL TABLET 180 MG | 3 | QL (30 per 30 days) |
| NEXLIZET ORAL TABLET 180-10 MG | 3 | QL (30 per 30 days) |
| <i>niacin oral tablet 500 mg</i> (Niacor) | 1 | GC |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> | 2 | GC |
| <i>niacor oral tablet 500 mg</i> (niacin) | 2 | GC |
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza) | 2 | ST; GC; QL (120 per 30 days) |
| PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML | 3 | QL (2 per 28 days) |
| <i>pravastatin oral tablet 10 mg, 80 mg</i> | 1 | GC |
| <i>pravastatin oral tablet 20 mg, 40 mg</i> | 1 | GC; QL (30 per 30 days) |
| <i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame) | 2 | GC |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML | 3 | QL (7 per 28 days) |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML | 3 | QL (6 per 28 days) |
| REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML | 3 | QL (6 per 28 days) |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor) | 1 | GC; QL (30 per 30 days) |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor) | 1 | GC; QL (30 per 30 days) |
| <i>simvastatin oral tablet 5 mg, 80 mg</i> | 1 | GC; QL (30 per 30 days) |
| VASCEPA ORAL CAPSULE 0.5 GRAM (icosapent ethyl) | 2 | GC; QL (240 per 30 days) |
| VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl) | 2 | GC; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------------|
| Renin-Angiotensin-Aldosterone System Inhibitors | | |
| <i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna) | 2 | GC |
| <i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra) | 2 | GC |
| KERENDIA ORAL TABLET 10 MG, 20 MG | 3 | PA; QL (30 per 30 days) |
| Vasodilators | | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i> | 2 | GC |
| <i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose) | 2 | GC |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i> | 2 | GC |
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i> | 1 | GC |
| <i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil) | 2 | GC |
| <i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (nitroglycerin) | 2 | GC |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i> | 2 | GC |
| <i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i> | 2 | GC |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat) | 2 | GC |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur) | 2 | GC |
| Central Nervous System Agents | | |
| Central Nervous System Agents | | |
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera) | 2 | GC; QL (60 per 30 days) |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera) | 2 | GC; QL (30 per 30 days) |
| AUBAGIO ORAL TABLET 14 MG, 7 MG (teriflunomide) | 5 | PA; NM; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| AUSTEDO ORAL TABLET 12 MG, 9 MG | 5 | PA; NM; NDS; QL (120 per 30 days) |
| AUSTEDO ORAL TABLET 6 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| BETASERON SUBCUTANEOUS KIT 0.3 MG | 5 | PA; NM; NDS; QL (15 per 30 days) |
| <i>caffeine citrate intravenous solution</i> (Cafcit) 60 mg/3 ml (20 mg/ml) | 2 | PA BvD; GC |
| <i>caffeine citrate oral solution</i> 60 mg/3 ml (20 mg/ml) | 2 | GC |
| COPAXONE SUBCUTANEOUS (glatiramer) SYRINGE 20 MG/ML | 5 | PA; NM; NDS; QL (30 per 30 days) |
| COPAXONE SUBCUTANEOUS (glatiramer) SYRINGE 40 MG/ML | 5 | PA; NM; NDS; QL (12 per 28 days) |
| <i>dalfampridine oral tablet extended release</i> 12 hr 10 mg (Ampyra) | 2 | PA; GC; QL (60 per 30 days) |
| <i>dexmethylphenidate oral tablet</i> 10 mg, 2.5 mg, 5 mg (Focalin) | 2 | GC; QL (60 per 30 days) |
| <i>dextroamphetamine sulfate oral tablet</i> 10 mg (Zenzedi) | 2 | GC; QL (180 per 30 days) |
| <i>dextroamphetamine sulfate oral tablet</i> 15 mg, 5 mg (Zenzedi) | 2 | GC; QL (90 per 30 days) |
| <i>dextroamphetamine sulfate oral tablet</i> 20 mg, 30 mg (Zenzedi) | 2 | GC; QL (60 per 30 days) |
| <i>dextroamphetamine-amphetamine oral capsule, extended release</i> 24hr 10 mg, 15 mg, 5 mg (Adderall XR) | 2 | GC; QL (30 per 30 days) |
| <i>dextroamphetamine-amphetamine oral capsule, extended release</i> 24hr 20 mg, 25 mg, 30 mg (Adderall XR) | 2 | GC; QL (60 per 30 days) |
| <i>dextroamphetamine-amphetamine oral tablet</i> 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg (Adderall) | 2 | GC; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>dimethyl fumarate oral capsule, delayed release (dr/ec) 120 mg</i> (Tecfidera) | 5 | PA; NM; NDS; QL (14 per 7 days) |
| <i>dimethyl fumarate oral capsule, delayed release (dr/ec) 120 mg (14)- 240 mg (46)</i> (Tecfidera) | 5 | PA; NM; NDS |
| <i>dimethyl fumarate oral capsule, delayed release (dr/ec) 240 mg</i> (Tecfidera) | 5 | PA; NM; NDS; QL (60 per 30 days) |
| <i>fingolimod oral capsule 0.5 mg</i> (Gilenya) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>flumazenil intravenous solution 0.1 mg/ml</i> | 2 | GC |
| GILENYA ORAL CAPSULE 0.25 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone) | 5 | PA; NM; NDS; QL (12 per 28 days) |
| <i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer) | 5 | PA; NM; NDS; QL (12 per 28 days) |
| <i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER) | 2 | GC |
| KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML | 5 | PA; NM; NDS; QL (1.2 per 28 days) |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i> | 1 | GC |
| <i>lithium carbonate oral tablet 300 mg</i> | 2 | GC |
| <i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid) | 2 | GC |
| <i>lithium carbonate oral tablet extended release 450 mg</i> | 2 | GC |
| MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------------|
| MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAYZENT ORAL TABLET 0.25 MG | 5 | PA; NM; NDS; QL (112 per 28 days) |
| MAYZENT ORAL TABLET 1 MG, 2 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS) | 4 | PA |
| MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS) | 5 | PA; NM; NDS |
| <i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> | 2 | GC; QL (30 per 30 days) |
| <i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> | 2 | GC; QL (60 per 30 days) |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA) | 2 | GC; QL (30 per 30 days) |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA) | 2 | GC; QL (60 per 30 days) |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i> | 2 | GC; QL (30 per 30 days) |
| <i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin) | 2 | GC; QL (900 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin) | 2 | GC; QL (90 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 10 mg</i> | 2 | GC; QL (90 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER) | 2 | GC; QL (90 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 54 mg (bx rating)</i> | 2 | GC; QL (30 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta) | 2 | GC; QL (30 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta) | 2 | GC; QL (60 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i> | 2 | GC; QL (60 per 30 days) |
| OCREVUS INTRAVENOUS SOLUTION 30 MG/ML | 5 | PA; NM; NDS; QL (20 per 180 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML | 5 | PA; NM; NDS |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML | 5 | PA; NM; NDS |
| <i>riluzole oral tablet 50 mg</i> (Rilutek) | 2 | GC; QL (60 per 30 days) |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG | 3 | QL (60 per 30 days) |
| SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42) | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------------------|
| TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG, 0.5 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine) | 5 | PA; NM; NDS; QL (112 per 28 days) |
| VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG | 5 | PA; NM; NDS; QL (120 per 30 days) |
| Contraceptives | | |
| Contraceptives | | |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estradiol) | 2 | GC |
| <i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estradiol) | 2 | GC |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol) | 2 | GC |
| <i>alyacen 7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 2 | GC |
| <i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol- e.estradiol) | 2 | GC; QL (91 per 84 days) |
| <i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol) | 2 | GC |
| <i>aranelle (28) oral tablet 0.5/1/0.5- 35 mg-mcg</i> | 2 | GC |
| <i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol- e.estradiol) | 2 | GC; QL (91 per 84 days) |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estradiol) | 2 | GC |
| <i>aurovela 1.5/30 (21) oral tablet 1.5- 30 mg-mcg</i> (norethindrone ac-eth estradiol) | 2 | GC |
| <i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol) | 2 | GC |
| <i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone- e.estradiol-iron) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|---------------------------------------|----------------------------|
| <i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) 2 | GC |
| <i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) 1 | GC |
| <i>aviane oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) 2 | GC |
| <i>ayuna oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) 2 | GC |
| <i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) 2 | GC |
| <i>balziva (28) oral tablet 0.4-35 mg-mcg</i> | 2 | GC |
| <i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) 2 | GC |
| <i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) 2 | GC |
| <i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) 1 | GC |
| <i>briellyn oral tablet 0.4-35 mg-mcg</i> | 2 | GC |
| <i>camila oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) 1 | GC |
| <i>caziant (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i> | 2 | GC |
| <i>chateal eq (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) 2 | GC |
| <i>cryselle (28) oral tablet 0.3-30 mg-mcg</i> | (norgestrel-ethinyl estradiol) 2 | GC |
| <i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i> | (norethindrone-ethin estradiol) 2 | GC |
| <i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 2 | GC |
| <i>cyred eq oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) 2 | GC |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i> | (norethindrone-ethin estradiol) 2 | GC |
| <i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-------------------------------------|------------------|----------------------------|
| <i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (1 norgest/e.estradiol-e.estradiol) | 2 | GC; QL (91 per 84 days) |
| <i>deblitane oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>desog-e.estradiol/estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (Azurette (28)) | 2 | GC |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> | (Apri) | 2 | GC |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> | (Jasmiel (28)) | 2 | GC |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> | (Syeda) | 2 | GC |
| <i>elinest oral tablet 0.3-30 mg-mcg</i> | (norgestrel-ethinyl estradiol) | 2 | GC |
| ELLA ORAL TABLET 30 MG | | 4 | QL (6 per 365 days) |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i> | (etonogestrel-ethinyl estradiol) | 2 | GC; QL (1 per 28 days) |
| <i>emoquette oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | GC |
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (levonorg-eth estrad triphasic) | 2 | GC |
| <i>enskyce oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | GC |
| <i>errin oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>estarylla oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> | (Kelnor 1/35 (28)) | 2 | GC |
| <i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> | (Kelnor 1-50 (28)) | 2 | GC |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> | (EluRyng) | 2 | GC; QL (1 per 28 days) |
| <i>falmina (28) oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>femynor oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>hailey oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | GC |
| <i>haloette vaginal ring 0.12-0.015 mg/24 hr</i> | (etonogestrel-ethinyl estradiol) | 2 | GC; QL (1 per 28 days) |
| <i>heather oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (levonorgestrel-ethinyl estrad) | 2 | GC; QL (91 per 84 days) |
| <i>incassia oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>isibloom oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | GC |
| <i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (1 norgest/e.estradiol-e.estrad) | 2 | GC; QL (91 per 84 days) |
| <i>jasmiel (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |
| <i>jencycla oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>juleber oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | GC |
| <i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | GC |
| <i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | GC |
| <i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| <i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>kalliga oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | GC |
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) | 2 | GC |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 2 | GC |
| <i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 2 | GC |
| <i>kurvelo (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i> | (LoJaimiess) | 2 | GC; QL (91 per 84 days) |
| <i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (Amethia) | 2 | GC; QL (91 per 84 days) |
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | GC |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | GC |
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | GC |
| <i>larissia oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>lessina oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (levonorg-eth estrad triphasic) | 2 | GC |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> | (Afirmelle) | 2 | GC |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> | (Altavera (28)) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (Iclevia) | 2 | GC; QL (91 per 84 days) |
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (Enpresse) | 2 | GC |
| <i>levora-28 oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>lillow (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i> | (l norgest/e.estradiol-e.estrad) | 2 | GC; QL (91 per 84 days) |
| <i>loryna (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |
| <i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i> | (norgestrel-ethinyl estradiol) | 2 | GC |
| <i>lo-zumandimine (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |
| <i>luteru (28) oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>lyleq oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>lyza oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>marlissa (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>mili oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>mono-linyah oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| <i>nikki (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |
| <i>norethindrone (contraceptive) oral tablet 0.35 mg</i> | (Camila) | 1 | GC |
| <i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> | (Aurovela 1.5/30 (21)) | 2 | GC |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> | (Aurovela 1/20 (21)) | 2 | GC |
| <i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> | (Merzee) | 2 | GC |
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (Aurovela Fe 1-20 (28)) | 1 | GC |
| <i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (Aurovela Fe 1.5/30 (28)) | 2 | GC |
| <i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | (Tri-Legest Fe) | 2 | GC |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (Tri-Lo-Estarylla) | 2 | GC |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (Tri-Estarylla) | 2 | GC |
| <i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> | (Mili) | 2 | GC |
| <i>norlyda oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | | 2 | GC |
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i> | | 2 | GC |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> | (norethindrone-ethin estradiol) | 2 | GC |
| <i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | | 2 | GC |
| <i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i> | (norethindrone-ethin estradiol) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 2 | GC |
| <i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>orsythia oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>philith oral tablet 0.4-35 mg-mcg</i> | 2 | GC |
| <i>pimtreea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol) | 2 | GC |
| <i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i> | 2 | GC |
| <i>pirmella oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol) | 2 | GC |
| <i>portia 28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>previfem oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>reclipsen (28) oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol) | 2 | GC |
| <i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad) | 2 | GC; QL (91 per 84 days) |
| <i>sharobel oral tablet 0.35 mg</i> (norethindrone (contraceptive)) | 1 | GC |
| <i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol) | 2 | GC |
| <i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad) | 2 | GC; QL (91 per 84 days) |
| <i>sprintec (28) oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>syeda oral tablet 3-0.03 mg</i> (drospirenone-ethinyl estradiol) | 2 | GC |
| <i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| <i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | GC |
| <i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (levonorg-eth estrad triphasic) | 2 | GC |
| <i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>tulana oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i> | | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>velivet triphasic regimen (28) oral tablet 0.11.125/1.15-25 mg-mcg</i> | | 2 | GC |
| <i>vestura (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |
| <i>vienva oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) | 2 | GC |
| <i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) | 2 | GC |
| <i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i> | | 2 | GC |
| <i>vylibra oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>wera (28) oral tablet 0.5-35 mg-mcg</i> | | 2 | GC |
| <i>xulane transdermal patch weekly 150-35 mcg/24 hr</i> | | 2 | GC; QL (3 per 28 days) |
| <i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i> | | 2 | GC; QL (3 per 28 days) |
| <i>zarah oral tablet 3-0.03 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |
| <i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 2 | GC |
| <i>zumandimine (28) oral tablet 3-0.03 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |
| Dental And Oral Agents | | | |
| Dental And Oral Agents | | | |
| <i>cevimeline oral capsule 30 mg</i> | (Evoxac) | 2 | GC |
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> | (Paroex Oral Rinse) | 1 | GC |
| <i>denta 5000 plus dental cream 1.1 %</i> | (fluoride (sodium)) | 1 | GC |
| <i>dentagel dental gel 1.1 %</i> | (fluoride (sodium)) | 1 | GC |
| <i>fluoride (sodium) dental solution 0.2 %</i> | (PreviDent) | 1 | GC |
| <i>oralone dental paste 0.1 %</i> | (triamcinolone acetone) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>paroex oral rinse mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate) | 1 | GC |
| <i>periogard mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate) | 1 | GC |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine)) | 2 | GC |
| <i>sf 5000 plus dental cream 1.1 %</i> (fluoride (sodium)) | 1 | GC |
| <i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Fluoridex Sensitivity Relief) | 1 | GC |
| <i>triamcinolone acetonide dental paste 0.1 %</i> (Oralone) | 2 | GC |
| Dermatological Agents | | |
| Dermatological Agents, Other | | |
| <i>acutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin) | 2 | GC |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> | 2 | GC |
| <i>acyclovir topical ointment 5 %</i> (Zovirax) | 2 | GC; QL (30 per 30 days) |
| ALCOHOL 70% SWABS (Alcohol Pads) | 1 | GC |
| ALCOHOL PADS TOPICAL PADS, MEDICATED (alcohol swabs) | 1 | GC |
| ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED (alcohol swabs) | 1 | GC |
| <i>ammonium lactate topical cream 12 %</i> | 2 | GC |
| <i>ammonium lactate topical lotion 12 %</i> (Skin Treatment) | 2 | GC |
| BD SINGLE USE SWAB (alcohol swabs) | 1 | GC |
| <i>calcipotriene scalp solution 0.005 %</i> | 2 | GC; QL (120 per 30 days) |
| <i>calcipotriene topical cream 0.005 %</i> (Dovonex) | 2 | GC; QL (120 per 30 days) |
| <i>calcipotriene topical ointment 0.005 %</i> | 2 | GC; QL (120 per 30 days) |
| CARETOUCH ALCOHOL 70% PREP PAD (alcohol swabs) | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| CURITY ALCOHOL PREPS 2 PLY,MEDIUM (alcohol swabs) | 1 | GC |
| DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs) | 1 | GC |
| EASY COMFORT ALCOHOL 70% PAD (alcohol swabs) | 1 | GC |
| EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED (alcohol swabs) | 1 | GC |
| <i>fluorouracil topical cream 0.5 %</i> (Carac) | 5 | NM; NDS |
| <i>fluorouracil topical cream 5 %</i> (Efudex) | 2 | GC |
| <i>fluorouracil topical solution 2 %, 5 %</i> | 2 | GC |
| HEB INCONTROL ALCOHOL 70% PADS (alcohol swabs) | 1 | GC |
| <i>imiquimod topical cream in packet 5 %</i> | 2 | GC; QL (24 per 30 days) |
| IV ANTISEPTIC WIPES (alcohol swabs) | 1 | GC |
| KENDALL ALCOHOL 70% PREP PAD (alcohol swabs) | 1 | GC |
| KLISYRI TOPICAL OINTMENT IN PACKET 1 % | 3 | QL (5 per 5 days) |
| <i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i> | 5 | NM; NDS |
| PANRETIN TOPICAL GEL 0.1 % | 5 | NM; NDS; QL (180 per 30 days) |
| <i>podofilox topical solution 0.5 %</i> | 2 | GC |
| PRO COMFORT ALCOHOL 70% PADS (alcohol swabs) | 1 | GC |
| PURE COMFORT ALCOHOL 70% PADS (alcohol swabs) | 1 | GC |
| RA ISOPROPYL ALCOHOL 70% WIPES (alcohol swabs) | 1 | GC |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM | 4 | QL (180 per 30 days) |
| SURE COMFORT ALCOHOL PREP PADS (alcohol swabs) | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| SURE-PREP ALCOHOL PREP PADS (alcohol swabs) | 1 | GC |
| TRUE COMFORT ALCOHOL 70% PADS (alcohol swabs) | 1 | GC |
| TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs) | 1 | GC |
| ULTILET ALCOHOL STERL SWAB (alcohol swabs) | 1 | GC |
| VALCHLOR TOPICAL GEL 0.016 % | 5 | NM; NDS |
| WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs) | 1 | GC |
| zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg (isotretinoin) | 2 | GC |
| Dermatological Antibacterials | | |
| <i>clindamycin phosphate topical solution 1 %</i> (Cleocin T) | 2 | GC; QL (180 per 30 days) |
| <i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ) | 2 | GC |
| <i>clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 %</i> (Neuac) | 2 | GC |
| <i>ery pads topical swab 2 %</i> (erythromycin with ethanol) | 2 | GC |
| <i>erythromycin with ethanol topical gel 2 %</i> (Erygel) | 2 | GC; QL (180 per 30 days) |
| <i>erythromycin with ethanol topical solution 2 %</i> | 2 | GC; QL (180 per 30 days) |
| <i>gentamicin topical cream 0.1 %</i> | 2 | GC; QL (120 per 30 days) |
| <i>gentamicin topical ointment 0.1 %</i> | 2 | GC; QL (120 per 30 days) |
| <i>metronidazole topical cream 0.75 %</i> (Rosadan) | 2 | GC |
| <i>metronidazole topical gel 0.75 %</i> (Rosadan) | 2 | GC |
| <i>metronidazole topical gel 1 %</i> (Metrogel) | 2 | GC |
| <i>metronidazole topical lotion 0.75 %</i> (MetroLotion) | 2 | GC |
| <i>mupirocin topical ointment 2 %</i> (Centany) | 1 | GC; QL (220 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i> | 2 | GC |
| <i>rosadan topical cream 0.75 %</i> (metronidazole) | 2 | GC |
| <i>selenium sulfide topical lotion 2.5 %</i> | 2 | GC |
| <i>silver sulfadiazine topical cream 1 %</i> (SSD) | 2 | GC |
| <i>ssd topical cream 1 %</i> (silver sulfadiazine) | 4 | |
| <i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron) | 2 | GC |
| Dermatological Anti-Inflammatory Agents | | |
| <i>ala-cort topical cream 1 %</i> (hydrocortisone) | 2 | GC |
| <i>alclometasone topical cream 0.05 %</i> | 2 | GC |
| <i>alclometasone topical ointment 0.05 %</i> | 2 | GC |
| <i>betamethasone dipropionate topical cream 0.05 %</i> | 2 | GC |
| <i>betamethasone dipropionate topical lotion 0.05 %</i> | 2 | GC |
| <i>betamethasone dipropionate topical ointment 0.05 %</i> | 2 | GC |
| <i>betamethasone valerate topical cream 0.1 %</i> | 2 | GC |
| <i>betamethasone valerate topical lotion 0.1 %</i> | 2 | GC |
| <i>betamethasone valerate topical ointment 0.1 %</i> | 2 | GC |
| <i>betamethasone, augmented topical cream 0.05 %</i> | 2 | GC |
| <i>betamethasone, augmented topical gel 0.05 %</i> | 2 | GC |
| <i>betamethasone, augmented topical lotion 0.05 %</i> | 2 | GC |
| <i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented)) | 2 | GC |
| <i>clobetasol scalp solution 0.05 %</i> | 2 | GC |
| <i>clobetasol topical cream 0.05 %</i> | 2 | GC |
| <i>clobetasol topical gel 0.05 %</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>clobetasol topical ointment 0.05 %</i> (Temovate) | 2 | GC |
| <i>clobetasol topical shampoo 0.05 %</i> (Clobex) | 2 | GC |
| <i>clobetasol-emollient topical cream 0.05 %</i> | 2 | GC |
| <i>desoximetasone topical cream 0.25 %</i> (Topicort) | 2 | GC; QL (120 per 30 days) |
| <i>desoximetasone topical ointment 0.25 %</i> (Topicort) | 2 | GC; QL (120 per 30 days) |
| EUCRISA TOPICAL OINTMENT 2 % | 3 | |
| <i>fluocinolone topical cream 0.01 %</i> | 2 | GC |
| <i>fluocinolone topical cream 0.025 %</i> (Synalar) | 2 | GC |
| <i>fluocinolone topical ointment 0.025 %</i> (Synalar) | 2 | GC |
| <i>fluocinonide topical cream 0.05 %</i> | 2 | GC |
| <i>fluocinonide topical solution 0.05 %</i> | 2 | GC |
| <i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E) | 2 | GC |
| <i>fluticasone propionate topical cream 0.05 %</i> | 2 | GC |
| <i>fluticasone propionate topical ointment 0.005 %</i> | 2 | GC |
| <i>halobetasol propionate topical cream 0.05 %</i> | 2 | GC |
| <i>halobetasol propionate topical ointment 0.05 %</i> | 2 | GC |
| <i>hydrocortisone 2.5% cream</i> | 1 | GC |
| <i>hydrocortisone butyrate topical solution 0.1 %</i> | 2 | GC; QL (120 per 30 days) |
| <i>hydrocortisone topical cream 1 %</i> (Ala-Cort) | 1 | GC |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Proctosol HC) | 1 | GC |
| <i>hydrocortisone topical lotion 2.5 %</i> | 2 | GC |
| <i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC)) | 1 | GC |
| <i>hydrocortisone topical ointment 2.5 %</i> | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>hydrocortisone valerate topical cream 0.2 %</i> | 2 | GC |
| <i>mometasone topical cream 0.1 %</i> | 2 | GC |
| <i>mometasone topical ointment 0.1 %</i> | 2 | GC |
| <i>mometasone topical solution 0.1 %</i> | 2 | GC |
| <i>pimecrolimus topical cream 1 %</i> (Elidel) | 2 | GC; QL (100 per 30 days) |
| <i>prednicarbate topical ointment 0.1 %</i> | 2 | GC |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 2 | GC |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 2 | GC |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic) | 2 | GC; QL (100 per 30 days) |
| <i>triamcinolone acetonide topical cream 0.025 %</i> | 1 | GC |
| <i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm) | 1 | GC |
| <i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i> | 2 | GC |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | 2 | GC |
| Dermatological Retinoids | | |
| <i>adapalene topical cream 0.1 %</i> (Differin) | 2 | GC |
| <i>adapalene topical gel 0.1 %</i> (Differin) | 2 | GC |
| ALTRENO TOPICAL LOTION 0.05 % | 4 | PA |
| <i>tazarotene topical cream 0.1 %</i> (Tazorac) | 2 | GC |
| TAZORAC TOPICAL CREAM 0.05 % | 4 | |
| <i>tretinoin topical cream 0.025 %</i> (Avita) | 2 | PA; GC |
| <i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A) | 2 | PA; GC |
| <i>tretinoin topical gel 0.01 %</i> (Retin-A) | 2 | PA; GC |
| <i>tretinoin topical gel 0.025 %</i> (Avita) | 2 | PA; GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>tretinoin topical gel 0.05 %</i> (Atralin) | 2 | PA; GC |
| Scabicides And Pediculicides | | |
| <i>malathion topical lotion 0.5 %</i> (Ovide) | 2 | GC |
| <i>permethrin topical cream 5 %</i> (Elimite) | 2 | GC |
| Devices | | |
| Devices | | |
| 1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| 1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| 1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| 1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| 1ST TIER UNIFINE PNTTP 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| 1ST TIER UNIFINE PNTTP 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| 1ST TIER UNIFINE PNTTP 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16" | 2 | GC |
| ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16" | 2 | GC |
| ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2" | 2 | GC |
| ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16" | 2 | GC |
| ASSURE ID PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety) | 2 | GC |
| ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2" | 2 | GC |
| ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64" | 2 | GC |
| ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" | 2 | GC |
| BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16" | 2 | GC |
| BD ECLIPSE 30GX1/2" (insulin syringe-needle SYRINGE 1 ML 30 GAUGE X u-100) 1/2" | 2 | GC |
| BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16" | 2 | GC |
| BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64" | 2 | GC |
| BD INS SYRN UF 1 ML (insulin syringe-needle 12.7MMX30G NOT FOR u-100) RETAIL SALE 1 ML 30 GAUGE X 1/2" | 2 | GC |
| BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1" | 2 | GC |
| BD INSULIN SYR 1 ML (insulin syringe-needle 25GX5/8" 1 ML 25 GAUGE X u-100) 5/8" | 2 | GC |
| BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2" | 2 | GC |
| BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|--|----------------------------|
| BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" | (Comfort EZ Insulin Syringe) 2 | GC |
| BD INSULIN SYRINGE 1 ML W/O NEEDLE | (insulin syringe needleless) 2 | GC |
| BD LUER-LOK SYRINGE 1 ML | (BD Insulin Syringe Slip Tip) 2 | GC |
| BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) 2 | GC |
| BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2" | 2 | GC |
| BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | GC |
| BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16" | 2 | GC |
| BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16" | 2 | GC |
| BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2" | 2 | GC |
| BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64" | 2 | GC |
| BD SAFETYGLIDE NEEDLE NEEDLE 27 X 5/8 " | 2 | GC |
| BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8" | 2 | GC |
| BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64" | 2 | GC |
| BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2" | 2 | GC |
| BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4" | 2 | GC |
| BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16" | 2 | GC |
| BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32" | 2 | GC |
| BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2" | 2 | GC |
| BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16" | 2 | GC |
| BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64" | 2 | GC |
| BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64" | 2 | GC |
| BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64" | 2 | GC |
| BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64" | 2 | GC |
| BORDERED GAUZE 2"X2" 2 X (gauze bandage) 2 " | 1 | GC |
| CAREFINE PEN NEEDLE (pen needle, diabetic) 12.7MM 29G 29 GAUGE X 1/2" | 2 | GC |
| CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32" | 2 | GC |
| CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16" | 2 | GC |
| CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4" | 2 | GC |
| CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16" | 2 | GC |
| CAREFINE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4" | 2 | GC |
| CAREFINE PEN NEEDLES (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CAREONE SYR 0.3 ML (Advocate Syringes) 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16" | 2 | GC |
| CARETOUCH PEN NEEDLE (pen needle, diabetic) 29G 12MM 29 GAUGE X 1/2" | 2 | GC |
| CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4" | 2 | GC |
| CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16" | 2 | GC |
| CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16" | 2 | GC |
| CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16" | 2 | GC |
| CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32" | 2 | GC |
| CARETOUCH SYR 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16" | 2 | GC |
| CARETOUCH SYR 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16" | 2 | GC |
| CARETOUCH SYR 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16" | 2 | GC |
| CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16" | 2 | GC |
| CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16 | 2 | GC |
| CARETOUCH SYR 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16 | 2 | GC |
| CARETOUCH SYR 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16 | 2 | GC |
| CLICKFINE 31G X 5/16" (pen needle, diabetic) NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CLICKFINE PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32" | 2 | GC |
| CLICKFINE UNIVERSAL 31G (pen needle, diabetic) X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4" | 2 | GC |
| COMFORT EZ INS 0.3 ML (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X u-100) 1/2" | 2 | GC |
| COMFORT EZ INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16" | 2 | GC |
| COMFORT EZ INS 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16" | 2 | GC |
| COMFORT EZ INSULIN SYR (insulin syringe-needle 0.3 ML 0.3 ML 31 GAUGE X u-100) 5/16" | 2 | GC |
| COMFORT EZ INSULIN SYR (insulin syringe-needle 0.5 ML 0.5 ML 30 GAUGE X u-100) 5/16", 0.5 ML 31 GAUGE X 5/16" | 2 | GC |
| COMFORT EZ PEN NEEDLE (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2" | 2 | GC |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32" | 2 | GC |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 4MM 33G 33 GAUGE X 5/32" | 2 | GC |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 31G MINI 31 GAUGE X 3/16" | 2 | GC |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16" | 2 | GC |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 33G 33 GAUGE X 3/16" | 2 | GC |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4" | 2 | GC |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 33G 33 GAUGE X 1/4" | 2 | GC |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 31G SHORT 31 GAUGE X 5/16" | 2 | GC |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 32G 32 GAUGE X 5/16" | 2 | GC |
| COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16" | 2 | GC |
| COMFORT EZ SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X 1/2" u-100) | 2 | GC |
| COMFORT EZ SYR 0.5 ML (insulin syringe-needle 28GX1/2" 1/2 ML 28 GAUGE X 1/2" u-100) | 2 | GC |
| COMFORT EZ SYR 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X 1/2" u-100) | 2 | GC |
| COMFORT EZ SYR 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X 1/2" u-100) | 2 | GC |
| COMFORT EZ SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X 1/2" u-100) | 2 | GC |
| COMFORT EZ SYR 1 ML (insulin syringe-needle 29GX1/2" 1 ML 29 GAUGE X 1/2" u-100) | 2 | GC |
| COMFORT EZ SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X 1/2" u-100) | 2 | GC |
| COMFORT EZ SYR 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X 5/16 u-100) | 2 | GC |
| COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6" | 2 | GC |
| COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 4MM 31 GAUGE X 5/32" | 2 | GC |
| COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16" | 2 | GC |
| COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4" | 2 | GC |
| COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16" | 2 | GC |
| COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32" | 2 | GC |
| COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16" | 2 | GC |
| COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4" | 2 | GC |
| COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 8MM 32 GAUGE X 5/16" | 2 | GC |
| COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 4MM 33 GAUGE X 5/32" | 2 | GC |
| COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4" | 2 | GC |
| COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16" | 2 | GC |
| CURAD GAUZE PADS 2" X 2" 2 (gauze bandage) X 2 " | 1 | GC |
| CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 " | 1 | GC |
| CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 " | 1 | GC |
| DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 " | 1 | GC |
| DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 " | 1 | GC |
| DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 " | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2" | 2 | GC |
| DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2" | 2 | GC |
| DROPLET INS 0.3 ML (insulin syringe-needle 29GX12.5MM 0.3 ML 29 u-100) GAUGE X 1/2" | 2 | GC |
| DROPLET INS 0.3 ML (insulin syringe-needle 30GX12.5MM 0.3 ML 30 u-100) GAUGE X 1/2" | 2 | GC |
| DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64" | 2 | GC |
| DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16" | 2 | GC |
| DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64" | 2 | GC |
| DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16" | 2 | GC |
| DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64" | 2 | GC |
| DROPLET INS SYR 0.3 ML (insulin syringe-needle 30GX8MM 0.3 ML 30 GAUGE X u-100) 5/16" | 2 | GC |
| DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX6MM 0.3 ML 31 GAUGE X u-100) 15/64" | 2 | GC |
| DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX8MM 0.3 ML 31 GAUGE X u-100) 5/16" | 2 | GC |
| DROPLET INS SYR 1 ML (insulin syringe-needle 29GX12.5MM 1 ML 29 GAUGE u-100) X 1/2" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64" | 2 | GC |
| DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) | 2 | GC |
| DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64" | 2 | GC |
| DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8" | 2 | GC |
| DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits | |
|---|-----------------------------------|----------------------------|----|
| DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | 2 | GC | |
| DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic, safety) | 2 | GC |
| DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | 2 | GC | |
| DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16" | | 2 | GC |
| EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16" | | 2 | GC |
| EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) | 2 | GC |
| EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) | 2 | GC |
| EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) | 2 | GC |
| EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | 2 | GC |
| EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits | |
|--|-----------------------------------|---------------------|----|
| EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16" | 2 | GC | |
| EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2" | 2 | GC | |
| EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2" | 2 | GC | |
| EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2" | 2 | GC | |
| EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2" | 2 | GC | |
| EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2" | 2 | GC | |
| EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | 2 | GC | |
| EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | 2 | GC | |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16" | 2 | GC | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------------------------------|---------------------|
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16" | 2 | GC |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16" | 2 | GC |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16" | 2 | GC |
| EASY TOUCH LUER LOK INSUL 1 ML | (insulin syringe needleless) | 2 GC |
| EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 GC |
| EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" | (pen needle, diabetic) | 2 GC |
| EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 GC |
| EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 GC |
| EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 GC |
| EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 GC |
| EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 GC |
| EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 GC |
| EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16" | | 2 GC |
| EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16" | | 2 GC |
| EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16" | | 2 GC |
| EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16" | | 2 GC |
| EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|--------------------------------------|----------------------------|
| EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | GC |
| EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" | 2 | GC |
| EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | GC |
| EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | GC |
| EASY TOUCH UNI-SLIP SYR 1 ML | (insulin syringe needleless) 2 | GC |
| EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4" | 2 | GC |
| EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" | (pen needle, diabetic) 2 | GC |
| EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16" | (pen needle, diabetic) 2 | GC |
| EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16" | (pen needle, diabetic) 2 | GC |
| EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) 2 | GC |
| EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4" | (pen needle, diabetic) 2 | GC |
| EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) 2 | GC |
| EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) 2 | GC |
| EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30 | (Ultra Comfort Insulin Syringe) 2 | GC |
| EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE | (Lite Touch Insulin Syringe) 2 | GC |
| EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16" | (Lite Touch Insulin Syringe) 2 | GC |
| EXEL INSULIN SYRINGE 27G- 1 ML 1 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| FIFTY50 INS 0.5 ML 31GX5/16" (Advocate Syringes) SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16" | 2 | GC |
| FIFTY50 INS SYR 1 ML (Advocate Syringes) 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16 | 2 | GC |
| FIFTY50 PEN 31G X 3/16" (pen needle, diabetic) NEEDLE (OTC) 31 GAUGE X 3/16" | 2 | GC |
| FP INSULIN 1 ML SYRINGE 1 (Lite Touch Insulin ML 28 GAUGE Syringe) | 2 | GC |
| FREESTYLE PREC 0.5 ML (insulin syringe-needle 30GX5/16 0.5 ML 30 GAUGE X u-100) 5/16" | 2 | GC |
| FREESTYLE PREC 0.5 ML (insulin syringe-needle 31GX5/16 0.5 ML 31 GAUGE X u-100) 5/16" | 2 | GC |
| FREESTYLE PREC 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16 | 2 | GC |
| FREESTYLE PREC 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16 | 2 | GC |
| GAUZE PAD TOPICAL (gauze bandage) BANDAGE 2 X 2 " | 1 | GC |
| GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2" | 2 | GC |
| GNP ULTRA COMFORT 0.5 (insulin syringe-needle ML SYR 1/2 ML 29 , 1/2 ML 30 u-100) GAUGE | 2 | GC |
| GNP ULTRA COMFORT 1 ML (insulin syringe-needle SYRINGE 1 ML 28 GAUGE, 1 u-100) ML 30 GAUGE X 7/16" | 2 | GC |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE | 2 | GC |
| GNP ULTRA COMFORT 3/10 (insulin syringe-needle ML SYR 0.3 ML 30 u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|--|----------------------------|
| HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) 2 | GC |
| HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) 2 | GC |
| HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) 2 | GC |
| HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32" | (pen needle, diabetic) 2 | GC |
| HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16" | (pen needle, diabetic) 2 | GC |
| HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4" | (pen needle, diabetic) 2 | GC |
| HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16" | (pen needle, diabetic) 2 | GC |
| HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2" | 2 | GC |
| INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2" | (pen needle, diabetic) 2 | GC |
| INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" | (pen needle, diabetic) 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| INCONTROL PEN NEEDLE (pen needle, diabetic) 5MM 31G 31 GAUGE X 3/16" | 2 | GC |
| INCONTROL PEN NEEDLE (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4" | 2 | GC |
| INCONTROL PEN NEEDLE (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16" | 2 | GC |
| INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN | 3 | |
| INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN | 3 | |
| INSULIN SYR 0.3 ML (Advocate Syringes) 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | 2 | GC |
| INSULIN SYR 0.3 ML (UltiCare Insulin 31GX1/4(1/2) 0.3 ML 31 GAUGE Syr(half unit)) X 1/4" | 2 | GC |
| INSULIN SYRIN 0.3 ML (Comfort EZ Insulin 30GX1/2" SHORT NEEDLE 0.3 Syringe) ML 30 GAUGE X 1/2" | 2 | GC |
| INSULIN SYRIN 0.5 ML (Comfort EZ Insulin 28GX1/2" 1/2 ML 28 GAUGE X Syringe) 1/2" | 2 | GC |
| INSULIN SYRIN 0.5 ML (Advocate Syringes) 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" | 2 | GC |
| INSULIN SYRIN 0.5 ML (Comfort EZ Insulin 30GX1/2" SHORT NEEDLE Syringe) (OTC) 0.5 ML 30 GAUGE X 1/2" | 2 | GC |
| INSULIN SYRIN 0.5 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16" | 2 | GC |
| INSULIN SYRING 0.5 ML 27G (Easy Touch Insulin 1/2" INNER 1/2 ML 27 GAUGE Syringe) X 1/2" | 2 | GC |
| INSULIN SYRINGE 0.3 ML 0.3 (insulin syringe-needle ML 29 GAUGE u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe) | 2 | GC |
| INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe-needle u-100) | 2 | GC |
| INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe) | 2 | GC |
| INSULIN SYRINGE 1 ML 1 ML 29 GAUGE | 2 | GC |
| INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2" (BD Eclipse Luer-Lok) | 2 | GC |
| INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16" (Advocate Syringes) | 2 | GC |
| INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe) | 2 | GC |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Utileet Insulin Syringe) | 2 | GC |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Advocate Syringes) | 2 | GC |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Lite Touch Insulin Syringe) | 2 | GC |
| INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| INSUPEN PEN NEEDLE (pen needle, diabetic) 29GX12MM 29 GAUGE X 1/2" | 2 | GC |
| INSUPEN PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16" | 2 | GC |
| INSUPEN PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32" | 2 | GC |
| INSUPEN PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32" | 2 | GC |
| LISCO SPONGES 100/BAG 2 X 2 " | 1 | GC |
| LITE TOUCH 31GX1/4" PEN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4" | 2 | GC |
| LITE TOUCH INSULIN 0.5 ML (insulin syringe-needle SYR 1/2 ML 28 GAUGE, 1/2 ML u-100) 29 , 1/2 ML 30 GAUGE | 2 | GC |
| LITE TOUCH INSULIN 1 ML (insulin syringe-needle SYR 1 ML 28 GAUGE, 1 ML 30 u-100) GAUGE X 7/16" | 2 | GC |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE | 2 | GC |
| LITE TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 31 GAUGE X 5/16 u-100) | 2 | GC |
| LITE TOUCH PEN NEEDLE (pen needle, diabetic) 29G 29 GAUGE X 1/2" | 2 | GC |
| LITE TOUCH PEN NEEDLE (pen needle, diabetic) 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16" | 2 | GC |
| LITETOUCH INS 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2" | 2 | GC |
| LITETOUCH INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16" | 2 | GC |
| LITETOUCH INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| LITETOUGH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| LITETOUGH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| LITETOUGH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| LITETOUGH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| LITETOUGH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| LITETOUGH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| LITETOUGH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16" | 2 | GC |
| MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16" | 2 | GC |
| MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2" | 2 | GC |
| MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2" | 2 | GC |
| MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16" | 2 | GC |
| MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-------------------------------------|------------------|----------------------------|
| MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16" | | 2 | GC |
| MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16" | | 2 | GC |
| MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (1st Tier Unifine Pentips) | 2 | GC |
| MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" | (CareFine Pen Needle) | 2 | GC |
| MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" | (BD Ultra-Fine Micro Pen Needle) | 2 | GC |
| MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" | (Comfort EZ Pen Needles) | 2 | GC |
| MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" | (Advocate Pen Needle) | 2 | GC |
| MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16" | (Comfort EZ Pen Needles) | 2 | GC |
| MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4" | (Comfort EZ Pen Needles) | 2 | GC |
| MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE | (insulin syringe-needle u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | | Drug Tier | Requirements/Limits |
|---|------------------------------------|------------------|----------------------------|
| MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8" | (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) | (insulin syringes (disposable)) | 2 | GC |
| MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSULIN SYR U- 100 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSULIN SYR U- 100 29 GAUGE X 1/2" | | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| NOVOFINE 30 NEEDLE | 2 | GC |
| NOVOFINE 32G NEEDLES 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6" | 2 | GC |
| NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5" | 2 | GC |
| OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE | 3 | QL (1 per 365 days) |
| OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD CLASSIC PDM KIT(GEN 3) | 3 | QL (1 per 365 days) |
| OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE | 3 | QL (1 per 365 days) |
| OMNIPOD DASH PDM KIT (GEN 4) | 3 | QL (1 per 365 days) |
| OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE | 3 | |
| PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16" (Embrace Pen Needle) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | | Drug Tier | Requirements/Limits |
|---|------------------------------------|------------------|----------------------------|
| PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16" | (AboutTime Pen Needle) | 2 | GC |
| PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" | (1st Tier Unifine Pentips Plus) | 2 | GC |
| PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | GC |
| PEN NEEDLES 4MM 32G 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4" | (1st Tier Unifine Pentips) | 2 | GC |
| PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | GC |
| PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | 2 | GC |
| PRO COMFORT 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2" | 2 | GC |
| PRO COMFORT 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16" | 2 | GC |
| PRO COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16" | 2 | GC |
| PRO COMFORT 1 ML 30GX1/2" (insulin syringe-needle 1 ML 30 GAUGE X 1/2" u-100) | 2 | GC |
| PRO COMFORT 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16" | 2 | GC |
| PRO COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16" | 2 | GC |
| PRO COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16" | 2 | GC |
| PRO COMFORT PEN NDL 32G (pen needle, diabetic) X 1/4" 32 GAUGE X 1/4" | 2 | GC |
| PRO COMFORT PEN NDL (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32" | 2 | GC |
| PRO COMFORT PEN NDL (pen needle, diabetic) 5MM 32G 32 GAUGE X 3/16" | 2 | GC |
| PRODIGY INS SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X u-100) 1/2" | 2 | GC |
| PRODIGY SYRNG 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16" | 2 | GC |
| PRODIGY SYRNGE 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16" | 2 | GC |
| PURE COMFORT PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PURE COMFORT PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16" | 2 | GC |
| PURE COMFORT PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4" | 2 | GC |
| PURE COMFORT PEN NDL (pen needle, diabetic) 32G 8MM 32 GAUGE X 5/16" | 2 | GC |
| RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32" | 2 | GC |
| RAYA SURE PEN NEEDLE 31G (Comfort Touch Pen 4MM 31 GAUGE X 5/32" Needle) | 2 | GC |
| RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64" | 2 | GC |
| RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64" | 2 | GC |
| RELI ON 31G X 1/4" NEEDLES (pen needle, diabetic) 31 GAUGE X 1/4" | 2 | GC |
| RELION INS SYR 0.3 ML (BD Veo Insulin 31GX6MM 0.3 ML 31 GAUGE X Syringe UF) 15/64" | 2 | GC |
| RELION INS SYR 0.5 ML (BD Veo Insulin 31GX6MM 1/2 ML 31 GAUGE X Syringe UF) 15/64" | 2 | GC |
| RELION INS SYR 1 ML (BD Veo Insulin 31GX15/64" 1 ML 31 GAUGE X Syringe UF) 15/64" | 2 | GC |
| RELI-ON INSULIN 0.5 ML SYR (Lite Touch Insulin 1/2 ML 29 Syringe) | 2 | GC |
| RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16" | 2 | GC |
| RELION MINI PEN 31G X 1/4" (pen needle, diabetic) NDL 31 GAUGE X 1/4" | 2 | GC |
| RELION PEN NEEDLES (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32" | 2 | GC |
| SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2" | 2 | GC |
| SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16" | 2 | GC |
| SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2" | 2 | GC |
| SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2" | 2 | GC |
| SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" | 2 | GC |
| SAFETY PEN NEEDLE 5MM X (pen needle, diabetic, 31G 31 GAUGE X 3/16" safety) | 2 | GC |
| SECURES SAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16" | 2 | GC |
| SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16" | 2 | GC |
| SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16" | 2 | GC |
| SM STERILE PADS 2" X 2" (gauze bandage) 2"X2", STERILE 2 X 2 " | 1 | GC |
| SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16" | 2 | GC |
| SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | 2 | GC |
| SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | 2 | GC |
| NEEDLES, INSULIN DISP., (insulin syringe-needle SAFETY u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100) | 2 | GC |
| SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100) | 2 | GC |
| SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100) | 2 | GC |
| SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2" | 2 | GC |
| TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2" | 2 | GC |
| TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16" | 2 | GC |
| TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64" | 2 | GC |
| TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16" | 2 | GC |
| TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2" | 2 | GC |
| TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16" | 2 | GC |
| TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64" | 2 | GC |
| TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16" | 2 | GC |
| TECHLITE INS SYR 1 ML (insulin syringe-needle 29GX12MM 1 ML 29 GAUGE X u-100) 1/2" | 2 | GC |
| TECHLITE INS SYR 1 ML (insulin syringe-needle 30GX12MM 1 ML 30 GAUGE X u-100) 1/2" | 2 | GC |
| TECHLITE INS SYR 1 ML (insulin syringe-needle 30GX8MM 1 ML 30 GAUGE X u-100) 5/16 | 2 | GC |
| TECHLITE INS SYR 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64" | 2 | GC |
| TECHLITE INS SYR 1 ML (insulin syringe-needle 31GX8MM 1 ML 31 GAUGE X u-100) 5/16 | 2 | GC |
| TECHLITE PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2" | 2 | GC |
| TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8" | 2 | GC |
| TECHLITE PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4" | 2 | GC |
| TECHLITE PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16" | 2 | GC |
| TECHLITE PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16" | 2 | GC |
| TECHLITE PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4" | 2 | GC |
| TECHLITE PEN NEEDLE (pen needle, diabetic) 32GX5/16" 32 GAUGE X 5/16" | 2 | GC |
| TECHLITE PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TERUMO INS SYR 0.3 ML (Advocate Syringes) 29GX1/2" 0.3 ML 29 GAUGE X 1/2" | 2 | GC |
| TERUMO INS SYRINGE U100-1 (insulin syringe-needle ML 1 ML 27 GAUGE X 1/2", 1 u-100) ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" | 2 | GC |
| TERUMO INS SYRINGE U100-1 (Thinpro Insulin ML 1 ML 30 GAUGE X 3/8" Syringe) | 2 | GC |
| TERUMO INS SYRINGE U100- (insulin syringe-needle 1/2 ML 1/2 ML 30 X 3/8" u-100) | 2 | GC |
| TERUMO INS SYRINGE U100- (insulin syringe-needle 1/3 ML 0.3 ML 30 X 3/8" u-100) | 2 | GC |
| TERUMO INS SYRNG U100-1/2 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", u-100) 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" | 2 | GC |
| THINPRO INS SYRIN U100-0.3 (insulin syringe-needle ML 0.3 ML 29 GAUGE X 1/2", u-100) 0.3 ML 30 X 3/8" | 2 | GC |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8" | 2 | GC |
| THINPRO INS SYRIN U100-0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", u-100) 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" | 2 | GC |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8" | 2 | GC |
| THINPRO INS SYRIN U100-1 (insulin syringe-needle ML 1 ML 28 GAUGE X 1/2", 1 u-100) ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8" | 2 | GC |
| THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8" | 2 | GC |
| TOPCARE CLICKFINE 31G X (pen needle, diabetic) 1/4" 31 GAUGE X 1/4" | 2 | GC |
| TOPCARE CLICKFINE 31G X (pen needle, diabetic) 5/16" 31 GAUGE X 5/16" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | 2 | GC |
| TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16" | 2 | GC |
| TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" | 2 | GC |
| TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16" | 2 | GC |
| TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" | 2 | GC |
| TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | 2 | GC |
| TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | 2 | GC |
| TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | 2 | GC |
| TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" | 2 | GC |
| TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" | 2 | GC |
| TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16" | 2 | GC |
| TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4" | 2 | GC |
| TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" | 2 | GC |
| TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16" | | 2 | GC |
| TRUE COMFORT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | GC |
| TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|--|----------------------------|
| TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | GC |
| TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | GC |
| TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | GC |
| TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | GC |
| TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| ULT CFT 0.3 ML 30GX5/16" (1/2) 1/2 UNIT 0.3 ML 30 GAUGE X 5/16" | 2 | GC |
| ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" | (insulin syr/ndl u100 half mark) 2 | GC |
| ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) 2 | GC |
| ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) 2 | GC |
| ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16" | 2 | GC |
| ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16" | 2 | GC |
| ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2" | 2 | GC |
| ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32" | 2 | GC |
| ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2" | 2 | GC |
| ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2" | 2 | GC |
| ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16" | 2 | GC |
| ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16" | 2 | GC |
| ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4" | 2 | GC |
| ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16" | 2 | GC |
| ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4" | 2 | GC |
| ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16" | 2 | GC |
| ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16" | 2 | GC |
| ULTILET INSULIN SYRINGE (insulin syringe-needle 0.3 ML 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" | 2 | GC |
| ULTILET INSULIN SYRINGE (insulin syringe-needle 0.5 ML 0.5 ML 29 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | 2 | GC |
| ULTILET INSULIN SYRINGE 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 u-100) ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | 2 | GC |
| ULTILET PEN NEEDLE 29 GAUGE | 2 | GC |
| ULTILET PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100) | 2 | GC |
| ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2" | 2 | GC |
| ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16" | 2 | GC |
| ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16" | 2 | GC |
| ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | GC |
| ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | GC |
| UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| UNIFINE PENTIPS 32GX5/32" (pen needle, diabetic) 32GX4MM, STRL, NANO 32 GAUGE X 5/32" | 2 | GC |
| UNIFINE PENTIPS 33GX5/32" (pen needle, diabetic) 33 GAUGE X 5/32" | 2 | GC |
| UNIFINE PENTIPS 6MM 31G (pen needle, diabetic) 31 GAUGE X 1/4" | 2 | GC |
| UNIFINE PENTIPS MAX (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16" | 2 | GC |
| UNIFINE PENTIPS NEEDLES 29G 29 GAUGE | 2 | GC |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 29GX1/2" 12MM 29 GAUGE X 1/2" | 2 | GC |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16" | 2 | GC |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4" | 2 | GC |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16" | 2 | GC |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16" | 2 | GC |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32" | 2 | GC |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32" | 2 | GC |
| UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16" | 2 | GC |
| UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16" | 2 | GC |
| UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32" | 2 | GC |
| UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4" | 2 | GC |
| UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16" | 2 | GC |
| UNIFINE ULTRA PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32" | 2 | GC |
| VANISHPOINT 0.5 ML (insulin syringe-needle 30GX1/2" SY OUTER 0.5 ML 30 u-100) GAUGE X 1/2" | 2 | GC |
| VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16" | 2 | GC |
| VANISHPOINT U-100 29X1/2 (insulin syringe-needle SYR 1 ML 29 GAUGE X 1/2" u-100) | 2 | GC |
| VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4" | 2 | GC |
| VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16" | 2 | GC |
| VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 2 | GC |
| VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 5MM 32 GAUGE X 3/16" | 2 | GC |
| VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 " | 1 | GC |
| V-GO 20 DEVICE | 3 | |
| V-GO 30 DEVICE | 3 | |
| V-GO 40 DEVICE | 3 | |
| Enzyme Replacement/Modifiers | | |
| Enzyme Replacement/Modifiers | | |
| CERDELGA ORAL CAPSULE 84 MG | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------------|
| CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT | 3 | |
| GALAFOLD ORAL CAPSULE 123 MG | 5 | PA; NM; NDS; QL (14 per 28 days) |
| <i>javygtor oral tablet,soluble 100 mg</i> (sapropterin) | 5 | PA; NM; NDS |
| <i>mighlstat oral capsule 100 mg</i> (Zavesca) | 5 | PA; NM; NDS; QL (90 per 30 days) |
| <i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin) | 5 | PA; NM; NDS |
| ORFADIN ORAL CAPSULE 20 (nitisinone) MG | 5 | PA; NM; NDS |
| ORFADIN ORAL SUSPENSION 4 MG/ML | 5 | PA; NM; NDS |
| PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML | 5 | PA; NM; NDS |
| PULMOZYME INHALATION SOLUTION 1 MG/ML | 5 | PA BvD; NM; NDS |
| <i>sapropterin oral tablet,soluble 100 mg</i> (Javygtor) | 5 | PA; NM; NDS |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML | 5 | PA; NM; LA; NDS |
| ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------------|
| Eye, Ear, Nose, Throat Agents | | |
| Eye, Ear, Nose, Throat Agents, Miscellaneous | | |
| <i>apraclonidine ophthalmic (eye) drops 0.5 %</i> | 2 | GC |
| <i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine) | 4 | |
| <i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i> | 2 | GC; QL (30 per 25 days) |
| <i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy) | 2 | GC; QL (30 per 25 days) |
| <i>azelastine ophthalmic (eye) drops 0.05 %</i> | 2 | GC |
| <i>cromolyn ophthalmic (eye) drops 4 %</i> | 2 | GC |
| <i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl) | 2 | GC |
| CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 % | 5 | PA; NM; NDS; QL (60 per 28 days) |
| <i>epinastine ophthalmic (eye) drops 0.05 %</i> | 2 | GC |
| <i>ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %)</i> | 2 | GC; QL (30 per 28 days) |
| <i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i> | 2 | GC; QL (15 per 10 days) |
| <i>levofloxacin ophthalmic (eye) drops 1.5 %</i> | 2 | GC |
| <i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf) | 2 | GC |
| <i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Clear Eyes Once Daily Allergy) | 2 | GC |
| <i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine) | 2 | GC |
| Eye, Ear, Nose, Throat Anti-Infectives Agents | | |
| <i>acetic acid otic (ear) solution 2 %</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i> | 2 | GC |
| <i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin) | 2 | GC |
| <i>bleph-10 ophthalmic (eye) drops 10 %</i> (sulfacetamide sodium) | 2 | GC |
| <i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan) | 2 | GC |
| <i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> (Ciprodex) | 2 | GC; QL (7.5 per 7 days) |
| <i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i> | 2 | GC; QL (3.5 per 4 days) |
| <i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> (Zymaxid) | 2 | GC |
| <i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i> | 2 | GC |
| <i>gentamicin ophthalmic (eye) drops 0.3 %</i> | 2 | GC |
| <i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i> | 2 | GC |
| <i>levofloxacin ophthalmic (eye) drops 0.5 %</i> | 2 | GC |
| <i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox) | 2 | GC |
| NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 % | 4 | |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC) | 2 | GC |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin) | 2 | GC |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol) | 2 | GC |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i> | 2 | GC |
| <i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i> | 2 | GC |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i> | 2 | GC |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i> | 2 | GC |
| <i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc) | 2 | GC |
| <i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin) | 2 | GC |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox) | 2 | GC |
| <i>ofloxacin otic (ear) drops 0.3 %</i> | 2 | GC |
| <i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i> (bacitracin-polymyxin b) | 2 | GC |
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit-1 mg/ml</i> (Polytrim) | 1 | GC |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> | 2 | GC |
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i> | 2 | GC |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i> | 2 | GC |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| <i>tobramycin-dexamethasone</i> (TobraDex) <i>ophthalmic (eye) drops,suspension</i> 0.3-0.1 % | 2 | GC |
| <i>trifluridine ophthalmic (eye) drops</i> 1 % | 2 | GC |
| ZIRGAN OPHTHALMIC (EYE) GEL 0.15 % | 4 | |
| ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 % | 3 | |
| Eye, Ear, Nose, Throat Anti-Inflammatory Agents | | |
| ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 % | 3 | ST; QL (10 per 25 days) |
| BROMSITE OPHTHALMIC (EYE) DROPS 0.075 % | 3 | |
| <i>dexamethasone sodium phosphate</i> <i>ophthalmic (eye) drops 0.1 %</i> | 2 | GC |
| <i>diclofenac sodium ophthalmic (eye)</i> <i>drops 0.1 %</i> | 2 | GC |
| <i>difluprednate ophthalmic (eye)</i> (Durezol) <i>drops 0.05 %</i> | 2 | GC |
| EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 % | 3 | QL (8.3 per 14 days) |
| <i>flunisolide nasal spray,non-aerosol</i> 25 mcg (0.025 %) | 2 | GC; QL (50 per 25 days) |
| <i>fluocinolone acetonide oil otic (ear)</i> (DermOtic Oil) <i>drops 0.01 %</i> | 2 | GC |
| <i>fluorometholone ophthalmic (eye)</i> (FML Liquifilm) <i>drops,suspension 0.1 %</i> | 4 | |
| <i>flurbiprofen sodium ophthalmic</i> <i>(eye) drops 0.03 %</i> | 2 | GC |
| <i>fluticasone propionate nasal</i> (24 Hour Allergy <i>spray,suspension 50 mcglactuation</i> Relief) | 1 | GC; QL (16 per 30 days) |
| ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 % | 3 | |
| INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % | 3 | QL (5.6 per 14 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>ketorolac ophthalmic (eye) drops</i> (Acular) 0.5 % | 2 | GC; QL (10 per 25 days) |
| LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 % | 3 | QL (3.5 per 14 days) |
| LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 % | 3 | QL (5 per 16 days) |
| <i>loteprednol etabonate ophthalmic</i> (Lotemax) <i>(eye) drops,gel</i> 0.5 % | 2 | GC; QL (10 per 13 days) |
| <i>mometasone nasal spray,non-aerosol</i> <i>50 mcg/actuation</i> | 2 | GC; QL (34 per 30 days) |
| <i>prednisolone acetate ophthalmic</i> (Pred Forte) <i>(eye) drops,suspension</i> 1 % | 4 | |
| <i>prednisolone sodium phosphate</i> <i>ophthalmic (eye) drops</i> 1 % | 2 | GC |
| PROLENSA OPHTHALMIC (EYE) DROPS 0.07 % | 3 | |
| RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 % | 3 | QL (5.5 per 28 days) |
| RESTASIS OPHTHALMIC (cyclosporine) (EYE) DROPPERETTE 0.05 % | 2 | GC; QL (60 per 30 days) |
| XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION | 3 | ST; QL (32 per 30 days) |
| XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 % | 3 | QL (60 per 30 days) |
| Gastrointestinal Agents | | |
| Antiulcer Agents And Acid Suppressants | | |
| <i>cimetidine hcl oral solution</i> 300 mg/5 ml | 2 | GC |
| <i>esomeprazole magnesium oral capsule,delayed release(drlec)</i> 20 mg (Nexium) | 2 | GC; QL (30 per 30 days) |
| <i>esomeprazole magnesium oral capsule,delayed release(drlec)</i> 40 mg (Nexium) | 2 | GC; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet) | 2 | ST; GC; QL (30 per 30 days) |
| <i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet) | 2 | ST; GC; QL (60 per 30 days) |
| <i>esomeprazole sodium intravenous recon soln 20 mg</i> | 2 | GC |
| <i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV) | 2 | GC |
| <i>famotidine (pf) intravenous solution 20 mg/2 ml</i> | 1 | GC |
| <i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i> | 2 | GC |
| <i>famotidine intravenous solution 10 mg/ml</i> | 2 | GC |
| <i>famotidine oral tablet 20 mg</i> (Acid Controller) | 1 | GC |
| <i>famotidine oral tablet 40 mg</i> (Pepcid) | 1 | GC |
| <i>lansoprazole oral capsule, delayed release(drlec) 15 mg</i> (Prevacid 24Hr) | 1 | GC; QL (30 per 30 days) |
| <i>lansoprazole oral capsule, delayed release(drlec) 30 mg</i> (Prevacid) | 1 | GC; QL (60 per 30 days) |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec) | 2 | GC |
| <i>nizatidine oral capsule 150 mg, 300 mg</i> | 2 | GC |
| <i>omeprazole oral capsule, delayed release(drlec) 10 mg, 20 mg, 40 mg</i> | 1 | GC |
| <i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid) | 2 | ST; GC; QL (30 per 30 days) |
| <i>pantoprazole intravenous recon soln 40 mg</i> (Protonix) | 2 | GC |
| <i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i> (Protonix) | 1 | GC; QL (30 per 30 days) |
| <i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i> (Protonix) | 1 | GC; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| <i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i> (AcipHex) | 2 | GC; QL (30 per 30 days) |
| <i>sucralfate oral tablet 1 gram</i> (Carafate) | 2 | GC |
| Gastrointestinal Agents, Other | | |
| <i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu) | 5 | PA; NM; NDS |
| <i>constulose oral solution 10 gram/15 ml</i> (lactulose) | 2 | GC |
| <i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom) | 2 | GC |
| <i>dicyclomine oral capsule 10 mg</i> | 2 | GC |
| <i>dicyclomine oral solution 10 mg/5 ml</i> | 2 | GC |
| <i>dicyclomine oral tablet 20 mg</i> | 2 | GC |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil) | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>enulose oral solution 10 gram/15 ml</i> (lactulose) | 2 | GC |
| GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG | 5 | PA; NM; NDS |
| <i>generlac oral solution 10 gram/15 ml</i> (lactulose) | 2 | GC |
| <i>glycopyrrolate oral tablet 1 mg</i> (Robinul) | 2 | GC |
| <i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte) | 2 | GC |
| <i>lactulose oral solution 10 gram/15 ml</i> (Constulose) | 2 | GC |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG | 3 | QL (30 per 30 days) |
| LOKELMA ORAL POWDER IN PACKET 10 GRAM | 3 | QL (34 per 30 days) |
| LOKELMA ORAL POWDER IN PACKET 5 GRAM | 3 | QL (30 per 30 days) |
| <i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide)) | 2 | GC |
| <i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza) | 3 | QL (60 per 30 days) |
| <i>methscopolamine oral tablet 2.5 mg, 5 mg</i> | 2 | GC |
| <i>metoclopramide hcl injection solution 5 mg/ml</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------------|
| <i>metoclopramide hcl injection syringe 5 mg/ml</i> | 2 | GC |
| <i>metoclopramide hcl oral solution 5 mg/5 ml</i> | 2 | GC |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan) | 1 | GC |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG | 3 | QL (30 per 30 days) |
| OICALIVA ORAL TABLET 10 MG, 5 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| RAVICTI ORAL LIQUID 1.1 GRAM/ML | 5 | PA; NM; NDS |
| <i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl) | 5 | NM; NDS |
| <i>sodium polystyrene sulfonate oral powder</i> | 2 | GC |
| <i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i> | 2 | GC |
| <i>ursodiol oral capsule 300 mg</i> | 2 | GC |
| <i>ursodiol oral tablet 250 mg</i> (URSO 250) | 2 | GC |
| <i>ursodiol oral tablet 500 mg</i> (URSO Forte) | 2 | GC |
| VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM | 3 | QL (30 per 30 days) |
| XERMELO ORAL TABLET 250 MG | 5 | PA; NM; NDS; QL (84 per 28 days) |
| Laxatives | | |
| CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML | 3 | |
| <i>gavilyte-c oral recon soln 240-22.72- 6.72 -5.84 gram</i> (peg 3350-electrolytes) | 2 | GC |
| <i>gavilyte-g oral recon soln 236-22.74- 6.74 -5.86 gram</i> (peg 3350-electrolytes) | 2 | GC |
| <i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>peg-electrolyte soln oral recon soln</i> 420 gram | 2 | GC |
| <i>sodium,potassium,mag sulfates oral recon soln</i> 17.5-3.13-1.6 gram (Suprep Bowel Prep Kit) | 3 | |
| SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM (sodium,potassium,mag sulfates) | 3 | |
| SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM | 3 | |
| Phosphate Binders | | |
| <i>calcium acetate(phosphat bind) oral capsule</i> 667 mg | 2 | GC |
| <i>calcium acetate(phosphat bind) oral tablet</i> 667 mg | 2 | GC |
| PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML | 4 | |
| <i>sevelamer carbonate oral powder in packet</i> 0.8 gram, 2.4 gram (Renvela) | 5 | NM; NDS |
| <i>sevelamer carbonate oral tablet</i> 800 mg (Renvela) | 2 | GC |
| <i>sevelamer hcl oral tablet</i> 400 mg | 2 | GC |
| VELPHORO ORAL TABLET,CHEWABLE 500 MG | 3 | |
| Genitourinary Agents | | |
| Antispasmodics, Urinary | | |
| <i>bethanechol chloride oral tablet</i> 10 mg, 25 mg, 5 mg, 50 mg | 2 | GC |
| <i>fesoterodine oral tablet extended release</i> 24 hr 4 mg, 8 mg (Toviaz) | 2 | GC |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG | 3 | |
| <i>oxybutynin chloride oral syrup</i> 5 mg/5 ml | 2 | GC |
| <i>oxybutynin chloride oral tablet</i> 5 mg | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL) | 2 | GC |
| <i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i> | 2 | GC |
| <i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i> (Detrol LA) | 2 | GC |
| <i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol) | 2 | GC |
| <i>tropium oral tablet 20 mg</i> | 2 | GC |
| Genitourinary Agents, Miscellaneous | | |
| <i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral) | 1 | GC; QL (30 per 30 days) |
| <i>dutasteride oral capsule 0.5 mg</i> (Avodart) | 2 | GC |
| <i>finasteride oral tablet 5 mg</i> (Proscar) | 1 | GC |
| <i>tamsulosin oral capsule 0.4 mg</i> (Flomax) | 1 | GC |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 1 | GC |
| <i>tiopronin oral tablet 100 mg</i> (Thiola) | 5 | NM; NDS |
| Heavy Metal Antagonists | | |
| Heavy Metal Antagonists | | |
| <i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle) | 5 | PA; NM; NDS |
| <i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu) | 5 | PA; NM; NDS |
| <i>deferasirox oral tablet 90 mg</i> (Jadenu) | 2 | PA; GC |
| <i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade) | 5 | PA; NM; NDS |
| <i>deferiprone oral tablet 1,000 mg</i> (Ferriprox (2 times a day)) | 5 | PA; NM; NDS |
| <i>deferiprone oral tablet 500 mg</i> (Ferriprox) | 5 | PA; NM; NDS |
| FERRIPROX (2 TIMES A DAY) ORAL TABLET 1,000 MG (deferiprone) | 5 | PA; NM; NDS |
| FERRIPROX ORAL SOLUTION 100 MG/ML | 5 | PA; NM; NDS |
| <i>penicillamine oral tablet 250 mg</i> (Depen Titratabs) | 5 | PA; NM; NDS |
| <i>trientine oral capsule 250 mg</i> (Syprine) | 5 | PA; NM; NDS; QL (240 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--|
| Hormonal Agents, Stimulant/Replacement/Modifying | | |
| Androgens | | |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i> | 2 | GC |
| <i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin) | 2 | GC |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone) | 2 | PA; GC |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i> | 2 | PA; GC |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i> | 2 | PA; GC; QL (5 per 28 days) |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i> (Vogelxo) | 2 | PA; GC; QL (300 per 30 days) |
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i> (AndroGel) | 2 | PA; GC; QL (150 per 30 days) |
| <i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> (AndroGel) | 2 | PA; GC; QL (300 per 30 days) |
| <i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i> | 2 | PA; GC; QL (180 per 30 days) |
| XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML | 3 | PA; QL (2 per 28 days) |
| Estrogens And Antiestrogens | | |
| <i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet) | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol) | 2 | PA-HRM; GC; QL (8 per 28 days); AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--|
| DUAVEE ORAL TABLET 0.45-20 MG | 3 | PA-HRM; AGE (Max 64 Years) |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace) | 1 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti) | 2 | PA-HRM; GC; QL (8 per 28 days); AGE (Max 64 Years) |
| <i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara) | 2 | PA-HRM; GC; QL (4 per 28 days); AGE (Max 64 Years) |
| <i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace) | 2 | GC |
| <i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm) | 2 | GC; QL (18 per 28 days) |
| <i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i> (Delestrogen) | 2 | GC |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz) | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR | 4 | QL (1 per 84 days) |
| <i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (norethindrone ac-eth estradiol) | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol) | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol) | 2 | PA-HRM; GC; QL (8 per 28 days); AGE (Max 64 Years) |
| <i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet) | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv) | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| PREMARIN INJECTION RECON SOLN 25 MG | 3 | |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG | 3 | PA-HRM; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| PREMARIN ORAL TABLET (conjugated estrogens) 0.625 MG, 1.25 MG | 3 | PA-HRM; AGE (Max 64 Years) |
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM | 3 | |
| PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG- 5MG(14) | 3 | PA-HRM; AGE (Max 64 Years) |
| PREMPRO ORAL TABLET 0.3- 1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG | 3 | PA-HRM; AGE (Max 64 Years) |
| <i>raloxifene oral tablet 60 mg</i> (Evista) | 2 | GC |
| <i>yuvafem vaginal tablet 10 mcg</i> (estradiol) | 2 | GC; QL (18 per 28 days) |
| Glucocorticoids/Mineralocorticoids | | |
| <i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan) | 2 | GC |
| <i>dexamethasone oral solution 0.5 mg/5 ml</i> | 2 | GC |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i> | 2 | GC |
| <i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i> | 1 | GC |
| <i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i> | 1 | GC |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i> | 1 | GC |
| <i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i> | 2 | GC |
| <i>fludrocortisone oral tablet 0.1 mg</i> | 2 | GC |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef) | 2 | GC |
| <i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol) | 2 | GC |
| <i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>methylprednisolone oral tablet 32 mg</i> | 2 | GC |
| <i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak)) | 2 | GC |
| <i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i> | 2 | GC |
| <i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol) | 2 | GC |
| <i>prednisolone 15 mg/5 ml soln dlf 15 mg/5 ml (3 mg/ml)</i> | 2 | PA BvD; GC |
| <i>prednisolone oral solution 15 mg/5 ml</i> | 2 | PA BvD; GC |
| <i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i> | 2 | PA BvD; GC |
| <i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred) | 2 | PA BvD; GC |
| <i>prednisone oral solution 5 mg/5 ml</i> | 2 | PA BvD; GC |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i> | 1 | PA BvD; GC |
| <i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i> | 2 | GC |
| SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML | 4 | |
| <i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog) | 2 | GC |
| Pituitary | | |
| ACTHAR INJECTION GEL 80 UNIT/ML | 5 | PA; NM; NDS; QL (35 per 28 days) |
| CORTROPHIN GEL INJECTION GEL 80 UNIT/ML | 5 | PA; NM; NDS; QL (35 per 28 days) |
| <i>desmopressin injection solution 4 mcg/ml</i> (DDAVP) | 2 | GC |
| <i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP) | 2 | GC |
| EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML | 5 | NM; NDS |
| <i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot) | 5 | PA NSO; NM; NDS; QL (0.5 per 28 days) |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG | 5 | PA NSO; NM; NDS |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG | 5 | PA NSO; NM; NDS |
| NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) | 5 | PA; NM; NDS |
| <i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i> | 2 | GC |
| <i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml</i> | 2 | GC |
| <i>octreotide acetate injection solution</i> (Sandostatin) <i>500 mcg/ml</i> | 5 | NM; NDS |
| <i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i> | 2 | GC |
| ORGOVYX ORAL TABLET 120 MG | 5 | PA NSO; NM; NDS |
| ORLISSA ORAL TABLET 150 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| ORLISSA ORAL TABLET 200 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------------------|
| SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG | 5 | PA; NM; NDS |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) | 5 | PA; NM; NDS; QL (60 per 30 days) |
| SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 120 MG/0.5 ML | 5 | PA NSO; NM; NDS; QL (0.5 per 28 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML | 5 | PA NSO; NM; NDS; QL (0.2 per 28 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML | 5 | PA NSO; NM; NDS; QL (0.3 per 28 days) |
| SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 5 | PA; NM; NDS |
| SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML | 5 | PA; NM; NDS |
| Progestins | | |
| <i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera) | 2 | GC; QL (1 per 84 days) |
| <i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera) | 2 | GC; QL (1 per 84 days) |
| <i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera) | 1 | GC |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i> | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>norethindrone acetate oral tablet 5 mg</i> (Aygestin) | 2 | GC |
| <i>progesterone intramuscular oil 50 mg/ml</i> | 2 | GC |
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------------|
| Thyroid And Antithyroid Agents | | |
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox) | 1 | GC |
| <i>levothyroxine oral tablet 300 mcg</i> (Levo-T) | 1 | GC |
| <i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel) | 2 | GC |
| <i>methimazole oral tablet 10 mg, 5 mg</i> | 1 | GC |
| <i>propylthiouracil oral tablet 50 mg</i> | 2 | GC |
| Immunological Agents | | |
| Immunological Agents | | |
| ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML | 5 | PA; NM; NDS |
| ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML) | 5 | PA; NM; NDS |
| ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML | 5 | PA; NM; NDS |
| ARCALYST SUBCUTANEOUS RECON SOLN 220 MG | 5 | NM; NDS |
| <i>azathioprine oral tablet 50 mg</i> (Imuran) | 2 | PA BvD; GC |
| <i>azathioprine sodium injection recon soln 100 mg</i> | 2 | PA BvD; GC |
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML | 5 | PA; NM; NDS; QL (8 per 28 days) |
| BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML | 5 | PA; NM; NDS; QL (8 per 28 days) |
| BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML | 5 | PA NSO; NM; NDS; QL (2 per 28 days) |
| CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS) | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2) | 5 | PA; NM; NDS |
| COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; NM; NDS |
| COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML | 5 | PA; NM; NDS |
| COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | 5 | PA; NM; NDS |
| <i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml | 2 | PA BvD; GC |
| <i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg | 2 | PA BvD; GC |
| <i>cyclosporine modified oral capsule</i> 50 mg | 2 | PA BvD; GC |
| <i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml | 2 | PA BvD; GC |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune) | 2 | PA BvD; GC |
| DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML | 5 | PA; NM; NDS |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML | 5 | PA; NM; NDS |
| ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML) | 5 | PA; NM; NDS |
| ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML) | 5 | PA; NM; NDS |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) | 5 | PA; NM; NDS |
| ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML) | 5 | PA; NM; NDS |
| <i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i> | 5 | PA BvD; NM; NDS |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 % | 5 | PA BvD; NM; NDS |
| GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML | 5 | PA; NM; NDS |
| GAMMAGARD LIQUID INJECTION SOLUTION 10 % | 5 | PA BvD; NM; NDS |
| GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM | 5 | PA BvD; NM; NDS |
| GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 % | 5 | PA BvD; NM; NDS |
| GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML) | 5 | PA BvD; NM; NDS |
| <i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified) | 2 | PA BvD; GC |
| <i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified) | 2 | PA BvD; GC |
| HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA PEN PSOR-UEVITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML | 5 | PA; NM; NDS |
| <i>infliximab intravenous recon soln 100 mg</i> (Remicade) | 5 | PA; NM; NDS |
| KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML | 5 | PA; NM; NDS |
| KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML | 5 | PA; NM; NDS |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava) | 2 | GC |
| <i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous) | 2 | PA BvD; GC |
| <i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept) | 2 | PA BvD; GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept) | 5 | PA BvD; NM; NDS |
| <i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept) | 2 | PA BvD; GC |
| NULOJIX INTRAVENOUS RECON SOLN 250 MG | 5 | PA BvD; NM; NDS |
| OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 % | 5 | PA BvD; NM; NDS |
| OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG | 5 | PA; NM; NDS |
| ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG | 5 | PA; NM; NDS |
| ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML | 5 | PA; NM; NDS |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML | 5 | PA; NM; NDS |
| OTEZLA ORAL TABLET 30 MG | 5 | PA; NM; NDS |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19) | 5 | PA; NM; NDS |
| PRIVIGEN INTRAVENOUS SOLUTION 10 % | 5 | PA BvD; NM; NDS |
| PROGRAF INTRAVENOUS SOLUTION 5 MG/ML | 4 | PA BvD |
| PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG | 4 | PA BvD; ST |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| REZUROCK ORAL TABLET 200 MG | 5 | PA NSO; NM; NDS |
| RIDAURA ORAL CAPSULE 3 MG | 5 | NM; NDS |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG | 5 | PA; NM; NDS |
| <i>sirolimus oral solution 1 mg/ml</i> (Rapamune) | 5 | PA BvD; NM; NDS |
| <i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune) | 2 | PA BvD; GC |
| <i>sirolimus oral tablet 2 mg</i> (Rapamune) | 5 | PA BvD; NM; NDS |
| SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML | 5 | PA; NM; NDS |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML | 5 | PA; NM; NDS |
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML | 5 | PA; NM; NDS |
| SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2) | 5 | PA; NM; NDS |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML) | 5 | PA; NM; NDS |
| STELARA INTRAVENOUS SOLUTION 130 MG/26 ML | 5 | PA; NM; NDS |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML | 5 | PA; NM; NDS |
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML | 5 | PA; NM; NDS |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf) | 2 | PA BvD; GC |
| TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 80 MG/ML | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML | 5 | PA; NM; NDS |
| TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | 5 | PA; NM; NDS |
| TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML | 5 | PA; NM; NDS |
| TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML | 5 | PA; NM; LA; NDS |
| XELJANZ ORAL SOLUTION 1 MG/ML | 5 | PA; NM; NDS |
| XELJANZ ORAL TABLET 10 MG, 5 MG | 5 | PA; NM; NDS |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG | 5 | PA; NM; NDS |
| Vaccines | | |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 3 | |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 3 | |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 3 | |
| BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG | 3 | |
| BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML | 3 | |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML | 3 | |
| DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML | 3 | |
| DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML | 3 | QL (3 per 365 days) |
| ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML | 3 | PA BvD |
| ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML | 3 | PA BvD |
| ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML | 3 | PA BvD |
| GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML | 3 | QL (1.5 per 365 days) |
| GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML | 3 | QL (1.5 per 365 days) |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML | 3 | |
| HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML | 3 | PA BvD |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 3 | |
| IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT | 3 | PA BvD |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML | 3 | |
| IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML | 3 | |
| IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML | 3 | |
| JYNNEOS (PF)(STOCKPILE) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5 | 3 | |
| KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML | 3 | |
| MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML | 3 | |
| MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML | 3 | |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML | 3 | |
| M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML | 3 | |
| PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML | 3 | |
| PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML | 3 | |
| PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML | 3 | PA BvD |
| PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4- 4.2- 3.3CCID50/0.5ML | 3 | |
| PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5 | 3 | |
| QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML) | 3 | |
| QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML | 3 | |
| RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT | 3 | PA BvD |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML | 3 | PA BvD |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML | 3 | PA BvD |
| ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML | 3 | |
| ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML | 3 | |
| ROTATEQ VACCINE ORAL SOLUTION 2 ML | 3 | |
| SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML | 3 | QL (2 per 365 days) |
| TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML (tetanus-diphtheria toxoids-td) | 3 | |
| TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML | 3 | |
| TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML | 3 | |
| TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML | 3 | |
| TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML | 3 | QL (1.5 per 365 days) |
| TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML | 3 | |
| TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|--|---------------------|
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML | 3 | |
| TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML | (typhoid vi polysacch vaccine) 3 | |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML | 3 | |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML | 3 | |
| VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML | 3 | QL (2 per 365 days) |
| YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL) | 3 | |
| Inflammatory Bowel Disease Agents | | |
| Inflammatory Bowel Disease Agents | | |
| <i>alose tron oral tablet 0.5 mg</i> (Lotronex) | 2 | GC |
| <i>alose tron oral tablet 1 mg</i> (Lotronex) | 5 | NM; NDS |
| <i>balsalazide oral capsule 750 mg</i> (Colazal) | 2 | GC |
| <i>budesonide oral capsule, delayed, extend. release 3 mg</i> | 4 | |
| DIPENTUM ORAL CAPSULE 250 MG | 5 | ST; NM; NDS |
| <i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema) | 2 | GC |
| <i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <i>mesalamine oral capsule,extended release 24hr 0.375 gram</i> (Apriso) | 2 | GC |
| <i>mesalamine oral tablet,delayed release (drlec) 1.2 gram</i> (Lialda) | 2 | GC; QL (120 per 30 days) |
| <i>mesalamine oral tablet,delayed release (drlec) 800 mg</i> (Asacol HD) | 2 | GC |
| <i>mesalamine rectal suppository 1,000 mg</i> (Canasa) | 2 | GC |
| <i>sulfasalazine oral tablet 500 mg</i> (Azulfidine) | 2 | GC |
| <i>sulfasalazine oral tablet,delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs) | 4 | |
| UCERIS RECTAL FOAM 2 MG/ACTUATION | 3 | |
| Metabolic Bone Disease Agents | | |
| Metabolic Bone Disease Agents | | |
| <i>alendronate oral solution 70 mg/75 ml</i> | 2 | GC; QL (300 per 28 days) |
| <i>alendronate oral tablet 10 mg, 5 mg</i> | 1 | GC; QL (30 per 30 days) |
| <i>alendronate oral tablet 35 mg</i> | 1 | GC; QL (4 per 28 days) |
| <i>alendronate oral tablet 70 mg</i> (Fosamax) | 1 | GC; QL (4 per 28 days) |
| <i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/lactuation</i> | 2 | GC; QL (3.7 per 28 days) |
| <i>calcitriol intravenous solution 1 mcg/ml</i> | 2 | GC |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol) | 2 | GC |
| <i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol) | 2 | GC |
| <i>cinacalcet oral tablet 30 mg</i> (Sensipar) | 2 | GC; QL (60 per 30 days) |
| <i>cinacalcet oral tablet 60 mg</i> (Sensipar) | 5 | NM; NDS; QL (60 per 30 days) |
| <i>cinacalcet oral tablet 90 mg</i> (Sensipar) | 5 | NM; NDS; QL (120 per 30 days) |
| FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML) | 3 | PA; QL (2.4 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| <i>ibandronate intravenous solution 3 mg/3 ml</i> | 2 | GC; QL (3 per 84 days) |
| <i>ibandronate intravenous syringe 3 mg/3 ml</i> | 2 | GC; QL (3 per 84 days) |
| <i>ibandronate oral tablet 150 mg</i> (Boniva) | 2 | GC; QL (1 per 28 days) |
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE | 5 | PA; NM; NDS; QL (2 per 28 days) |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar) | 2 | GC |
| <i>paricalcitol oral capsule 4 mcg</i> | 2 | GC |
| PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML | 3 | QL (1 per 180 days) |
| RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG | 3 | QL (60 per 30 days) |
| <i>risedronate oral tablet 150 mg</i> (Actonel) | 2 | GC; QL (1 per 28 days) |
| <i>risedronate oral tablet 30 mg, 5 mg</i> | 2 | GC; QL (30 per 30 days) |
| <i>risedronate oral tablet 35 mg</i> (Actonel) | 2 | GC; QL (4 per 28 days) |
| <i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i> | 2 | GC; QL (4 per 28 days) |
| <i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia) | 2 | GC; QL (4 per 28 days) |
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML) | 3 | PA; QL (1.56 per 30 days) |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML) | 5 | PA; NM; NDS |
| <i>zoledronic acid intravenous recon soln 4 mg</i> | 2 | GC |
| <i>zoledronic acid intravenous solution 4 mg/5 ml</i> | 2 | GC |
| <i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast) | 2 | GC; QL (100 per 300 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------------------|
| Miscellaneous Therapeutic Agents | | |
| Miscellaneous Therapeutic Agents | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML | 5 | PA; NM; NDS |
| <i>betaine oral powder 1 gram/scoop</i> (Cystadane) | 5 | PA; NM; NDS |
| <i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i> | 2 | GC |
| <i>diazoxide oral suspension 50 mg/ml</i> (Proglycem) | 2 | GC |
| ELMIRON ORAL CAPSULE 100 MG | 4 | QL (90 per 30 days) |
| ENDARI ORAL POWDER IN PACKET 5 GRAM | 5 | PA; NM; NDS; QL (180 per 30 days) |
| EVRYSDI ORAL RECON SOLN 0.75 MG/ML | 5 | PA; NM; NDS |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML | 3 | |
| GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML | 3 | |
| GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML | 3 | |
| <i>hydroxyzine pamoate oral capsule 100 mg</i> | 2 | GC |
| <i>hydroxyzine pamoate oral capsule</i> (Vistaril) <i>25 mg, 50 mg</i> | 1 | GC |
| IGALMI SUBLINGUAL FILM 120 MCG, 180 MCG | 4 | PA; QL (90 per 30 days) |
| <i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i> | 2 | GC |
| <i>leucovorin calcium injection solution 10 mg/ml</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i> | 2 | GC |
| <i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor) | 2 | GC |
| <i>levocarnitine oral tablet 330 mg</i> (Carnitor) | 4 | |
| <i>mesna intravenous solution 100 mg/ml</i> (Mesnex) | 2 | GC |
| MESNEX ORAL TABLET 400 MG | 5 | NM; NDS |
| OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML | 5 | PA; NM; NDS |
| <i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon) | 2 | GC |
| <i>pyridostigmine bromide oral tablet 30 mg</i> | 2 | GC |
| <i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon) | 2 | GC |
| RECTIV RECTAL OINTMENT 0.4 % (W/W) | 4 | QL (30 per 30 days) |
| TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML) | 5 | PA; NM; NDS; QL (4 per 28 days) |
| TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; NM; NDS; QL (2 per 28 days) |
| TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML) | 5 | PA; NM; NDS; QL (4 per 28 days) |
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| TYBOST ORAL TABLET 150 MG | 4 | QL (30 per 30 days) |
| ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML | 3 | |
| Ophthalmic Agents | | |
| Antiglaucoma Agents | | |
| <i>acetazolamide oral capsule, extended release 500 mg</i> | 2 | GC |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i> | 2 | GC |
| <i>acetazolamide sodium injection recon soln 500 mg</i> | 2 | GC |
| ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 % | 3 | |
| AZOPT OPHTHALMIC (EYE) (brinzolamide) DROPS,SUSPENSION 1 % | 2 | GC |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i> | 2 | GC |
| <i>brimonidine-timolol ophthalmic (Combigan) (eye) drops 0.2-0.5 %</i> | 2 | GC |
| <i>carteolol ophthalmic (eye) drops 1 %</i> | 2 | GC |
| <i>dorzolamide ophthalmic (eye) drops 2 %</i> | 2 | GC |
| <i>dorzolamide-timolol ophthalmic (Cosopt) (eye) drops 22.3-6.8 mg/ml</i> | 2 | GC |
| <i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i> | 1 | GC; QL (2.5 per 25 days) |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i> | 1 | GC |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 % | 3 | QL (2.5 per 25 days) |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 4 %</i> | 2 | GC |
| <i>pilocarpine hcl ophthalmic (eye) (Isopto Carpine) drops 2 %</i> | 2 | GC |
| RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 % | 3 | QL (2.5 per 25 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------|
| ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 % | 3 | QL (2.5 per 25 days) |
| SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1- 0.2 % | 3 | |
| <i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> (Timoptic) | 1 | GC |
| <i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> (Timoptic-XE) | 2 | GC |
| <i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z) | 2 | GC; QL (2.5 per 25 days) |
| Replacement Preparations | | |
| Replacement Preparations | | |
| <i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i> | 2 | GC |
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> | 2 | GC |
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i> | 2 | GC |
| ISOLYTE S IV SOLUTION- EXCEL SINGLE USE | 4 | |
| ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 % | 4 | |
| <i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride) | 2 | GC |
| <i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride) | 2 | GC |
| <i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride) | 2 | GC |
| <i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4%), 40 gram/1,000 ml (4%)</i> | 2 | GC |
| <i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4%), 4 gram/100 ml (4%), 4 gram/50 ml (8%)</i> | 2 | GC |
| <i>magnesium sulfate injection syringe 4 meq/ml</i> | 2 | GC |
| NORMOSOL-M IN 5% DEXTROSE INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| <i>potassium chloride intravenous solution 2 meq/ml</i> | 1 | PA BvD; GC |
| <i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i> | 2 | PA BvD; GC |
| <i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i> | 2 | GC |
| <i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i> | 2 | GC |
| <i>potassium chloride oral tablet extended release 10 meq, 20 meq</i> (K-Tab) | 2 | GC |
| <i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8) | 2 | GC |
| <i>potassium chloride oral tablet, er particles/crystals 10 meq</i> (Klor-Con M10) | 2 | GC |
| <i>potassium chloride oral tablet, er particles/crystals 15 meq</i> (Klor-Con M15) | 2 | GC |
| <i>potassium chloride oral tablet, er particles/crystals 20 meq</i> (Klor-Con M20) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| <i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i> | 2 | GC |
| <i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10) | 2 | GC |
| <i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15) | 2 | GC |
| <i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5) | 2 | GC |
| <i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i> | 2 | GC |
| <i>sodium chloride 0.9 % intravenous parenteral solution</i> | 4 | |
| <i>sodium chloride 0.9 % intravenous piggyback</i> | 2 | GC |
| <i>sodium chloride 0.9% solution viaflex, single use</i> | 2 | GC |
| Respiratory Tract Agents | | |
| Anti-Inflammatories, Inhaled Corticosteroids | | |
| ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE (fluticasone propion-salmeterol) | 2 | GC; QL (60 per 30 days) |
| ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol) | 3 | QL (12 per 30 days) |
| ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION | 3 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol) | 3 | QL (60 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> (Pulmicort) | 2 | PA BvD; GC; QL (120 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> (Pulmicort) | 2 | PA BvD; GC; QL (60 per 30 days) |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION | 3 | QL (60 per 30 days) |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION | 3 | QL (120 per 30 days) |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION (fluticasone propionate) | 3 | QL (12 per 30 days) |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION (fluticasone propionate) | 3 | QL (24 per 30 days) |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION (fluticasone propionate) | 3 | QL (21.2 per 30 days) |
| SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION (budesonide-formoterol) | 3 | QL (30.6 per 30 days) |
| Antileukotrienes | | |
| <i>montelukast oral tablet 10 mg</i> (Singulair) | 1 | GC |
| <i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair) | 1 | GC |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate) | 2 | GC |
| Bronchodilators | | |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Proventil HFA) | 2 | GC; QL (17 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i> | 2 | GC; QL (13.4 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i> | 2 | GC; QL (36 per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i> | 2 | PA BvD; GC; QL (360 per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i> | 2 | PA BvD; GC; QL (120 per 30 days) |
| <i>albuterol sulfate oral syrup 2 mg/5 ml</i> | 2 | GC |
| <i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i> | 2 | GC |
| ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION | 3 | QL (60 per 30 days) |
| ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION | 4 | QL (25.8 per 28 days) |
| BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION | 3 | QL (10.7 per 30 days) |
| COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION | 3 | QL (8 per 30 days) |
| <i>ipratropium bromide inhalation solution 0.02 %</i> | 2 | PA BvD; GC; QL (312.5 per 30 days) |
| <i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i> | 2 | PA BvD; GC; QL (540 per 30 days) |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE | 3 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION | 3 | QL (4 per 30 days) |
| SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG | 3 | QL (30 per 30 days) |
| STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION | 3 | QL (4 per 30 days) |
| STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION | 3 | QL (4 per 28 days) |
| <i>terbutaline oral tablet 2.5 mg, 5 mg</i> | 2 | GC |
| <i>theophylline oral solution 80 mg/15 ml</i> | 2 | GC |
| <i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i> | 2 | GC |
| <i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i> | 2 | GC |
| TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG | 3 | QL (60 per 30 days) |
| Respiratory Tract Agents, Other | | |
| <i>acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20%)</i> | 2 | GC |
| <i>acetylcysteine solution 100 mg/ml (10%), 200 mg/ml (20%)</i> | 2 | PA BvD; GC |
| CINQAIR INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA; NM; NDS |
| <i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i> | 2 | PA BvD; GC |
| FASENRA PEN SUBCUTANEOUS AUTO- INJECTOR 30 MG/ML | 5 | PA; NM; NDS; QL (1 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------------|
| FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| KALYDECO ORAL TABLET 150 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | 5 | PA; NM; LA; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS RECON SOLN 100 MG | 5 | PA; NM; LA; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML | 5 | PA; NM; LA; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML | 5 | PA; NM; LA; NDS; QL (0.4 per 28 days) |
| OFEV ORAL CAPSULE 100 MG, 150 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG | 5 | PA; NM; NDS; QL (112 per 28 days) |
| <i>pirfenidone oral capsule 267 mg</i> (Esbriet) | 5 | PA; NM; NDS; QL (270 per 30 days) |
| <i>pirfenidone oral tablet 267 mg</i> (Esbriet) | 5 | PA; NM; NDS; QL (270 per 30 days) |
| <i>pirfenidone oral tablet 534 mg</i> | 5 | PA; NM; NDS; QL (90 per 30 days) |
| <i>pirfenidone oral tablet 801 mg</i> (Esbriet) | 5 | PA; NM; NDS; QL (90 per 30 days) |
| PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV | 5 | PA BvD; NM; NDS |
| PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG | 5 | PA BvD; NM; NDS |
| <i>roflumilast oral tablet 250 mcg, 500 mcg</i> (Daliresp) | 2 | GC; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------------|
| SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) | 5 | PA; NM; NDS; QL (56 per 28 days) |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) | 5 | PA; NM; NDS; QL (84 per 28 days) |
| XOLAIR SUBCUTANEOUS RECON SOLN 150 MG | 5 | PA; NM; NDS |
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML | 5 | PA; NM; NDS |
| Skeletal Muscle Relaxants | | |
| Skeletal Muscle Relaxants | | |
| <i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i> | 2 | GC |
| <i>chlorzoxazone oral tablet 500 mg</i> | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i> | 1 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>dantrolene oral capsule 100 mg, 50 mg</i> | 2 | GC |
| <i>dantrolene oral capsule 25 mg</i> (Dantrium) | 2 | GC |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i> | 2 | PA-HRM; GC; AGE (Max 64 Years) |
| <i>revonto intravenous recon soln 20 mg</i> (dantrolene) | 2 | GC |
| <i>tizanidine oral tablet 2 mg</i> | 2 | GC |
| <i>tizanidine oral tablet 4 mg</i> (Zanaflex) | 2 | GC |
| Sleep Disorder Agents | | |
| Sleep Disorder Agents | | |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil) | 2 | PA; GC; QL (30 per 30 days) |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG | 3 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------------------|
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta) | 2 | GC; QL (30 per 30 days) |
| <i>modafinil oral tablet 100 mg</i> (Provigil) | 2 | PA; GC; QL (30 per 30 days) |
| <i>modafinil oral tablet 200 mg</i> (Provigil) | 2 | PA; GC; QL (60 per 30 days) |
| <i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem) | 5 | PA; NM; LA; NDS; QL (540 per 30 days) |
| SUNOSI ORAL TABLET 150 MG, 75 MG | 4 | PA; QL (30 per 30 days) |
| <i>tasimelteon oral capsule 20 mg</i> (Hetlioz) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| XYREM ORAL SOLUTION 500 MG/ML (sodium oxybate) | 5 | PA; NM; LA; NDS; QL (540 per 30 days) |
| <i>zaleplon oral capsule 10 mg, 5 mg</i> | 2 | GC; QL (30 per 30 days) |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien) | 1 | GC; QL (30 per 30 days) |
| Vasodilating Agents | | |
| Vasodilating Agents | | |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG | 5 | PA; NM; NDS; QL (90 per 30 days) |
| <i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension)) | 2 | PA; GC; QL (60 per 30 days) |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| OPSUMIT ORAL TABLET 10 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio) | 1 | PA; GC; QL (360 per 30 days) |
| <i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra) | 2 | GC; EX; CB (6 EA per 30 days) |
| <i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq) | 2 | PA; GC; QL (60 per 30 days) |
| TRACLEER ORAL TABLET 125 MG, 62.5 MG (bosentan) | 5 | PA; NM; LA; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| TRACLEER ORAL TABLET FOR SUSPENSION 32 MG | 5 | PA; NM; NDS; QL (112 per 28 days) |
| UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| UPTRAVI ORAL TABLET 200 MCG | 5 | PA; NM; NDS; QL (240 per 30 days) |
| UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60) | 5 | PA; NM; NDS |
| Vitamins And Minerals | | |
| Vitamins And Minerals | | |
| <i>bal-care dha combo pack 27-1-430 mg</i> | 2 | GC |
| <i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i> | 2 | GC |
| <i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i> | 2 | GC |
| <i>completenate tablet chew 29 mg iron- 1 mg</i> | 2 | GC |
| <i>folivane-ob capsule 85-1 mg</i> | 2 | GC |
| <i>hemenatal ob + dha oral combo pack 28 mg iron-6 mg iron-1 mg</i> | 2 | GC |
| <i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i> | 2 | GC |
| <i>marnatal-f capsule 60 mg iron-1 mg</i> | 2 | GC |
| <i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i> | 2 | GC |
| <i>mynatal advance oral tablet 90-1-50 mg</i> | 2 | GC |
| <i>mynatal capsule 65 mg iron- 1 mg</i> | 2 | GC |
| <i>mynatal oral tablet 90-1-50 mg</i> | 2 | GC |
| <i>mynatal plus captab 65 mg iron- 1 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>mynatal-z captab 65 mg iron- 1 mg</i> | 2 | GC |
| <i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i> | 2 | GC |
| <i>newgen tablet 32-1,000 mg-mcg</i> | 2 | GC |
| <i>niva-plus tablet 27 mg iron- 1 mg</i> | 2 | GC |
| <i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i> | 2 | GC |
| <i>o-cal prenatal tablet 15 mg iron- 1,000 mcg</i> | 2 | GC |
| <i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i> | 2 | GC |
| <i>pnv prenatal plus multivit tab (pnv,calcium 72-iron- gluten-free (rx) 27 mg iron- 1 mg folic acid)</i> | 2 | GC |
| <i>pnv-dha + docusate oral capsule 27- 1.25-55-300 mg</i> | 2 | GC |
| <i>pnv-omega softgel 28-1-300 mg</i> | 2 | GC |
| <i>pnv-vp-u oral capsule 106.5-1 mg</i> | 2 | GC |
| <i>pr natal 400 combo pack 29-1-400 mg</i> | 2 | GC |
| <i>pr natal 400 ec combo pack 29-1- 400 mg</i> | 2 | GC |
| <i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i> | 2 | GC |
| <i>pr natal 430 ec combo pack 29-1- 430 mg</i> | 2 | GC |
| <i>prena1 true combo pack 30 mg iron- 1.4 mg-300 mg</i> | 2 | GC |
| <i>prenaissance oral capsule 29-1.25- 55-325 mg</i> | 2 | GC |
| <i>prenaissance plus oral capsule 28-1- 50-250 mg</i> | 2 | GC |
| <i>prenatabs fa tablet 29-1 mg</i> | 2 | GC |
| <i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i> | 2 | GC |
| <i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits | |
|--|----------------------------------|----------------------------|----|
| <i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i> | 2 | GC | |
| <i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> | (pnv,calcium 72-iron,carb-folic) | 2 | GC |
| <i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> | (pnv,calcium 72-iron-folic acid) | 2 | GC |
| <i>prenatal-u capsule 106.5-1 mg</i> | 2 | GC | |
| <i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i> | (pnv,calcium 72-iron-folic acid) | 2 | GC |
| <i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i> | 2 | GC | |
| <i>purefe ob plus capsule 106 mg iron- 1 mg</i> | 2 | GC | |
| <i>purefe plus capsule 106 mg iron- 1 mg</i> | 2 | GC | |
| <i>r-natal ob softgel 20 mg iron- 1 mg- 320 mg</i> | 2 | GC | |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i> | 2 | GC | |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i> | 2 | GC | |
| <i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i> | 2 | GC | |
| <i>taron-c dha capsule 35-1-200 mg</i> | 2 | GC | |
| <i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i> | 2 | GC | |
| <i>triveen-duo dha combo pack 29-1-400 mg</i> | 2 | GC | |
| <i>vinate care chewable tablet 40 mg iron- 1 mg</i> | 2 | GC | |
| <i>virt-c dha softgel (rx) 35-1-200 mg</i> | 2 | GC | |
| <i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i> | 2 | GC | |
| <i>virt-pn dha softgel (rx) 27 mg iron- 1 mg -300 mg</i> | 2 | GC | |
| <i>virt-pn oral tablet 27-1 mg</i> | 2 | GC | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>virt-pn plus softgel (rx) 28-1-300 mg</i> | 2 | GC |
| <i>vitafol gummies 3.33 mg iron- 0.33 mg</i> | 2 | GC |
| <i>vitafol nano tablet 18 mg iron- 1 mg</i> | 2 | GC |
| <i>vitafol-ob+dha combo pack 65-1-250 mg</i> | 2 | GC |
| <i>vol-nate oral tablet 28 mg iron- 1 mg</i> | 2 | GC |
| <i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i> | 2 | GC |
| <i>vp-pnv-dha softgel (rx) 28 mg iron-1 mg-200 mg</i> | 2 | GC |
| <i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i> | 2 | GC |
| <i>zatean-pn plus softgel 28-1-300 mg</i> | 2 | GC |
| <i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

INDEX

| | | | | | |
|---|---------|--------------------------------|----------|--|-----|
| 1ST TIER UNIFINE PENTIPS..... | 111 | ADVAIR HFA..... | 190 | <i>amantadine hcl</i> | 57 |
| 1ST TIER UNIFINE PENTIPS PLUS..... | 111 | ADVOCATE PEN NEEDLE..... | 112 | AMBISOME..... | 48 |
| <i>abacavir</i> | 64 | ADVOCATE SYRINGES..... | 111, 112 | <i>ambrisentan</i> | 196 |
| <i>abacavir-lamivudine</i> | 65 | <i>afirmelle</i> | 95 | <i>amethia</i> | 95 |
| <i>abacavir-lamivudine-zidovudine</i> | 65 | AJOVY AUTOINJECTOR.... | 52 | <i>amiloride</i> | 86 |
| ABELCET..... | 48 | AJOVY SYRINGE..... | 52 | <i>amiloride-hydrochlorothiazide</i> .. | 86 |
| ABILIFY MAINTENA..... | 59 | AKYNZEO (FOSNETUPITANT)..... | 54 | AMINOSYN-PF 7 % (SULFITE-FREE)..... | 76 |
| <i>abiraterone</i> | 19 | AKYNZEO (NETUPITANT)..... | 54 | <i>amiodarone</i> | 81 |
| ABOUTTIME PEN NEEDLE..... | 111 | <i>ala-cort</i> | 108 | <i>amitriptyline</i> | 40 |
| ABRAXANE..... | 19 | <i>albendazole</i> | 56 | <i>amlodipine</i> | 85 |
| <i>acamprosate</i> | 9 | <i>albuterol sulfate</i> | 191, 192 | <i>amlodipine-atorvastatin</i> | 87 |
| <i>acarbose</i> | 43 | <i>alclometasone</i> | 108 | <i>amlodipine-benazepril</i> | 85 |
| <i>accutane</i> | 105 | ALCOHOL PADS..... | 105 | <i>amlodipine-olmesartan</i> | 86 |
| <i>acebutolol</i> | 82 | ALCOHOL PREP PADS..... | 106 | <i>amlodipine-valsartan</i> | 86 |
| <i>acetaminophen-codeine</i> | 3 | ALCOHOL PREP SWABS.. | 105 | <i>amlodipine-valsartan-hcthiazid</i> .. | 86 |
| <i>acetazolamide</i> | 187 | ALCOHOL SWABS..... | 105 | <i>ammonium lactate</i> | 105 |
| <i>acetazolamide sodium</i> | 187 | ALCOHOL WIPES..... | 106 | <i>amoxapine</i> | 40 |
| <i>acetic acid</i> | 155 | ALECENSA..... | 19 | <i>amoxicillin</i> | 16 |
| <i>acetylcysteine</i> | 193 | <i>alendronate</i> | 183 | <i>amoxicillin-pot clavulanate</i> | 16 |
| <i>acitretin</i> | 105 | <i>alfuzosin</i> | 164 | <i>amphotericin b</i> | 48 |
| ACTEMRA..... | 171 | ALIMTA..... | 19 | <i>amphotericin b liposome</i> | 48 |
| ACTEMRA ACTPEN..... | 171 | <i>aliskiren</i> | 90 | <i>ampicillin</i> | 16 |
| ACTHAR..... | 168 | <i>allopurinol</i> | 50 | <i>ampicillin sodium</i> | 16 |
| ACTHIB (PF)..... | 177 | <i>alosetron</i> | 182 | <i>ampicillin-sulbactam</i> | 16 |
| ACTIMMUNE..... | 185 | ALPHAGAN P..... | 187 | <i>anagrelide</i> | 75 |
| <i>acyclovir</i> | 71, 105 | <i>alprazolam</i> | 10 | <i>anastrozole</i> | 19 |
| <i>acyclovir sodium</i> | 71 | ALREX..... | 158 | ANORO ELLIPTA..... | 192 |
| ADACEL(TDAP ADOLESN/ADULT)(PF).... | 177 | <i>altavera (28)</i> | 95 | <i>apomorphine</i> | 57 |
| <i>adapalene</i> | 110 | ALTRENO..... | 110 | APONVIE..... | 54 |
| <i>adefovir</i> | 71 | ALUNBRIG..... | 19 | <i>apraclonidine</i> | 155 |
| ADEMPAS..... | 196 | <i>alyacen 1/35 (28)</i> | 95 | <i>aprepitant</i> | 54 |
| <i>adrucil</i> | 19 | <i>alyacen 7/7 (28)</i> | 95 | APRETUDE..... | 65 |
| ADVAIR DISKUS..... | 190 | <i>alyq</i> | 196 | <i>apri</i> | 95 |
| | | <i>amabelz</i> | 165 | APTIOM..... | 34 |
| | | | | APTIVUS..... | 65 |
| | | | | <i>aranelle (28)</i> | 95 |
| | | | | ARCALYST..... | 171 |

| | | | | | |
|--------------------------------------|----------|-------------------------------------|--------|---|-----|
| <i>aripiprazole</i> | 59 | <i>azithromycin</i> | 14, 15 | BD ULTRA-FINE ORIG | |
| ARISTADA..... | 59, 60 | AZOPT..... | 187 | PEN NEEDLE..... | 115 |
| ARISTADA INITIO..... | 59 | <i>aztreonam</i> | 15 | BD ULTRA-FINE SHORT | |
| <i>armodafinil</i> | 195 | <i>azurette (28)</i> | 96 | PEN NEEDLE..... | 115 |
| ARNUITY ELLIPTA..... | 190 | <i>bacitracin</i> | 156 | BD VEO INSULIN SYR | |
| <i>ascomp with codeine</i> | 3 | <i>bacitracin-polymyxin b</i> | 156 | (HALF UNIT)..... | 115 |
| <i>asenapine maleate</i> | 60 | <i>baclofen</i> | 195 | BD VEO INSULIN | |
| <i>ashlyna</i> | 95 | <i>bal-care dha</i> | 197 | SYRINGE UF..... | 115 |
| <i>aspirin-dipyridamole</i> | 75 | <i>bal-care dha essential</i> | 197 | BELSOMRA..... | 195 |
| ASSURE ID DUO-SHIELD | 112 | <i>balsalazide</i> | 182 | <i>benazepril</i> | 80 |
| ASSURE ID INSULIN | | BALVERSA..... | 20 | <i>benazepril-hydrochlorothiazide</i> | 80 |
| SAFETY..... | 112, 113 | <i>balziva (28)</i> | 96 | <i>bendamustine</i> | 20 |
| ASSURE ID PEN NEEDLE | | BCG VACCINE, LIVE (PF) | 177 | BENDAMUSTINE..... | 20 |
| | 112, 113 | BD ALCOHOL SWABS..... | 105 | BENDEKA..... | 20 |
| <i>atazanavir</i> | 65 | BD AUTOSHIELD DUO | | BENLYSTA..... | 171 |
| <i>atenolol</i> | 82 | PEN NEEDLE..... | 113 | <i>benztropine</i> | 57 |
| <i>atenolol-chlorthalidone</i> | 82 | BD ECLIPSE LUER-LOK ... | 113 | BESREMI..... | 171 |
| <i>atomoxetine</i> | 90 | BD INSULIN SYRINGE..... | 113 | <i>betaine</i> | 185 |
| <i>atorvastatin</i> | 87 | BD INSULIN SYRINGE | | <i>betamethasone acet,sod phos.</i> | 167 |
| <i>atovaquone</i> | 56 | (HALF UNIT)..... | 113 | <i>betamethasone dipropionate</i> ... | 108 |
| <i>atovaquone-proguanil</i> | 56 | BD INSULIN SYRINGE | | <i>betamethasone valerate</i> | 108 |
| <i>atropine</i> | 155 | SLIP TIP..... | 114 | <i>betamethasone, augmented</i> | 108 |
| ATROVENT HFA..... | 192 | BD INSULIN SYRINGE U- | | BETASERON..... | 91 |
| AUBAGIO..... | 90 | 500..... | 113 | <i>betaxolol</i> | 82 |
| <i>aubra eq</i> | 95 | BD INSULIN SYRINGE | | <i>bethanechol chloride</i> | 163 |
| <i>aurovela 1.5/30 (21)</i> | 95 | ULTRA-FINE..... | 113 | <i>bexarotene</i> | 20 |
| <i>aurovela 1/20 (21)</i> | 95 | BD NANO 2ND GEN PEN | | BEXSERO..... | 177 |
| <i>aurovela 24 fe</i> | 95 | NEEDLE..... | 114 | <i>bicalutamide</i> | 20 |
| <i>aurovela fe 1.5/30 (28)</i> | 96 | BD SAFETYGLIDE | | BICILLIN L-A..... | 16 |
| <i>aurovela fe 1-20 (28)</i> | 96 | INSULIN SYRINGE..... | 114 | BIKTARVY..... | 65 |
| AUSTEDO..... | 91 | BD SAFETYGLIDE | | <i>bisoprolol fumarate</i> | 82 |
| AUVELITY..... | 40 | NEEDLE..... | 114 | <i>bisoprolol-hydrochlorothiazide</i> | 82 |
| <i>aviane</i> | 96 | BD SAFETYGLIDE | | <i>bleomycin</i> | 20 |
| AVONEX..... | 91 | SYRINGE..... | 114 | <i>bleph-10</i> | 156 |
| <i>ayuna</i> | 96 | BD ULTRA-FINE MICRO | | <i>blisovi 24 fe</i> | 96 |
| AYVAKIT..... | 19 | PEN NEEDLE..... | 115 | <i>blisovi fe 1.5/30 (28)</i> | 96 |
| <i>azacitidine</i> | 19 | BD ULTRA-FINE MINI | | <i>blisovi fe 1/20 (28)</i> | 96 |
| <i>azathioprine</i> | 171 | PEN NEEDLE..... | 115 | BOOSTRIX TDAP..... | 178 |
| <i>azathioprine sodium</i> | 171 | BD ULTRA-FINE NANO | | BORDERED GAUZE..... | 115 |
| <i>azelastine</i> | 155 | PEN NEEDLE..... | 115 | <i>bortezomib</i> | 20 |

| | | | | | |
|---|----------|---|--------|--|-----------------|
| BORTEZOMIB..... | 20 | <i>candesartan-</i> | | <i>cephalexin</i> | 14 |
| BOSULIF..... | 20 | <i>hydrochlorothiazid</i> | 79 | CERDELGA..... | 153 |
| BRAFTOVI..... | 20 | CAPLYTA..... | 60 | <i>cevimeline</i> | 104 |
| BREO ELLIPTA..... | 191 | CAPRELSA..... | 21 | <i>chateal eq (28)</i> | 96 |
| BREZTRI AEROSPHERE.. | 192 | <i>captopril</i> | 80 | <i>chloramphenicol sod succinate</i> .. | 11 |
| <i>brillyn</i> | 96 | <i>carbamazepine</i> | 34 | <i>chlordiazepoxide hcl</i> | 10 |
| BRILINTA..... | 75 | <i>carbidopa-levodopa</i> | 57 | <i>chlorhexidine gluconate</i> | 104 |
| <i>brimonidine</i> | 187 | <i>carbidopa-levodopa-</i> | | <i>chloroquine phosphate</i> | 56 |
| <i>brimonidine-timolol</i> | 187 | <i>entacapone</i> | 57, 58 | <i>chlorothiazide sodium</i> | 86 |
| BRIVIACT..... | 34 | CAREFINE PEN NEEDLE | 115 | <i>chlorpromazine</i> | 60 |
| <i>bromocriptine</i> | 57 | CARETOUCH ALCOHOL | | <i>chlorthalidone</i> | 86 |
| BROMSITE..... | 158 | PREP PAD..... | 105 | <i>chlorzoxazone</i> | 195 |
| BRUKINSA..... | 20 | CARETOUCH INSULIN | | <i>cholestyramine (with sugar)</i> | 87 |
| <i>budesonide</i> | 182, 191 | SYRINGE..... | 116 | <i>cholestyramine light</i> | 87 |
| <i>bumetanide</i> | 86 | CARETOUCH PEN | | <i>ciclopirox</i> | 48 |
| <i>buprenorphine hcl</i> | 3, 9 | NEEDLE..... | 116 | <i>cilostazol</i> | 75 |
| <i>buprenorphine-naloxone</i> | 9 | <i>carglumic acid</i> | 161 | CIMDUO..... | 65 |
| <i>bupropion hcl</i> | 40 | <i>carteolol</i> | 187 | <i>cimetidine hcl</i> | 159 |
| <i>bupropion hcl (smoking deter)</i> ... | 9 | <i>cartia xt</i> | 83 | CIMZIA..... | 172 |
| <i>bupirone</i> | 185 | <i>carvedilol</i> | 82 | CIMZIA POWDER FOR | |
| <i>butalbital-acetaminophen-caff</i> | 3 | <i>casprofungin</i> | 48 | RECONST..... | 171 |
| <i>butalbital-aspirin-caffeine</i> | 3 | CAYSTON..... | 15 | <i>cinacalcet</i> | 183 |
| CABENUVA..... | 65 | <i>caziant (28)</i> | 96 | CINQAIR..... | 193 |
| <i>cabergoline</i> | 57 | <i>cefaclor</i> | 13 | CINRYZE..... | 73 |
| CABLIVI..... | 75 | <i>cefadroxil</i> | 13 | <i>ciprofloxacin</i> | 17 |
| CABOMETYX..... | 20 | <i>cefazolin</i> | 13 | <i>ciprofloxacin hcl</i> | 17, 156 |
| <i>cabotegravir</i> | 65 | <i>cefazolin in dextrose (iso-os)</i> ... | 13 | <i>ciprofloxacin in 5 % dextrose</i> ... | 17 |
| <i>caffeine citrate</i> | 91 | <i>cefdinir</i> | 13 | <i>ciprofloxacin-dexamethasone</i> .. | 156 |
| <i>calcipotriene</i> | 105 | <i>cefepime</i> | 13 | <i>citalopram</i> | 40 |
| <i>calcitonin (salmon)</i> | 183 | <i>cefixime</i> | 13 | <i>clarithromycin</i> | 15 |
| <i>calcitriol</i> | 183 | <i>cefotaxime</i> | 14 | CLENPIQ..... | 162 |
| <i>calcium acetate(phosphat</i> | | <i>cefoxitin</i> | 14 | CLICKFINE PEN NEEDLE | |
| <i>bind)</i> | 163 | <i>cefpodoxime</i> | 14 | | 116, 117 |
| <i>calcium chloride</i> | 188 | <i>cefprozil</i> | 14 | <i>clindamycin hcl</i> | 12 |
| CALQUENCE..... | 21 | <i>ceftazidime</i> | 14 | <i>clindamycin in 5 % dextrose</i> | 12 |
| CALQUENCE | | <i>ceftriaxone</i> | 14 | <i>clindamycin pediatric</i> | 12 |
| (ACALABRUTINIB MAL)... | 21 | <i>cefuroxime axetil</i> | 14 | <i>clindamycin phosphate</i> | |
| <i>camila</i> | 96 | <i>cefuroxime sodium</i> | 14 | | 11, 12, 51, 107 |
| <i>candesartan</i> | 78 | <i>celecoxib</i> | 6 | <i>clindamycin-benzoyl peroxide</i> .. | 107 |
| | | CELONTIN..... | 34 | | |

| | | | | | |
|---|----------|---|---------------|---|----------|
| CLINIMIX 5%/D15W SULFITE FREE..... | 76 | <i>c-nate dha</i> | 197 | <i>cyclophosphamide</i> | 21 |
| CLINIMIX 4.25%/D10W SULF FREE..... | 76 | COARTEM..... | 56 | CYCLOPHOSPHAMIDE..... | 21 |
| CLINIMIX 4.25%/D5W SULFIT FREE..... | 76 | <i>codeine sulfate</i> | 3 | <i>cyclosporine</i> | 172 |
| CLINIMIX 5%- D20W(SULFITE-FREE)..... | 76 | <i>codeine-butalbital-asa-caff</i> | 3 | <i>cyclosporine modified</i> | 172 |
| CLINIMIX 6%-D5W (SULFITE-FREE)..... | 76 | <i>colchicine</i> | 50 | <i>cyproheptadine</i> | 51 |
| CLINIMIX 8%- D10W(SULFITE-FREE)..... | 76 | <i>colesevelam</i> | 87, 88 | CYRAMZA..... | 21 |
| CLINIMIX 8%- D14W(SULFITE-FREE)..... | 76 | <i>colestipol</i> | 88 | <i>cyred eq</i> | 96 |
| CLINIMIX E 2.75%/D5W SULF FREE..... | 76 | <i>colistin (colistimethate na)</i> | 12 | CYSTARAN..... | 155 |
| CLINIMIX E 4.25%/D10W SUL FREE..... | 77 | COMBIVENT RESPIMAT.. | 192 | <i>d5 % and 0.9 % sodium chloride</i> | 188 |
| CLINIMIX E 4.25%/D5W SULF FREE..... | 77 | COMETRIQ..... | 21 | <i>d5 %-0.45 % sodium chloride</i> .. | 188 |
| CLINIMIX E 5%/D15W SULFIT FREE..... | 77 | COMFORT EZ INSULIN SYRINGE..... | 117, 118 | <i>dalfampridine</i> | 91 |
| CLINIMIX E 5%/D20W SULFIT FREE..... | 77 | COMFORT EZ PEN NEEDLES..... | 117, 118 | <i>danazol</i> | 165 |
| CLINIMIX E 8%-D10W SULFITEFREE..... | 77 | COMFORT TOUCH PEN NEEDLE..... | 119 | <i>dantrolene</i> | 195 |
| CLINIMIX E 8%-D14W SULFITEFREE..... | 77 | COMPLERA..... | 65 | DANYELZA..... | 21 |
| <i>clobazam</i> | 34 | <i>completenate</i> | 197 | <i>dapsone</i> | 53 |
| <i>clobetasol</i> | 108, 109 | <i>compro</i> | 54 | DAPTACEL (DTAP PEDIATRIC) (PF)..... | 178 |
| <i>clobetasol-emollient</i> | 109 | <i>constulose</i> | 161 | <i>daptomycin</i> | 12 |
| <i>clomipramine</i> | 40 | COPAXONE..... | 91 | <i>dasetta 1/35 (28)</i> | 96 |
| <i>clonazepam</i> | 10 | COPIKTRA..... | 21 | <i>dasetta 7/7/7 (28)</i> | 96 |
| <i>clonidine</i> | 78 | CORLANOR..... | 84 | DAURISMO..... | 21, 22 |
| <i>clonidine hcl</i> | 78 | CORTROPHIN GEL..... | 168 | <i>daysee</i> | 97 |
| <i>clopidogrel</i> | 75 | COSENTYX..... | 172 | <i>deblitane</i> | 97 |
| <i>clorazepate dipotassium</i> | 10 | COSENTYX (2 SYRINGES) | 172 | <i>decitabine</i> | 22 |
| <i>clotrimazole</i> | 48, 49 | COSENTYX PEN (2 PENS) | 172 | <i>deferasirox</i> | 164 |
| <i>clotrimazole-betamethasone</i> | 49 | COTELLIC..... | 21 | <i>deferiprone</i> | 164 |
| <i>clozapine</i> | 60 | CREON..... | 154 | DELSTRIGO..... | 65 |
| | | <i>cromolyn</i> | 155, 161, 193 | DENG VAXIA (PF)..... | 178 |
| | | <i>cryelle (28)</i> | 96 | <i>denta 5000 plus</i> | 104 |
| | | CURAD GAUZE PAD..... | 119 | <i>dentagel</i> | 104 |
| | | CURITY ALCOHOL SWABS..... | 106 | DERMACEA..... | 119 |
| | | CURITY GAUZE..... | 119 | DERMACEA NON- WOVEN..... | 119 |
| | | <i>cyclafem 1/35 (28)</i> | 96 | DESCOVY..... | 65 |
| | | <i>cyclafem 7/7/7 (28)</i> | 96 | <i>desipramine</i> | 40 |
| | | <i>cyclobenzaprine</i> | 195 | <i>desmopressin</i> | 168, 169 |
| | | <i>cyclopentolate</i> | 155 | <i>desog-e.estradiolle.estradiol</i> | 97 |
| | | | | <i>desogestrel-ethinyl estradiol</i> | 97 |
| | | | | <i>desoximetasone</i> | 109 |

| | | | | |
|---|-----------|--|----------|--|
| <i>desvenlafaxine succinate</i> | 40 | <i>donepezil</i> | 39 | EASY COMFORT PEN |
| <i>dexamethasone</i> | 167 | DOPTELET (10 TAB PACK) | 73 | NEEDLES..... |
| <i>dexamethasone sodium phos</i> | | DOPTELET (15 TAB PACK) | 73 | EASY GLIDE INSULIN |
| <i>(pf)</i> | 167 | DOPTELET (30 TAB PACK) | 73 | SYRINGE..... |
| <i>dexamethasone sodium</i> | | <i>dorzolamide</i> | 187 | EASY GLIDE PEN |
| <i>phosphate</i> | 158, 167 | <i>dorzolamide-timolol</i> | 187 | NEEDLE..... |
| <i>dexmethylphenidate</i> | 91 | <i>dotti</i> | 165 | EASY TOUCH..... |
| <i>dextroamphetamine sulfate</i> | 91 | DOVATO..... | 66 | EASY TOUCH ALCOHOL |
| <i>dextroamphetamine-</i> | | <i>doxazosin</i> | 78 | PREP PADS..... |
| <i>amphetamine</i> | 91 | <i>doxepin</i> | 40 | EASY TOUCH FLIPLOCK |
| <i>dextrose 10 % in water (d10w)</i> .. | 77 | <i>doxorubicin</i> | 22 | INSULIN..... |
| <i>dextrose 5 % in water (d5w)</i> | 77 | <i>doxorubicin, peg-liposomal</i> | 22 | EASY TOUCH FLIPLOCK |
| DIACOMIT..... | 34, 35 | <i>doxy-100</i> | 18 | SYRINGE..... |
| <i>diazepam</i> | 10, 35 | <i>doxycycline hyclate</i> | 18 | EASY TOUCH INSULIN |
| <i>diazepam intensol</i> | 10 | <i>doxycycline monohydrate</i> | 18, 19 | SAFETY SYR..... |
| <i>diazoxide</i> | 185 | DRIZALMA SPRINKLE..... | 41 | EASY TOUCH INSULIN |
| <i>diclofenac potassium</i> | 6 | <i>dronabinol</i> | 54 | SYRINGE..... |
| <i>diclofenac sodium</i> | 6, 7, 158 | <i>droperidol</i> | 54 | EASY TOUCH LUER |
| <i>diclofenac-misoprostol</i> | 7 | DROPLET INSULIN | | LOCK INSULIN..... |
| <i>dicloxacillin</i> | 17 | SYR(HALF UNIT)..... | 120 | EASY TOUCH PEN |
| <i>dicyclomine</i> | 161 | DROPLET INSULIN | | NEEDLE..... |
| <i>didanosine</i> | 65 | SYRINGE..... | 120, 121 | EASY TOUCH SAFETY |
| DIFICID..... | 15 | DROPLET MICRON PEN | | PEN NEEDLE..... |
| <i>difluprednate</i> | 158 | NEEDLE..... | 121 | EASY TOUCH |
| <i>digitek</i> | 85 | DROPLET PEN NEEDLE.. | 121 | SHEATHLOCK INSULIN |
| <i>digox</i> | 85 | DROPSAFE ALCOHOL | | |
| <i>digoxin</i> | 85 | PREP PADS..... | 106 | EASY TOUCH UNI-SLIP... .. |
| <i>dihydroergotamine</i> | 52 | DROPSAFE PEN NEEDLE | 122 | <i>ec-naproxen</i> |
| <i>diltiazem hcl</i> | 83, 84 | <i>drospirenone-ethinyl estradiol</i> .. | 97 | 7 |
| <i>dilt-xr</i> | 84 | DROXIA..... | 75 | <i>econazole</i> |
| <i>dimenhydrinate</i> | 54 | <i>droxidopa</i> | 78 | 49 |
| <i>dimethyl fumarate</i> | 92 | DUAVEE..... | 166 | EDARBI..... |
| DIPENTUM..... | 182 | <i>duloxetine</i> | 41 | EDARBYCLOR..... |
| <i>diphenhydramine hcl</i> | 51 | DUPIXENT PEN..... | 172 | EDURANT..... |
| <i>diphenoxylate-atropine</i> | 161 | DUPIXENT SYRINGE..... | 172 | <i>efavirenz</i> |
| <i>dipyridamole</i> | 75 | <i>dutasteride</i> | 164 | <i>efavirenz-emtricitabin-tenofov</i> .. |
| <i>disopyramide phosphate</i> | 81 | EASY COMFORT | | 66 |
| <i>disulfiram</i> | 9 | ALCOHOL PAD..... | 106 | <i>efavirenz-lamivu-tenofov disop</i> .. |
| <i>divalproex</i> | 35 | EASY COMFORT | | 66 |
| <i>dofetilide</i> | 81 | INSULIN SYRINGE.... | 122, 123 | EGRIFTA SV..... |
| | | | | 169 |
| | | | | ELIGARD..... |
| | | | | 22 |
| | | | | ELIGARD (3 MONTH)..... |
| | | | | 22 |
| | | | | ELIGARD (4 MONTH)..... |
| | | | | 22 |
| | | | | ELIGARD (6 MONTH)..... |
| | | | | 22 |

| | | | | | |
|---|----------|--|----------|--|-----|
| <i>elonest</i> | 97 | EPIVIR HBV..... | 66 | <i>ezetimibe</i> | 88 |
| ELIQUIS..... | 72 | <i>eplerenone</i> | 90 | <i>ezetimibe-simvastatin</i> | 88 |
| ELIQUIS DVT-PE TREAT 30D START..... | 72 | EPRONTIA..... | 35 | <i>falmina (28)</i> | 97 |
| ELLA..... | 97 | ERBITUX..... | 22 | <i>famciclovir</i> | 71 |
| ELMIRON..... | 185 | <i>ergoloid</i> | 39 | <i>famotidine</i> | 160 |
| <i>eluryng</i> | 97 | ERIVEDGE..... | 22 | <i>famotidine (pf)</i> | 160 |
| EMBRACE PEN NEEDLE..... | 126 | ERLEADA..... | 22 | <i>famotidine (pf)-nacl (iso-os)</i> | 160 |
| EMCYT..... | 22 | <i>erlotinib</i> | 22 | FANAPT..... | 60 |
| EMEND..... | 55 | <i>errin</i> | 97 | FARXIGA..... | 43 |
| EMGALITY PEN..... | 52 | <i>ertapenem</i> | 15 | FARYDAK..... | 23 |
| EMGALITY SYRINGE..... | 52 | <i>ery pads</i> | 107 | FASENRA..... | 194 |
| <i>emoquette</i> | 97 | <i>erythromycin</i> | 15, 156 | FASENRA PEN..... | 193 |
| EMSAM..... | 41 | <i>erythromycin ethylsuccinate</i> | 15 | <i>febuxostat</i> | 50 |
| <i>emtricitabine</i> | 66 | <i>erythromycin with ethanol</i> | 107 | <i>felbamate</i> | 35 |
| <i>emtricitabine-tenofovir (tdf)</i> | 66 | <i>escitalopram oxalate</i> | 41 | FEMRING..... | 166 |
| EMTRIVA..... | 66 | <i>esomeprazole magnesium</i> | 159, 160 | <i>femynor</i> | 98 |
| <i>enalapril maleate</i> | 80 | <i>esomeprazole sodium</i> | 160 | <i>fenofibrate</i> | 88 |
| <i>enalaprilat</i> | 80 | <i>estarylla</i> | 97 | <i>fenofibrate micronized</i> | 88 |
| <i>enalapril-hydrochlorothiazide</i> ... | 80 | <i>estradiol</i> | 166 | <i>fenofibrate nanocrystallized</i> | 88 |
| ENBREL..... | 172, 173 | <i>estradiol valerate</i> | 166 | <i>fenofibric acid (choline)</i> | 88 |
| ENBREL MINI..... | 172 | <i>estradiol-norethindrone acet</i> ... | 166 | <i>fentanyl</i> | 4 |
| ENBREL SURECLICK..... | 173 | <i>eszopiclone</i> | 196 | <i>fentanyl citrate</i> | 4 |
| ENDARI..... | 185 | <i>ethambutol</i> | 53 | FERRIPROX..... | 164 |
| <i>endocet</i> | 3 | <i>ethosuximide</i> | 35 | FERRIPROX (2 TIMES A DAY)..... | 164 |
| ENGERIX-B (PF)..... | 178 | <i>ethynodiol diac-eth estradiol</i> | 97 | <i>fesoterodine</i> | 163 |
| ENGERIX-B PEDIATRIC (PF)..... | 178 | <i>etodolac</i> | 7 | FETZIMA..... | 41 |
| <i>enoxaparin</i> | 72 | <i>etonogestrel-ethinyl estradiol</i> | 97 | FIASP FLEXTOUCH U-100 INSULIN..... | 45 |
| <i>enpresse</i> | 97 | ETOPOPHOS..... | 22 | FIASP PENFILL U-100 INSULIN..... | 45 |
| <i>enskyce</i> | 97 | <i>etoposide</i> | 23 | FIASP U-100 INSULIN..... | 46 |
| <i>entacapone</i> | 58 | <i>etravirine</i> | 66 | <i>finasteride</i> | 164 |
| <i>entecavir</i> | 71 | EUCRISA..... | 109 | <i> fingolimod</i> | 92 |
| ENTRESTO..... | 79 | <i>everolimus (antineoplastic)</i> | 23 | FINTEPLA..... | 35 |
| <i>enulose</i> | 161 | <i>everolimus</i> (<i>immunosuppressive</i>)..... | 173 | FIRVANQ..... | 12 |
| EPCLUSA..... | 70 | EVOTAZ..... | 66 | FLEBOGAMMA DIF..... | 173 |
| EPIDIOLEX..... | 35 | EVRYSDI..... | 185 | <i>flecainide</i> | 81 |
| <i>epinastine</i> | 155 | EXEL INSULIN..... | 126 | FLOVENT DISKUS..... | 191 |
| <i>epinephrine</i> | 85 | <i>exemestane</i> | 23 | FLOVENT HFA..... | 191 |
| <i>epitol</i> | 35 | EXKIVITY..... | 23 | | |
| | | EYSUVIS..... | 158 | | |

| | | | | | |
|--|----------|--|--------------|-------------------------------------|--------|
| <i>floxuridine</i> | 23 | FYCOMPA..... | 35 | GLYXAMBI..... | 43 |
| <i>fluconazole</i> | 49 | <i>gabapentin</i> | 36 | <i>granisetron (pf)</i> | 55 |
| <i>fluconazole in nacl (iso-osm)</i> ... | 49 | GALAFOLD..... | 154 | <i>granisetron hcl</i> | 55 |
| <i>flucytosine</i> | 49 | <i>galantamine</i> | 39 | GRANIX..... | 73, 74 |
| <i>fludrocortisone</i> | 167 | GAMIFANT..... | 173 | <i>griseofulvin microsize</i> | 49 |
| <i>flumazenil</i> | 92 | GAMMAGARD LIQUID... 173 | | <i>guanfacine</i> | 78, 92 |
| <i>flunisolide</i> | 158 | GAMMAGARD S-D (IGA < | | GVOKE..... | 185 |
| <i>fluocinolone</i> | 109 | 1 MCG/ML)..... | 173 | GVOKE HYPOPEN 2- | |
| <i>fluocinolone acetonide oil</i> | 158 | GAMMAPLEX..... | 173 | PACK..... | 185 |
| <i>fluocinonide</i> | 109 | GAMMAPLEX (WITH | | GVOKE PFS 1-PACK | |
| <i>fluocinonide-emollient</i> | 109 | SORBITOL)..... | 173 | SYRINGE..... | 185 |
| <i>fluoride (sodium)</i> | 104 | GARDASIL 9 (PF)..... | 178 | HAEGARDA..... | 74 |
| <i>fluorometholone</i> | 158 | <i>gatifloxacin</i> | 156 | <i>hailey</i> | 98 |
| <i>fluorouracil</i> | 23, 106 | GATTEX 30-VIAL..... | 161 | <i>hailey 24 fe</i> | 98 |
| <i>fluoxetine</i> | 41 | GAUZE PAD..... | 127 | <i>hailey fe 1.5/30 (28)</i> | 98 |
| <i>fluphenazine decanoate</i> | 60 | <i>gavilyte-c</i> | 162 | <i>hailey fe 1/20 (28)</i> | 98 |
| <i>fluphenazine hcl</i> | 60 | <i>gavilyte-g</i> | 162 | <i>halobetasol propionate</i> | 109 |
| <i>flurbiprofen</i> | 7 | <i>gavilyte-n</i> | 162 | <i>haloette</i> | 98 |
| <i>flurbiprofen sodium</i> | 158 | GAVRETO..... | 23 | <i>haloperidol</i> | 61 |
| <i>flutamide</i> | 23 | <i>gemfibrozil</i> | 88 | <i>haloperidol decanoate</i> | 61 |
| <i>fluticasone propionate</i> | 109, 158 | <i>generlac</i> | 161 | <i>haloperidol lactate</i> | 61 |
| <i>fluvastatin</i> | 88 | <i>gengraf</i> | 173 | HARVONI..... | 71 |
| <i>flvoxamine</i> | 41 | <i>gentak</i> | 156 | HAVRIX (PF)..... | 178 |
| <i>folivane-ob</i> | 197 | <i>gentamicin</i> | 11, 107, 156 | HEALTHWISE INSULIN | |
| <i>fondaparinux</i> | 72 | <i>gentamicin sulfate (ped) (pf)</i> ...11 | | SYRINGE..... | 128 |
| FORTEO..... | 183 | <i>gentamicin sulfate (pf)</i>11 | | HEALTHWISE PEN | |
| <i>fosamprenavir</i> | 66 | GENVOYA..... | 66 | NEEDLE..... | 128 |
| <i>fosaprepitant</i> | 55 | GILENYA..... | 92 | HEALTHY ACCENTS | |
| <i>foscarnet</i> | 69 | GILOTRIF..... | 23 | UNIFINE PENTIP..... | 128 |
| <i>fosinopril</i> | 80 | <i>glatiramer</i> | 92 | <i>heather</i> | 98 |
| <i>fosinopril-hydrochlorothiazide</i> ..80 | | <i>glatopa</i> | 92 | <i>hemenatal ob + dha</i> | 197 |
| <i>fosphenytoin</i> | 35 | GLEOSTINE..... | 23 | <i>heparin (porcine)</i> | 72, 73 |
| FOTIVDA..... | 23 | <i>glimepiride</i> | 47 | <i>heparin, porcine (pf)</i> | 73 |
| FREESTYLE PRECISION..127 | | <i>glipizide</i> | 48 | HEPLISAV-B (PF)..... | 178 |
| FULPHILA..... | 73 | <i>glipizide-metformin</i> | 48 | HERCEPTIN HYLECTA..... | 23 |
| <i>fulvestrant</i> | 23 | <i>glyburide</i> | 48 | HERZUMA..... | 23 |
| <i>furosemide</i> | 86, 87 | <i>glyburide micronized</i> | 48 | HIBERIX (PF)..... | 179 |
| FUZEON..... | 66 | <i>glyburide-metformin</i> | 48 | HUMIRA..... | 174 |
| FYARRO..... | 23 | <i>glycopyrrolate</i> | 161 | HUMIRA PEN..... | 173 |
| <i>fyavolv</i> | 166 | <i>glydo</i> | 8 | | |

| | | | | | |
|---|---------------|-------------------------------------|----------|---|--|
| HUMIRA PEN CROHNS-UC-HS START..... | 173 | IDHIFA..... | 24 | INSULIN SYRINGE-NEEDLE U-100 | 114, 116, 126, 127, 129, 130, 138, 143 |
| HUMIRA PEN PSOR-UVEITS-ADOL HS..... | 173 | <i>ifosfamide</i> | 24 | INSUPEN..... | 130, 131 |
| HUMIRA(CF)..... | 174 | IGALMI..... | 185 | INTELENCE..... | 66 |
| HUMIRA(CF) PEDI CROHNS STARTER..... | 174 | ILEVRO..... | 158 | INTRALIPID..... | 77 |
| HUMIRA(CF) PEN..... | 174 | <i>imatinib</i> | 24 | INTRON A..... | 71 |
| HUMIRA(CF) PEN CROHNS-UC-HS..... | 174 | IMBRUVICA..... | 24 | INVEGA HAFYERA..... | 61 |
| HUMIRA(CF) PEN PEDIATRIC UC..... | 174 | <i>imipenem-cilastatin</i> | 15 | INVEGA SUSTENNA..... | 61 |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS..... | 174 | <i>imipramine hcl</i> | 41 | INVEGA TRINZA..... | 61, 62 |
| HUMULIN R U-500 (CONC) INSULIN..... | 46 | <i>imiquimod</i> | 106 | INVELTYS..... | 158 |
| HUMULIN R U-500 (CONC) KWIKPEN..... | 46 | IMJUDO..... | 24 | INVIRASE..... | 66 |
| <i>hydralazine</i> | 85 | IMLYGIC..... | 24 | IPOLE..... | 179 |
| <i>hydrochlorothiazide</i> | 87 | IMOVAX RABIES VACCINE (PF)..... | 179 | <i>ipratropium bromide</i> | 155, 192 |
| <i>hydrocodone-acetaminophen</i> | 4 | IMPAVIDO..... | 56 | <i>ipratropium-albuterol</i> | 192 |
| <i>hydrocodone-ibuprofen</i> | 4 | INBRIJA..... | 58 | <i>irbesartan</i> | 79 |
| <i>hydrocortisone</i> | 109, 167, 182 | <i>incassia</i> | 98 | <i>irbesartan-hydrochlorothiazide</i> | 79 |
| <i>hydrocortisone butyrate</i> | 109 | INCONTROL ALCOHOL PADS..... | 106 | IRESSA..... | 25 |
| <i>hydrocortisone valerate</i> | 110 | INCONTROL PEN NEEDLE..... | 128, 129 | ISENTRESS..... | 67 |
| <i>hydrocortisone-acetic acid</i> | 156 | INCRELEX..... | 169 | ISENTRESS HD..... | 66 |
| <i>hydromorphone</i> | 4 | <i>indapamide</i> | 87 | <i>isibloom</i> | 98 |
| <i>hydromorphone (pf)</i> | 4 | <i>indomethacin</i> | 7 | ISOLYTE S PH 7.4..... | 188 |
| <i>hydroxychloroquine</i> | 56 | INFANRIX (DTAP) (PF).... | 179 | ISOLYTE-P IN 5 % DEXTROSE..... | 188 |
| <i>hydroxyurea</i> | 24 | <i>infliximab</i> | 174 | ISOLYTE-S..... | 188 |
| <i>hydroxyzine hcl</i> | 51 | INLYTA..... | 24 | <i>isoniazid</i> | 53 |
| <i>hydroxyzine pamoate</i> | 185 | INPEN (FOR HUMALOG) BLUE..... | 129 | <i>isosorbide dinitrate</i> | 90 |
| <i>ibandronate</i> | 184 | INPEN (NOVOLOG OR FIASP) BLUE..... | 129 | <i>isosorbide mononitrate</i> | 90 |
| IBRANCE..... | 24 | INQOVI..... | 24 | <i>isosorbide-hydralazine</i> | 90 |
| <i>ibu</i> | 7 | INREBIC..... | 25 | <i>isradipine</i> | 86 |
| <i>ibuprofen</i> | 7 | INSULIN SYR/NDL U100 HALF MARK..... | 129 | <i>itraconazole</i> | 49 |
| <i>ibuprofen-famotidine</i> | 7 | INSULIN SYRINGE..... | 114 | IV PREP WIPES..... | 106 |
| <i>icatibant</i> | 85 | INSULIN SYRINGE MICROFINE..... | 113 | <i>ivermectin</i> | 56 |
| <i>iclevia</i> | 98 | INSULIN SYRINGE NEEDLELESS..... | 114 | IXIARO (PF)..... | 179 |
| ICLUSIG..... | 24 | | | <i>jaimiess</i> | 98 |
| | | | | JAKAFI..... | 25 |
| | | | | <i>jantoven</i> | 73 |
| | | | | JARDIANCE..... | 43 |
| | | | | <i>jasmiel (28)</i> | 98 |

| | | | | | |
|-----------------------------------|--------|--|--------------|---|----------|
| <i>javygtor</i> | 154 | <i>kosher prenatal plus iron</i> | 197 | <i>levonest (28)</i> | 99 |
| JAYPIRCA..... | 25 | KRAZATI..... | 25 | <i>levonorgestrel-ethinyl estrad</i> | 99, 100 |
| JEMPERLI..... | 25 | KRINTAFEL..... | 56 | <i>levonorg-eth estrad triphasic</i> ... | 100 |
| <i>jencycla</i> | 98 | <i>kurvelo (28)</i> | 99 | <i>levora-28</i> | 100 |
| JENTADUETO..... | 43 | KYNMOBI..... | 58 | <i>levothyroxine</i> | 171 |
| JENTADUETO XR..... | 43 | <i>l norgestle.estradiol-e.estrad</i> | 99 | LEXIVA..... | 67 |
| <i>jinteli</i> | 166 | <i>labetalol</i> | 82 | <i>lidocaine</i> | 8 |
| <i>juleber</i> | 98 | <i>lacosamide</i> | 36 | <i>lidocaine (pf)</i> | 8, 81 |
| JULUCA..... | 67 | <i>lactulose</i> | 161 | <i>lidocaine hcl</i> | 8 |
| <i>junel 1.5/30 (21)</i> | 98 | <i>lagevrio (eua)</i> | 71 | <i>lidocaine viscous</i> | 9 |
| <i>junel 1/20 (21)</i> | 98 | <i>lamivudine</i> | 67 | <i>lidocaine-prilocaine</i> | 9 |
| <i>junel fe 1.5/30 (28)</i> | 98 | <i>lamivudine-zidovudine</i> | 67 | <i>lillow (28)</i> | 100 |
| <i>junel fe 1/20 (28)</i> | 98 | <i>lamotrigine</i> | 36 | <i>linezolid</i> | 12 |
| <i>junel fe 24</i> | 99 | <i>lanreotide</i> | 169 | <i>linezolid in dextrose 5%</i> | 12 |
| JUXTAPID..... | 88 | <i>lansoprazole</i> | 160 | LINZESS..... | 161 |
| JYNNEOS (PF)(STOCKPILE)..... | 179 | <i>lapatinib</i> | 25 | <i>liothyronine</i> | 171 |
| <i>kalliga</i> | 99 | <i>larin 1.5/30 (21)</i> | 99 | LISCO..... | 131 |
| KALYDECO..... | 194 | <i>larin 1/20 (21)</i> | 99 | <i>lisinopril</i> | 80 |
| <i>kariva (28)</i> | 99 | <i>larin 24 fe</i> | 99 | <i>lisinopril-hydrochlorothiazide</i> ... | 80 |
| <i>kelnor 1/35 (28)</i> | 99 | <i>larin fe 1.5/30 (28)</i> | 99 | LITE TOUCH INSULIN PEN NEEDLES..... | 131 |
| <i>kelnor 1-50 (28)</i> | 99 | <i>larin fe 1/20 (28)</i> | 99 | LITE TOUCH INSULIN SYRINGE..... | 131, 132 |
| KERENDIA..... | 90 | <i>larissia</i> | 99 | <i>lithium carbonate</i> | 92 |
| KESIMPTA PEN..... | 92 | <i>latanoprost</i> | 187 | LIVALO..... | 88 |
| <i>ketoconazole</i> | 49 | <i>leflunomide</i> | 174 | <i>lojaimiess</i> | 100 |
| <i>ketorolac</i> | 7, 159 | <i>lenalidomide</i> | 26 | LOKELMA..... | 161 |
| KEVZARA..... | 174 | LENVIMA..... | 26 | LONSURF..... | 26 |
| KEYTRUDA..... | 25 | <i>lessina</i> | 99 | <i>loperamide</i> | 161 |
| KIMMTRAK..... | 25 | <i>letrozole</i> | 26 | <i>lopinavir-ritonavir</i> | 67 |
| KINRIX (PF)..... | 179 | <i>leucovorin calcium</i> | 185, 186 | <i>lorazepam</i> | 10, 11 |
| KISQALI..... | 25 | LEUKERAN..... | 26 | LORBRENA..... | 26 |
| KISQALI FEMARA CO- PACK..... | 25 | LEUKINE..... | 74 | <i>loryna (28)</i> | 100 |
| KLISYRI..... | 106 | <i>leuprolide</i> | 26 | <i>losartan</i> | 79 |
| <i>klor-con m10</i> | 188 | <i>leuprolide (3 month)</i> | 26 | <i>losartan-hydrochlorothiazide</i> | 79 |
| <i>klor-con m15</i> | 188 | <i>levetiracetam</i> | 36 | LOTEMAX..... | 159 |
| <i>klor-con m20</i> | 188 | <i>levobunolol</i> | 187 | LOTEMAX SM..... | 159 |
| KLOXXADO..... | 9 | <i>levocarnitine</i> | 186 | <i>loteprednol etabonate</i> | 159 |
| KORLYM..... | 43 | <i>levocarnitine (with sugar)</i> | 186 | <i>lovastatin</i> | 88 |
| KOSELUGO..... | 25 | <i>levocetirizine</i> | 51 | | |
| | | <i>levofloxacin</i> | 18, 155, 156 | | |
| | | <i>levofloxacin in d5w</i> | 17 | | |

| | | | | | |
|---|---------|---|----------|---|-------------|
| <i>low-ogestrel (28)</i> | 100 | MAVENCLAD (4 TABLET PACK)..... | 93 | <i>mercaptapurine</i> | 27 |
| <i>loxapine succinate</i> | 62 | MAVENCLAD (5 TABLET PACK)..... | 93 | <i>meropenem</i> | 15 |
| <i>lo-zumandimine (28)</i> | 100 | MAVENCLAD (6 TABLET PACK)..... | 93 | <i>merzee</i> | 100 |
| <i>lubiprostone</i> | 161 | MAVENCLAD (7 TABLET PACK)..... | 93 | <i>mesalamine</i> | 182, 183 |
| LUMAKRAS..... | 26 | MAVENCLAD (8 TABLET PACK)..... | 93 | <i>mesna</i> | 186 |
| LUMIGAN..... | 187 | MAVENCLAD (9 TABLET PACK)..... | 93 | MESNEX..... | 186 |
| LUNSUMIO..... | 26 | MAXICOMFORT II PEN NEEDLE..... | 132 | <i>metformin</i> | 43, 44 |
| LUPRON DEPOT..... | 169 | MAXICOMFORT INSULIN SYRINGE..... | 132, 133 | <i>methadone</i> | 4 |
| LUPRON DEPOT (3 MONTH)..... | 26, 169 | MAXI-COMFORT INSULIN SYRINGE..... | 133 | <i>methadose</i> | 4 |
| LUPRON DEPOT (4 MONTH)..... | 26 | MAXICOMFORT SAFETY PEN NEEDLE..... | 133 | <i>methenamine hippurate</i> | 12 |
| LUPRON DEPOT (6 MONTH)..... | 27 | MAYZENT..... | 93 | <i>methimazole</i> | 171 |
| <i>lurasidone</i> | 62 | MAYZENT STARTER(FOR 1MG MAINT)..... | 93 | <i>methocarbamol</i> | 195 |
| <i>lutea (28)</i> | 100 | MAYZENT STARTER(FOR 2MG MAINT)..... | 93 | <i>methotrexate sodium</i> | 27 |
| LYBALVI..... | 62 | <i>meclizine</i> | 55 | <i>methotrexate sodium (pf)</i> | 27 |
| <i>lyleq</i> | 100 | <i>medroxyprogesterone</i> | 170 | <i>methoxsalen</i> | 106 |
| <i>lyllana</i> | 166 | <i>mefenamic acid</i> | 7 | <i>methscopolamine</i> | 161 |
| LYNPARZA..... | 27 | <i>mefloquine</i> | 56 | <i>methyldopa</i> | 78 |
| LYSODREN..... | 27 | <i>megestrol</i> | 27, 170 | <i>methylphenidate hcl</i> | 93, 94 |
| LYTGOBI..... | 27 | MEKINIST..... | 27 | <i>methylprednisolone</i> | 167, 168 |
| <i>lyza</i> | 100 | MEKTOVI..... | 27 | <i>methylprednisolone acetate</i> | 167 |
| MAGELLAN INSULIN SAFETY SYRNG..... | 132 | <i>meloxicam</i> | 7 | <i>methylprednisolone sodium succ</i> | 168 |
| MAGELLAN SYRINGE..... | 132 | <i>memantine</i> | 39 | <i>metoclopramide hcl</i> | 161, 162 |
| <i>magnesium sulfate</i> | 189 | MENACTRA (PF)..... | 179 | <i>metolazone</i> | 87 |
| <i>magnesium sulfate in d5w</i> | 188 | MENQUADFI (PF)..... | 179 | <i>metoprolol succinate</i> | 82 |
| <i>magnesium sulfate in water</i> | 189 | MENVEO A-C-Y-W-135- DIP (PF)..... | 179 | <i>metoprolol ta-hydrochlorothiaz</i> | 82 |
| <i>malathion</i> | 111 | | | <i>metoprolol tartrate</i> | 82, 83 |
| <i>maprotiline</i> | 41 | | | <i>metronidazole</i> | 12, 51, 107 |
| <i>maraviroc</i> | 67 | | | <i>metronidazole in nacl (iso-os)</i> .. | 12 |
| MARGENZA..... | 27 | | | <i>metyrosine</i> | 85 |
| <i>marlissa (28)</i> | 100 | | | <i>mexiletine</i> | 81 |
| <i>marnatal-f</i> | 197 | | | <i>miconazole-3</i> | 49 |
| MARPLAN..... | 41 | | | MICRODOT INSULIN PEN NEEDLE..... | 133 |
| MATULANE..... | 27 | | | <i>microgestin fe 1/20 (28)</i> | 100 |
| <i>matzim la</i> | 84 | | | <i>midodrine</i> | 78 |
| MAVENCLAD (10 TABLET PACK)..... | 92 | | | <i>miglustat</i> | 154 |

| | | | | | |
|---|----------|---|----------|--|----------|
| <i>minitrans</i> | 90 | <i>nabumetone</i> | 8 | <i>nilutamide</i> | 28 |
| <i>minocycline</i> | 19 | <i>nafcillin</i> | 17 | NINLARO | 28 |
| <i>minoxidil</i> | 90 | <i>nafcillin in dextrose iso-osm</i> | 17 | <i>nitazoxanide</i> | 56 |
| <i>mirtazapine</i> | 41, 42 | <i>naloxone</i> | 9 | <i>nitisinone</i> | 154 |
| <i>misoprostol</i> | 160 | <i>naltrexone</i> | 9 | <i>nitrofurantoin macrocrystal</i> | 12 |
| MITIGARE | 50 | <i>naproxen</i> | 8 | <i>nitrofurantoin monohydlm-</i> <i>cryst</i> | 12 |
| <i>mitoxantrone</i> | 27 | <i>naratriptan</i> | 52 | <i>nitroglycerin</i> | 90 |
| M-M-R II (PF) | 179 | NATACYN | 156 | <i>niva-plus</i> | 198 |
| <i>m-natal plus</i> | 197 | <i>nateglinide</i> | 44 | NIVESTYM | 74 |
| <i>modafinil</i> | 196 | NATPARA | 184 | <i>nizatidine</i> | 160 |
| <i>moexipril</i> | 80 | NAYZILAM | 36 | NORDITROPIN FLEXPRO | 169 |
| <i>molindone</i> | 62 | <i>nebivolol</i> | 83 | <i>norethindrone (contraceptive)</i> | 101 |
| <i>mometasone</i> | 110, 159 | <i>necon 0.5/35 (28)</i> | 100 | <i>norethindrone acetate</i> | 170 |
| <i>mondoxyne nl</i> | 19 | <i>nefazodone</i> | 42 | <i>norethindrone ac-eth estradiol</i> | 101, 166 |
| MONOJECT INSULIN SAFETY SYRING | 134 | <i>neomycin</i> | 11 | <i>norethindrone-e.estradiol-iron</i> | 101 |
| MONOJECT INSULIN SYRINGE | 134, 135 | <i>neomycin-bacitracin-poly-hc</i> ... | 156 | <i>norgestimate-ethinyl estradiol</i> | 101 |
| MONOJECT SYRINGE | 133 | <i>neomycin-bacitracin-</i> <i>polymyxin</i> | 156 | <i>norlyda</i> | 101 |
| MONOJECT ULTRA COMFORT INSULIN | 149 | <i>neomycin-polymyxin b gu</i> | 108 | NORMOSOL-M IN 5 % DEXTROSE | 189 |
| <i>mono-linyah</i> | 100 | <i>neomycin-polymyxin b-</i> <i>dexameth</i> | 156, 157 | <i>nortrel 0.5/35 (28)</i> | 101 |
| <i>montelukast</i> | 191 | <i>neomycin-polymyxin-</i> <i>gramicidin</i> | 157 | <i>nortrel 1/35 (21)</i> | 101 |
| <i>morphine</i> | 5 | <i>neomycin-polymyxin-hc</i> | 157 | <i>nortrel 1/35 (28)</i> | 101 |
| MORPHINE | 5 | <i>neo-polycin</i> | 157 | <i>nortrel 7/7/7 (28)</i> | 101 |
| <i>morphine concentrate</i> | 4 | <i>neo-polycin hc</i> | 157 | <i>nortriptyline</i> | 42 |
| MOUNJARO | 44 | NERLYNX | 27 | NORVIR | 67 |
| MOVANTIK | 162 | NEULASTA | 74 | NOVOFINE 30 | 135 |
| <i>moxifloxacin</i> | 18, 156 | NEULASTA ONPRO | 74 | NOVOFINE 32 | 135 |
| MULTAQ | 81 | NEUPRO | 58 | NOVOFINE PLUS | 135 |
| <i>mupirocin</i> | 107 | <i>nevirapine</i> | 67 | NOVOLIN 70/30 U-100 INSULIN | 46 |
| MVASI | 27 | <i>newgen</i> | 198 | NOVOLIN 70-30 FLEXPEN U-100 | 46 |
| <i>mycophenolate mofetil</i> ... | 174, 175 | NEXLETOL | 89 | NOVOLIN N FLEXPEN | 46 |
| <i>mycophenolate mofetil (hcl)</i> ... | 174 | NEXLIZET | 89 | NOVOLIN N NPH U-100 INSULIN | 46 |
| <i>mynatal</i> | 197 | <i>niacin</i> | 89 | NOVOLIN R FLEXPEN | 46 |
| <i>mynatal advance</i> | 197 | <i>niacor</i> | 89 | | |
| <i>mynatal plus</i> | 197 | <i>nicardipine</i> | 86 | | |
| <i>mynatal-z</i> | 198 | NICOTROL | 9 | | |
| <i>mynate 90 plus</i> | 198 | <i>nifedipine</i> | 86 | | |
| MYRBETRIQ | 163 | <i>nikki (28)</i> | 101 | | |

| | | | | | |
|-------------------------------------|-----|---|-----|---------------------------------------|------------------------------|
| NOVOLIN R REGULAR U-100 INSULN..... | 46 | <i>olmesartan</i> | 79 | ORLISSA..... | 169 |
| NOVOLOG FLEXPEN U-100 INSULIN..... | 46 | <i>olmesartan-amlodipin-hcthiamid</i> | 79 | ORKAMBI..... | 194 |
| NOVOLOG MIX 70-30 U-100 INSULN..... | 46 | <i>olmesartan-hydrochlorothiazide</i> | 79 | ORSERDU..... | 28 |
| NOVOLOG MIX 70-30FLEXPEN U-100..... | 47 | <i>olopatadine</i> | 155 | <i>orsythia</i> | 102 |
| NOVOLOG PENFILL U-100 INSULIN..... | 47 | OLUMIANT..... | 175 | <i>oseltamivir</i> | 70 |
| NOVOLOG U-100 INSULIN ASPART..... | 47 | <i>omega-3 acid ethyl esters</i> | 89 | OSMOLEX ER..... | 58 |
| NOVOTWIST..... | 135 | <i>omeprazole</i> | 160 | OTEZLA..... | 175 |
| NOXAFIL..... | 49 | <i>omeprazole-sodium bicarbonate</i> | 160 | OTEZLA STARTER..... | 175 |
| NUBEQA..... | 28 | OMNIPOD 5 G6 INTRO KIT (GEN 5)..... | 135 | <i>oxandrolone</i> | 165 |
| NUCALA..... | 194 | OMNIPOD 5 G6 PODS (GEN 5)..... | 135 | <i>oxazepam</i> | 11 |
| NULOJIX..... | 175 | OMNIPOD CLASSIC PDM KIT(GEN 3)..... | 135 | <i>oxcarbazepine</i> | 36 |
| NUPLAZID..... | 62 | OMNIPOD CLASSIC PODS (GEN 3)..... | 135 | OXLUMO..... | 186 |
| NURTEC ODT..... | 52 | OMNIPOD DASH INTRO KIT (GEN 4)..... | 135 | <i>oxybutynin chloride</i> | 163, 164 |
| NUTRILIPID..... | 77 | OMNIPOD DASH PDM KIT (GEN 4)..... | 135 | <i>oxycodone</i> | 5 |
| <i>nyamyc</i> | 50 | OMNIPOD DASH PODS (GEN 4)..... | 135 | <i>oxycodone-acetaminophen</i> | 5 |
| <i>nylia 1/35 (28)</i> | 101 | <i>ondansetron</i> | 55 | OXYCONTIN..... | 5 |
| <i>nylia 7/7/7 (28)</i> | 102 | <i>ondansetron hcl</i> | 55 | <i>oxymorphone</i> | 5, 6 |
| <i>nymyo</i> | 102 | <i>ondansetron hcl (pf)</i> | 55 | OZEMPIC..... | 44 |
| <i>nystatin</i> | 50 | ONTRUZANT..... | 28 | <i>pacerone</i> | 81 |
| <i>nystatin-triamcinolone</i> | 50 | ONUREG..... | 28 | <i>paclitaxel protein-bound</i> | 28 |
| <i>nystop</i> | 50 | OPDIVO..... | 28 | <i>paliperidone</i> | 62 |
| NYVEPRIA..... | 74 | OPDUALAG..... | 28 | PALYNZIQ..... | 154 |
| <i>obstetrix dha</i> | 198 | OPSUMIT..... | 196 | PANRETIN..... | 106 |
| <i>o-cal prenatal</i> | 198 | <i>oralone</i> | 104 | <i>pantoprazole</i> | 160 |
| OICALIVA..... | 162 | ORENCIA..... | 175 | <i>paricalcitol</i> | 184 |
| OCREVUS..... | 94 | ORENCIA (WITH MALTOSE)..... | 175 | <i>paroex oral rinse</i> | 105 |
| OCTAGAM..... | 175 | ORENCIA CLICKJECT..... | 175 | <i>paromomycin</i> | 56 |
| <i>octreotide acetate</i> | 169 | ORFADIN..... | 154 | <i>paroxetine hcl</i> | 42 |
| ODEFSEY..... | 67 | ORGOVYX..... | 169 | PAXLOVID (EUA)..... | 70 |
| ODOMZO..... | 28 | | | PEDIARIX (PF)..... | 179 |
| OFEV..... | 194 | | | PEDVAX HIB (PF)..... | 180 |
| <i>ofloxacin</i> | 157 | | | PEGASYS..... | 71 |
| OGIVRI..... | 28 | | | <i>peg-electrolyte soln</i> | 163 |
| <i>olanzapine</i> | 62 | | | PEMAZYRE..... | 28 |
| | | | | <i>pemetrexed</i> | 28 |
| | | | | <i>pemetrexed disodium</i> | 28 |
| | | | | PEN NEEDLE..... | 127, 136, 138 |
| | | | | PEN NEEDLE, DIABETIC..... | 118, 119, 133, 135, 136, 138 |

| | | | | | |
|---|----------|---|----------|--|----------|
| PEN NEEDLE, DIABETIC, SAFETY | 139 | PLASMA-LYTE A | 189 | <i>prenatabs fa</i> | 198 |
| <i>penicillamine</i> | 164 | PLEGRIDY | 94 | <i>prenatal 19</i> | 198 |
| <i>penicillin g potassium</i> | 17 | <i>pnv 29-1</i> | 198 | <i>prenatal 19 (with docusate)</i> | 198 |
| <i>penicillin g procaine</i> | 17 | <i>pnv-dha + docusate</i> | 198 | <i>prenatal low iron</i> | 199 |
| <i>penicillin v potassium</i> | 17 | <i>pnv-omega</i> | 198 | <i>prenatal plus</i> | 199 |
| PENTACEL (PF) | 180 | <i>pnv-vp-u</i> | 198 | <i>prenatal plus (calcium carb)</i> .. | 198 |
| <i>pentamidine</i> | 56 | <i>podofilox</i> | 106 | <i>prenatal vitamin plus low iron</i> .. | 199 |
| PENTIPS | 136 | <i>polycin</i> | 157 | <i>prenatal-u</i> | 199 |
| <i>pentoxifylline</i> | 76 | <i>polymyxin b sulfate</i> | 13 | <i>preplus</i> | 199 |
| <i>perindopril erbumine</i> | 80 | <i>polymyxin b sulf-trimethoprim</i> .. | 157 | <i>pretab</i> | 199 |
| <i>periogard</i> | 105 | POMALYST | 29 | PRETOMANID | 53 |
| <i>permethrin</i> | 111 | <i>portia 28</i> | 102 | <i>prevalite</i> | 89 |
| <i>perphenazine</i> | 63 | <i>posaconazole</i> | 50 | PREVENT DROPSAFE | |
| <i>perphenazine-amitriptyline</i> | 42 | <i>potassium chloride</i> | 189 | PEN NEEDLE | 136, 137 |
| PERSERIS | 63 | <i>potassium chloride-0.45 % nacl</i> | | <i>previfem</i> | 102 |
| <i>pfizerpen-g</i> | 17 | | 190 | PREVYMIS | 70 |
| <i>phenelzine</i> | 42 | <i>potassium citrate</i> | 190 | PREZCOBIX | 68 |
| <i>phenobarbital</i> | 37 | <i>pr natal 400</i> | 198 | PREZISTA | 68 |
| <i>phenylephrine hcl</i> | 78 | <i>pr natal 400 ec</i> | 198 | PRIFTIN | 53 |
| <i>phenytoin</i> | 37 | <i>pr natal 430</i> | 198 | PRIMAQUINE | 57 |
| <i>phenytoin sodium</i> | 37 | <i>pr natal 430 ec</i> | 198 | <i>primidone</i> | 37 |
| <i>phenytoin sodium extended</i> | 37 | PRALUENT PEN | 89 | PRIORIX (PF) | 180 |
| <i>philith</i> | 102 | <i>pramipexole</i> | 58 | PRIVIGEN | 175 |
| PHOSLYRA | 163 | <i>prasugrel</i> | 76 | PRO COMFORT | |
| PIFELTRO | 68 | <i>pravastatin</i> | 89 | ALCOHOL PADS | 106 |
| <i>pilocarpine hcl</i> | 105, 187 | <i>prazosin</i> | 78 | PRO COMFORT INSULIN | |
| <i>pimecrolimus</i> | 110 | <i>prednicarbate</i> | 110 | SYRINGE | 137 |
| <i>pimozide</i> | 63 | <i>prednisolone</i> | 168 | PRO COMFORT PEN | |
| <i>pimtreea (28)</i> | 102 | <i>prednisolone acetate</i> | 159 | NEEDLE | 137 |
| <i>pindolol</i> | 83 | <i>prednisolone sodium phosphate</i> | | <i>probenecid</i> | 51 |
| <i>pioglitazone</i> | 44 | | 159, 168 | <i>probenecid-colchicine</i> | 51 |
| <i>pioglitazone-metformin</i> | 44 | <i>prednisone</i> | 168 | <i>procainamide</i> | 81 |
| PIP PEN NEEDLE | 136 | <i>pregabalin</i> | 37 | PROCALAMINE 3% | 77 |
| <i>piperacillin-tazobactam</i> | 17 | PREHEVBRIO (PF) | 180 | <i>prochlorperazine</i> | 55 |
| PIQRAY | 28 | PREMARIN | 166, 167 | <i>prochlorperazine edisylate</i> | 55 |
| <i>pirfenidone</i> | 194 | PREMPHASE | 167 | <i>prochlorperazine maleate</i> | 55 |
| <i>pirmella</i> | 102 | PREMPRO | 167 | <i>proctosol hc</i> | 110 |
| <i>piroxicam</i> | 8 | <i>prenal true</i> | 198 | <i>proctozone-hc</i> | 110 |
| PLASMA-LYTE 148 | 189 | <i>prenaissance</i> | 198 | PRODIGY INSULIN | |
| | | <i>prenaissance plus</i> | 198 | SYRINGE | 137 |

| | | | | | |
|--|------------|-----------------------------|----------|-------------------------------------|----------|
| <i>progesterone</i> | 170 | <i>raloxifene</i> | 167 | RISPERDAL CONSTA..... | 63 |
| <i>progesterone micronized</i> | 170 | <i>ramipril</i> | 81 | <i>risperidone</i> | 63 |
| PROGRAF..... | 175 | <i>ranolazine</i> | 85 | <i>ritonavir</i> | 68 |
| PROLASTIN-C..... | 194 | <i>rasagiline</i> | 58 | RITUXAN HYCELA..... | 29 |
| PROLENSA..... | 159 | RASUVO (PF)..... | 175 | <i>rivastigmine</i> | 40 |
| PROLIA..... | 184 | RAVICTI..... | 162 | <i>rivastigmine tartrate</i> | 39 |
| PROMACTA..... | 74 | RAYALDEE..... | 184 | <i>rizatriptan</i> | 52 |
| <i>promethazine</i> | 51, 55, 56 | <i>reclipsen (28)</i> | 102 | <i>r-natal ob</i> | 199 |
| <i>promethegan</i> | 56 | RECOMBIVAX HB (PF) | | ROCKLATAN..... | 188 |
| <i>propafenone</i> | 81 | | 180, 181 | <i>roflumilast</i> | 194 |
| <i>proparacaine</i> | 155 | RECTIV..... | 186 | <i>ropinirole</i> | 58 |
| <i>propranolol</i> | 83 | RELENZA DISKHALER..... | 70 | <i>rosadan</i> | 108 |
| <i>propranolol-hydrochlorothiazid</i> | 83 | RELEUKO..... | 74, 75 | <i>rosuvastatin</i> | 89 |
| <i>propylthiouracil</i> | 171 | RELION NEEDLES..... | 138 | ROTARIX..... | 181 |
| PROQUAD (PF)..... | 180 | RELION PEN NEEDLES..... | 138 | ROTATEQ VACCINE..... | 181 |
| PROSOL 20 %..... | 78 | <i>repaglinide</i> | 44 | ROZLYTREK..... | 29 |
| <i>protamine</i> | 75 | REPATHA PUSHTRONEX..... | 89 | RUBRACA..... | 29 |
| <i>protriptyline</i> | 42 | REPATHA SURECLICK..... | 89 | <i>rufinamide</i> | 37 |
| PULMOZYME..... | 154 | REPATHA SYRINGE..... | 89 | RUKOBIA..... | 68 |
| PURE COMFORT | | RESTASIS..... | 159 | RUXIENCE..... | 29 |
| ALCOHOL PADS..... | 106 | RESTASIS MULTIDOSE..... | 159 | RYBELSUS..... | 44 |
| PURE COMFORT PEN | | RETACRIT..... | 75 | RYBREVANT..... | 29 |
| NEEDLE..... | 137, 138 | RETEVMO..... | 29 | RYDAPT..... | 29 |
| <i>purefe ob plus</i> | 199 | RETROVIR..... | 68 | SAFESNAP INSULIN | |
| <i>purefe plus</i> | 199 | <i>revonto</i> | 195 | SYRINGE..... | 138, 139 |
| PURIXAN..... | 29 | REXULTI..... | 63 | SAFETY PEN NEEDLE..... | 139 |
| <i>pyrazinamide</i> | 53 | REYATAZ..... | 68 | <i>sajazir</i> | 85 |
| <i>pyridostigmine bromide</i> | 186 | REZLIDHIA..... | 29 | SANTYL..... | 106 |
| <i>pyrimethamine</i> | 57 | REZUROCK..... | 176 | <i>sapropterin</i> | 154 |
| QINLOCK..... | 29 | RHOPRESSA..... | 187 | SAVELLA..... | 94 |
| QUADRACEL (PF)..... | 180 | RIABNI..... | 29 | SCSEMBLIX..... | 29 |
| <i>quetiapine</i> | 63 | <i>ribavirin</i> | 71 | <i>scopolamine base</i> | 56 |
| <i>quinapril</i> | 80 | RIDAURA..... | 176 | SECUADO..... | 64 |
| <i>quinapril-hydrochlorothiazide</i> | 81 | <i>rifabutin</i> | 53 | SECURESAFE PEN | |
| <i>quinidine gluconate</i> | 82 | <i>rifampin</i> | 54 | NEEDLE..... | 139 |
| <i>quinidine sulfate</i> | 82 | <i>rilpivirine</i> | 68 | <i>select-ob</i> | 199 |
| <i>quinine sulfate</i> | 57 | <i>riluzole</i> | 94 | <i>select-ob (folic acid)</i> | 199 |
| QULIPTA..... | 52 | <i>rimantadine</i> | 70 | <i>selegiline hcl</i> | 58 |
| RABAVERT (PF)..... | 180 | RINVOQ..... | 176 | <i>selenium sulfide</i> | 108 |
| <i>rabeprazole</i> | 161 | <i>risedronate</i> | 184 | SELZENTRY..... | 68 |

| | | | | | |
|---|-----|---|-----------|---|----------|
| SEMGLEE(INSULIN GLARGINE-YFGN)..... | 47 | SOLU-CORTEF ACT-O- VIAL (PF)..... | 168 | <i>sumatriptan-naproxen</i> | 53 |
| SEMGLEE(INSULIN GLARG-YFGN)PEN..... | 47 | SOMATULINE DEPOT..... | 170 | <i>sunitinib malate</i> | 30 |
| <i>se-natal 19 chewable</i> | 199 | SOMAVERT..... | 170 | SUNLENCA..... | 68 |
| SEREVENT DISKUS..... | 192 | <i>sorafenib</i> | 29 | SUNOSI..... | 196 |
| SEROSTIM..... | 170 | <i>sorine</i> | 83 | SUPREP BOWEL PREP KIT..... | 163 |
| <i>sertraline</i> | 42 | <i>sotalol</i> | 83 | SURE COMFORT ALCOHOL PREP PADS..... | 106 |
| <i>setlakin</i> | 102 | <i>sotalol af</i> | 83 | SURE COMFORT INS. SYR. U-100..... | 139 |
| <i>sevelamer carbonate</i> | 163 | SPIRIVA RESPIMAT..... | 193 | SURE COMFORT INSULIN SYRINGE..... | 140 |
| <i>sevelamer hcl</i> | 163 | SPIRIVA WITH HANDIHALER..... | 193 | SURE COMFORT PEN NEEDLE..... | 140, 141 |
| SEZABY..... | 37 | <i>spironolactone</i> | 87 | SURE COMFORT SAFETY PEN NEEDLE..... | 139 |
| <i>sf 5000 plus</i> | 105 | SPRAVATO..... | 42 | SURE-FINE PEN NEEDLES..... | 141 |
| <i>sharobel</i> | 102 | <i>sprintec (28)</i> | 102 | SURE-JECT INSULIN SYRINGE..... | 141 |
| SHINGRIX (PF)..... | 181 | SPRITAM..... | 37 | SURE-PREP ALCOHOL PREP PADS..... | 107 |
| SIGNIFOR..... | 170 | SPRYCEL..... | 30 | SUTAB..... | 163 |
| SIKLOS..... | 75 | <i>sps (with sorbitol)</i> | 162 | <i>syeda</i> | 102 |
| <i>sildenafil</i> | 196 | <i>sronyx</i> | 102 | SYMBICORT..... | 191 |
| <i>sildenafil (pulm.hypertension)</i> | 196 | <i>ssd</i> | 108 | SYMDEKO..... | 195 |
| <i>silver sulfadiazine</i> | 108 | <i>stavudine</i> | 68 | SYMLINPEN 120..... | 44 |
| SIMBRINZA..... | 188 | STELARA..... | 176 | SYMLINPEN 60..... | 44 |
| <i>simliya (28)</i> | 102 | STERILE PADS..... | 139 | SYMPAZAN..... | 38 |
| <i>simpesse</i> | 102 | STIOLTO RESPIMAT..... | 193 | SYMTUZA..... | 69 |
| <i>simvastatin</i> | 89 | STIVARGA..... | 30 | SYNAREL..... | 170 |
| <i>sirolimus</i> | 176 | STRENSIQ..... | 154 | SYNJARDY..... | 45 |
| SIRTURO..... | 54 | <i>streptomycin</i> | 11 | SYNJARDY XR..... | 45 |
| SKY SAFETY PEN NEEDLE..... | 139 | STRIBILD..... | 68 | SYNRIBO..... | 30 |
| SKYRIZI..... | 176 | STRIVERDI RESPIMAT... <i>subvenite</i> | 193 37 | TABLOID..... | 30 |
| <i>sodium chloride 0.45 %</i> | 190 | <i>sucralfate</i> | 161 | TABRECTA..... | 30 |
| <i>sodium chloride 0.9 %</i> | 190 | <i>sulfacetamide sodium</i> | 157 | <i>tacrolimus</i> | 110, 176 |
| <i>sodium fluoride-pot nitrate</i> | 105 | <i>sulfacetamide sodium (acne)</i> .. | 108 | <i>tadalafil (pulm. hypertension)</i> | 196 |
| <i>sodium oxybate</i> | 196 | <i>sulfacetamide-prednisolone</i> | 157 | TAFINLAR..... | 30 |
| <i>sodium phenylbutyrate</i> | 162 | <i>sulfadiazine</i> | 18 | TAGRISSO..... | 30 |
| <i>sodium polystyrene sulfonate</i> .. | 162 | <i>sulfamethoxazole- trimethoprim</i> | 18 | | |
| <i>sodium,potassium,mag sulfates</i> | 163 | <i>sulfasalazine</i> | 183 | | |
| SOLIQUA 100/33..... | 47 | <i>sulindac</i> | 8 | | |
| SOLTAMOX..... | 29 | <i>sumatriptan</i> | 52, 53 | | |
| | | <i>sumatriptan succinate</i> | 53 | | |

| | | | | | |
|--|----------|---|---------|---|---------------|
| TAKHZYRO..... | 186 | <i>testosterone cypionate</i> | 165 | TRACLEER..... | 196, 197 |
| TALTZ AUTOINJECTOR.. | 176 | <i>testosterone enanthate</i> | 165 | TRADJENTA..... | 45 |
| TALTZ SYRINGE..... | 177 | TETANUS,DIPHThERIA | | <i>tramadol</i> | 6 |
| TALZENNA..... | 30 | TOX PED(PF)..... | 181 | <i>tramadol-acetaminophen</i> | 6 |
| <i>tamoxifen</i> | 30 | <i>tetrabenazine</i> | 95 | <i>trandolapril</i> | 81 |
| <i>tamsulosin</i> | 164 | <i>tetracycline</i> | 19 | <i>trandolapril-verapamil</i> | 81 |
| <i>tarina 24 fe</i> | 102 | THALOMID..... | 186 | <i>tranexamic acid</i> | 75 |
| <i>tarina fe 1-20 eq (28)</i> | 103 | <i>theophylline</i> | 193 | <i>tranylcypramine</i> | 42 |
| <i>taron-c dha</i> | 199 | THINPRO INSULIN | | TRAVASOL 10 %..... | 78 |
| <i>taron-prex prenatal-dha</i> | 199 | SYRINGE..... | 143 | <i>travoprost</i> | 188 |
| TASCENSO ODT..... | 95 | <i>thioridazine</i> | 64 | TRAZIMERA..... | 31 |
| TASIGNA..... | 30 | <i>thiothixene</i> | 64 | <i>trazodone</i> | 42 |
| <i>tasimelteon</i> | 196 | <i>tiadylt er</i> | 84 | TRECTOR..... | 54 |
| <i>tazarotene</i> | 110 | <i>tiagabine</i> | 38 | TRELEGY ELLIPTA..... | 193 |
| TAZORAC..... | 110 | TIBSOVO..... | 30 | TRELSTAR..... | 31 |
| <i>taztia xt</i> | 84 | TICE BCG..... | 31 | TREMFYA..... | 177 |
| TAZVERIK..... | 30 | TICOVAC..... | 181 | <i>tretinoin</i> | 110, 111 |
| TDVAX..... | 181 | <i>tigecycline</i> | 19 | <i>tretinoin (antineoplastic)</i> | 31 |
| TECHLITE INSULIN | | <i>timolol maleate</i> | 83, 188 | <i>tri femynor</i> | 103 |
| SYRINGE..... | 142 | <i>tiopronin</i> | 164 | <i>triamcinolone acetamide</i> | |
| TECHLITE INSULIN | | TIVDAK..... | 31 | | 105, 110, 168 |
| SYR(HALF UNIT)..... | 141, 142 | TIVICAY..... | 69 | <i>triamterene-hydrochlorothiazid</i> | 87 |
| TECHLITE PEN NEEDLE. | 142 | TIVICAY PD..... | 69 | <i>trientine</i> | 164 |
| TECVAYLI..... | 30 | <i>tizanidine</i> | 195 | <i>tri-estarylla</i> | 103 |
| TEFLARO..... | 14 | <i>tobramycin</i> | 11, 157 | <i>trifluoperazine</i> | 64 |
| <i>telmisartan</i> | 79 | <i>tobramycin in 0.225 % nacl</i> | 11 | <i>trifluridine</i> | 158 |
| <i>telmisartan-hydrochlorothiazid</i> | 79 | <i>tobramycin sulfate</i> | 11 | <i>trihexyphenidyl</i> | 58, 59 |
| <i>temazepam</i> | 11 | <i>tobramycin-dexamethasone</i> | 158 | TRIJARDY XR..... | 45 |
| TEMIXYS..... | 69 | <i>tolterodine</i> | 164 | TRIKAFTA..... | 195 |
| TENIVAC (PF)..... | 181 | TOPCARE CLICKFINE..... | 143 | <i>tri-legest fe</i> | 103 |
| <i>tenofovir disoproxil fumarate</i> ... | 69 | TOPCARE ULTRA | | <i>tri-linyah</i> | 103 |
| TEPMETKO..... | 30 | COMFORT..... | 144 | <i>tri-lo-estarylla</i> | 103 |
| <i>terazosin</i> | 164 | <i>topiramate</i> | 38 | <i>tri-lo-marzia</i> | 103 |
| <i>terbinafine hcl</i> | 50 | <i>toposar</i> | 31 | <i>tri-lo-mili</i> | 103 |
| <i>terbutaline</i> | 193 | <i>toremifene</i> | 31 | <i>tri-lo-sprintec</i> | 103 |
| <i>terconazole</i> | 51 | <i>torseamide</i> | 87 | <i>trimethoprim</i> | 13 |
| <i>teriflunomide</i> | 95 | TOUJEO MAX U-300 | | <i>tri-mili</i> | 103 |
| TERUMO INSULIN | | SOLOSTAR..... | 47 | <i>trimipramine</i> | 42 |
| SYRINGE..... | 143 | TOUJEO SOLOSTAR U-300 | | TRINTELLIX..... | 42 |
| <i>testosterone</i> | 165 | INSULIN..... | 47 | <i>tri-nymyo</i> | 103 |

| | | | | | |
|--------------------------------|----------|------------------------|---------------|---|---------------|
| <i>tri-previfem (28)</i> | 103 | UCERIS..... | 183 | ULTRA-THIN II INS PEN | |
| <i>tri-sprintec (28)</i> | 103 | UDENYCA..... | 75 | NEEDLES..... | 151 |
| TRIUMEQ..... | 69 | ULTICARE..... | 147 | ULTRA-THIN II INSULIN | |
| TRIUMEQ PD..... | 69 | ULTICARE INSULIN | | SYRINGE..... | 151 |
| <i>triveen-duo dha</i> | 199 | SYRINGE..... | 146 | UNIFINE PEN NEEDLE.... | 151 |
| <i>trivora (28)</i> | 103 | ULTICARE INSULN | | UNIFINE PENTIPS | |
| <i>tri-vylibra</i> | 103 | SYR(HALF UNIT)..... | 146 | | 135, 151, 152 |
| <i>tri-vylibra lo</i> | 103 | ULTICARE PEN NEEDLE | 147 | UNIFINE PENTIPS | |
| TRIZIVIR..... | 69 | ULTICARE SAFETY PEN | | MAXFLOW..... | 152 |
| TROGARZO..... | 69 | NEEDLE..... | 147 | UNIFINE PENTIPS PLUS.. | 152 |
| TROPHAMINE 10 %..... | 78 | ULTIGUARD SAFEPAK- | | UNIFINE PENTIPS PLUS | |
| <i>trosipium</i> | 164 | INSULIN SYR..... | 147, 148 | MAXFLOW..... | 152 |
| TRUE COMFORT | | ULTIGUARD SAFEPAK- | | UNIFINE SAFECONTROL | 152 |
| ALCOHOL PADS..... | 107 | PEN NEEDLE..... | 148 | UNIFINE ULTRA PEN | |
| TRUE COMFORT | | ULTILET ALCOHOL | | NEEDLE..... | 152, 153 |
| INSULIN SYRINGE..... | 144 | SWAB..... | 107 | UPTRAVI..... | 197 |
| TRUE COMFORT PEN | | ULTILET INSULIN | | <i>ursodiol</i> | 162 |
| NEEDLE..... | 144, 145 | SYRINGE..... | 129, 130, 148 | <i>valacyclovir</i> | 72 |
| TRUE COMFORT PRO | | ULTILET PEN NEEDLE.... | 148 | VALCHLOR..... | 107 |
| ALCOHOL PADS..... | 107 | ULTRA CMFT INS SYR | | <i>valganciclovir</i> | 72 |
| TRUE COMFORT PRO INS | | (HALF UNIT)..... | 127, 139, 146 | <i>valproate sodium</i> | 38 |
| SYRINGE..... | 144, 145 | ULTRA COMFORT | | <i>valproic acid</i> | 38 |
| TRUE COMFORT SAFETY | | INSULIN SYRINGE | | <i>valproic acid (as sodium salt)</i> ... | 38 |
| PEN NEEDLE..... | 144 | | 122, 127, 149 | <i>valsartan</i> | 79 |
| TRUEPLUS INSULIN. | 145, 146 | ULTRA FLO INSUL | | <i>valsartan-hydrochlorothiazide</i> .. | 80 |
| TRUEPLUS PEN NEEDLE | 145 | SYR(HALF UNIT)..... | 149 | VALTOCO..... | 38 |
| TRULICITY..... | 45 | ULTRA FLO INSULIN | | <i>vancomycin</i> | 13 |
| TRUMENBA..... | 181 | SYRINGE..... | 149, 150 | VANISHPOINT INSULIN | |
| TRUSELTIQ..... | 31 | ULTRA FLO PEN NEEDLE | | SYRINGE..... | 153 |
| TRUXIMA..... | 31 | | 149 | VANISHPOINT SYRINGE. | 153 |
| TUKYSA..... | 31 | ULTRA THIN PEN | | VAQTA (PF)..... | 182 |
| <i>tulana</i> | 103 | NEEDLE..... | 150 | <i>varenicline</i> | 10 |
| TURALIO..... | 31 | ULTRACARE INSULIN | | VARIVAX (PF)..... | 182 |
| TWINRIX (PF)..... | 181 | SYRINGE..... | 150 | VASCEPA..... | 89 |
| <i>tyblume</i> | 103 | ULTRACARE PEN | | VEGZELMA..... | 31 |
| TYBOST..... | 186 | NEEDLE..... | 150, 151 | VELCADE..... | 31 |
| TYMLOS..... | 184 | ULTRA-THIN II (SHORT) | | <i>velivet triphasic regimen (28)</i> .. | 104 |
| TYPHIM VI..... | 182 | INS SYR..... | 151 | VELPHORO..... | 163 |
| TYSABRI..... | 177 | ULTRA-THIN II (SHORT) | | VELTASSA..... | 162 |
| UBRELVY..... | 53 | PEN NDL..... | 151 | VEMLIDY..... | 69 |

| | | | | | |
|-----------------------------------|--------|---------------------------|--------|---------------------------------------|-----|
| VENCLEXTA..... | 31, 32 | <i>voriconazole</i> | 50 | XYREM..... | 196 |
| VENCLEXTA STARTING | | VOSEVI..... | 71 | YERVOY..... | 33 |
| PACK..... | 32 | VOTRIENT..... | 32 | YF-VAX (PF)..... | 182 |
| <i>venlafaxine</i> | 43 | <i>vp-ch-pnv</i> | 200 | YONSA..... | 33 |
| <i>venlafaxine besylate</i> | 42 | <i>vp-pnv-dha</i> | 200 | <i>yuvaferm</i> | 167 |
| <i>verapamil</i> | 84 | VRAYLAR..... | 64 | <i>zafemy</i> | 104 |
| VERIFINE PEN NEEDLE.. | 153 | VUMERITY..... | 95 | <i>zafirlukast</i> | 191 |
| VERSACLOZ..... | 64 | <i>vyfemla (28)</i> | 104 | <i>zaleplon</i> | 196 |
| VERSALON..... | 153 | <i>vylibra</i> | 104 | <i>zarah</i> | 104 |
| VERZENIO..... | 32 | <i>warfarin</i> | 73 | ZARXIO..... | 75 |
| <i>vestura (28)</i> | 104 | WEBCOL..... | 107 | <i>zatean-pn dha</i> | 200 |
| V-GO 20..... | 153 | WELIREG..... | 32 | <i>zatean-pn plus</i> | 200 |
| V-GO 30..... | 153 | <i>wera (28)</i> | 104 | ZEGALOGUE | |
| V-GO 40..... | 153 | XALKORI..... | 32 | AUTOINJECTOR..... | 186 |
| VICTOZA..... | 45 | XARELTO..... | 73 | ZEGALOGUE SYRINGE... | 187 |
| <i>vienna</i> | 104 | XARELTO DVT-PE TREAT | | ZEJULA..... | 33 |
| <i>vigabatrin</i> | 38 | 30D START..... | 73 | ZELBORAF..... | 33 |
| <i>vigadrone</i> | 38 | XATMEP..... | 32 | <i>zenatane</i> | 107 |
| VIIBRYD..... | 43 | XCOPRI..... | 38, 39 | ZENPEP..... | 154 |
| <i>vilazodone</i> | 43 | XCOPRI MAINTENANCE | | <i>zidovudine</i> | 69 |
| VIMPAT..... | 38 | PACK..... | 38 | <i>zingiber</i> | 200 |
| <i>vinate care</i> | 199 | XCOPRI TITRATION | | <i>ziprasidone hcl</i> | 64 |
| <i>vinorelbine</i> | 32 | PACK..... | 39 | <i>ziprasidone mesylate</i> | 64 |
| <i>vioele (28)</i> | 104 | XELJANZ..... | 177 | ZIRABEV..... | 33 |
| VIRACEPT..... | 69 | XELJANZ XR..... | 177 | ZIRGAN..... | 158 |
| VIREAD..... | 69 | XERMELO..... | 162 | ZOLADEX..... | 33 |
| <i>virt-c dha</i> | 199 | XGEVA..... | 184 | <i>zoledronic acid</i> | 184 |
| <i>virt-nate dha</i> | 199 | XHANCE..... | 159 | <i>zoledronic acid-mannitol-water</i> | |
| <i>virt-pn</i> | 199 | XIFAXAN..... | 13 | | 184 |
| <i>virt-pn dha</i> | 199 | XIGDUO XR..... | 45 | ZOLINZA..... | 33 |
| <i>virt-pn plus</i> | 200 | XIIDRA..... | 159 | <i>zolmitriptan</i> | 53 |
| <i>vitafol gummies</i> | 200 | XOFLUZA..... | 70 | <i>zolpidem</i> | 196 |
| <i>vitafol nano</i> | 200 | XOLAIR..... | 195 | ZONISADE..... | 39 |
| <i>vitafol-ob+dha</i> | 200 | XOSPATA..... | 32 | <i>zonisamide</i> | 39 |
| VITRAKVI..... | 32 | XPOVIO..... | 32, 33 | <i>zovia 1-35 (28)</i> | 104 |
| VIZIMPRO..... | 32 | XTAMPZA ER..... | 6 | ZTALMY..... | 39 |
| VOCABRIA..... | 69 | XTANDI..... | 33 | ZTLIDO..... | 9 |
| <i>vol-nate</i> | 200 | <i>xulane</i> | 104 | <i>zumandimine (28)</i> | 104 |
| <i>volnea (28)</i> | 104 | XULTOPHY 100/3.6..... | 47 | ZYDELIG..... | 33 |
| VONJO..... | 32 | XYOSTED..... | 165 | ZYKADIA..... | 33 |

| | |
|-----------------------|-----|
| ZYLET..... | 158 |
| ZYNLONTA..... | 33 |
| ZYPREXA RELPREVV..... | 64 |



For questions about this formulary, please contact Ochsner Health Plan's Pharmacy Help Desk at 1-800-910-1837 (TTY: 711). Hours of Operation: 24 hours a day, 7 days a week.



Ochsner Health Plan
1450 Poydras St., Suite 110
New Orleans, LA 70112
1-833-674-2112 Member Services
www.ochsnerhealthplan.com

This formulary was updated on 05/01/2023. For more recent information or other questions, please contact Ochsner Health Plan's Pharmacy Help Desk at 1-800-910-1837 (TTY users should call 711). Hours of Operation are 24 hours a day, 7 days a week or visit www.ochsnerhealthplan.com. **Important Message About What You Pay for Vaccines** - Our plan covers most Part D vaccines at no cost to you. Call Member Services for more information. **Important Message About What You Pay for Insulin** - You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on.